Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



COTTON QUALITY CROP OF 1975

(3)



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

HUIO

CONTENTS

	Table No.	Page No.
Introduction		1
Map - Distribution of Cotton Production in the United States		2
UPLAND COTTON GINNED IN THE UNITED STATES		
Grade and Staple Length 1975-76	1	3
1974-75	2	4
During Specified Periods, 1975-76	. 3	5
By States, 1975-76	. 8	9-23
During Specified Periods by States, 1975-76	9	24-31
By Classing Office Territories, 1975-76	. 10	32-44
Preparation and Grade Reductions United States and by States, 1975-76	. 4	6
Grade Index and Average Staple United States and by States, 1972-1975	. 5	7.
Tenderability By States, 1975-76	. 6	8
United States, 1958-1975	. 7	8
Micronaire Readings United States and by States, 1975-76	11	45
During Specified Periods, United States and by States, 1975-76	. 12	46-49
By Classing Office Territories, 1975-76	. 13	50
Fiber Strength United States and by States, 1975-76	. 14	51
During Specified Periods, United States and by States, 1975-76	. 15	52-54
By Classing Office Territories, 1975-76	. 16	55
AMERICAN PIMA COTTON GINNED IN THE UNITED STATE	ES	
Grade and Staple Length United States and by States, 1975-76	. 17	56
During Specified Periods, 1975-76	. 18	57
Micronaire Readings United States and by States, 1975-76	. 19	58

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON DIVISION - MARKET NEWS SECTION
4841 SUMMER AVENUE - MEMPHIS, TN 38122
TELEPHONE (901) 521-2934

Cotton Quality - United States 1975 Crop

Introduction

Upland cotton ginned in the United States from the 1975 crop averaged shorter in staple length and higher in grade than a year earlier, according to the Cotton Division, Agricultural Marketing Service, USDA. Cotton stapling 33 and shorter accounted for almost one-third of total ginnings against about one-fifth a year earlier. White grades 31 and higher represented about one-fifth of ginnings compared with one-eighth in 1974. Average fiber strength of the 1975 crop was about the same as a year earlier. Average mike of the 1975 crop was 4.0 against 4.1 in 1974.

The 1975 upland cotton crop contained 5.5 million bales of cotton stapling 34 and longer. This was equivalent to 68 percent of total ginnings against 79 percent in the 1974 crop. Staple 35 was the predominant length and comprised 36 percent of ginnings, down from 44 percent in 1974-75 ginnings. Eleven percent of the 1975 upland cotton crop was in the two lengths 32 and 33 against 10 percent a year earlier. Cotton stapling 31 and shorter accounted for 21 percent of 1975 ginnings, up sharply from 11 percent in 1974. The average staple of the 1975 crop was 33.6 thirty-seconds inches, against 34.2 thirty-seconds a year earlier.

Ginnings of White grades 31 and higher totaled 1.5 million bales, equivalent to 19 percent of the 1975 upland cotton crop. This was up from 12 percent a year earlier. Grade 41 was the most prevalent grade and accounted for 30 percent of ginnings against 38 percent the previous season. The Light Spotted and other Colored grades made up 30 percent of total ginnings compared with 24 percent a year earlier. The grade index of the 1975 crop was 91.8 (grade 31=100) against 90.8 a year earlier.

Cotton miking in the 3.5-4.9 range made up 69 percent of ginnings from the 1975 upland cotton crop. This compares with 77 percent a year earlier. Cotton miking 3.4 and below accounted for 26 percent of the 1975 ginnings against 16 percent the previous season. Average mike of 1975 ginnings was 4.0 compared with 4.1 in 1974.

Average fiber strength of the 1975 crop was 86,300 pounds per square inch against 86,000 the previous season. Cotton with fiber strength of 80,000 psi or stronger comprised 86 percent of the 1975 upland crop compared with 82 percent a year earlier.

American Pima cotton ginned from the 1975 crop contained a larger proportion of the higher grades than last season. Grades 4 and above accounted for 84 percent of total ginnings in 1975, up sharply from 65 percent a year earlier. Grade 3 was the predominant quality and comprised 47 percent of ginnings in 1975 against 8 percent the previous season. Staples 44 and longer accounted for 95 percent of ginnings from the 1975 American Pima crop compared with 96 percent a year earlier.

Cotton ginned in the United States from the 1975 crop totaled 8,151,200 running bales, according to the Bureau of the Census. This total includes 8,097,500 bales of upland cotton and 53,700 bales of American Pima cotton. The average net weight per bale of cotton ginned from the 1975 crop was 488.6 pounds.




Table 1. -- Grade and staple of upland cotton ginned in the United States, 1975-76

Grado								Staple									-
	Code	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and	A11 8	All staples
100.00		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White: G.M.	(11)									{	1						
S.M.	(21)	1	21	54	258	124	24	62	2,473	22,817	13,352	294	34	23		39.536	, O
M. +	(31)	10	1.972	6 257	17 153	90 063	70 581	- 020	28	543	1,299	1 0	1 (1 0	1	1,945	*
S.L.M.+	(40)	1	9	09	503	684	489	1,820	20,030	208,825	180,085	2,996	322	183	123	1,467,906	18.1
L.M.+	(50)	112	7,073	35,812	81,339	101,064	78,610	108,285	545,461 1	,140,630	322,091	7,841	330	4	181	2,428,869	30.0
L.M.	(21)	9	1,230	7,532	27,959	47,231	50,807	88,838	34,718	355,016	52,968	936	106	1 1	19	144,197	12.3
+ °0.0.	(60)		15	23	133	189	432	820	3,237	2,827	345	27				8,048	0.1
+.0.5	(70)		00	CB/	979,7	5, 728	10,020	17,883	49,741	27,468	2,739	94	7	1	,	117,174	1.4
6.0.	(11)	,	-	65	423	870	1,546	2,800	5,692	1,949	124	26		1 1	1 1	13,495	0.2
Total		128	10,438	50,757	131,349	187,674	163,676	237,526 1	1,163,198 2	2,693,801	796,969	23,564	922	298	382	5,633,080	69.5
Light Spotted:	1001																
S. W.	(22)	()		. 63	851	1 136	185	- GR	, 45	, 000	1 000	+ 1	-1	,	1		ŧ
M.	(35)	546		45,749	95,044	100,855	61,660	13,479	44,449	52,127	7,526	1.226	. 42	1 1	, 58	4,364	0.1
L.M.	(52)	206	25,109 4,889	106,216	208,606	222,100 80,005	155,137	64,382	181,031	132,197	12,126	753	17	18	99 '	1,108,733	13.7
Total		1,727	42,645	178,071	366,818	404,096	294,203	124,882	332,582	236,487	24,375	2,083	81	18	148	2.008.216	24.9
Spotted:	11																
S.M.	(13)	r)		328	1.279	- 4	1,94	1 0	1 0	1 6			£	*		1	,
M.	(33)	1	1,492	20,627	46,569	30,954	12,849	2,408	2.680	1.112	115	, ,			1	2,729	* "
L.M.	(53)	233	4,781	21,030	48,324	47,839	24,713	7,800	15,116	7,674	469	18				178,152	2.2
Total		869	7,848	46,829	107,358	94,357	48,642	18,629	34.375	13.862	985	18			1	73,83/	6.0
Tinged:																3/3,001	0.4
N.W.	(24)	37	1,517	150	5,704	34	404	10	. Ł	- 84	1 1	100	1	1		172	*
S.L.M.	<u>4</u> <u>4</u> <u>8</u>	570	2,797	4,571	4,581	1,849	426	272	264	89	10				, ,	15,429	200
Total		880	4,927	11,593	11,650	4,451	1,348	686	592	198	10				1	900,00	0.1
Stained:	(36)															20, 333	0,0
. W	(32)	21	572	470	151	15	1 1	10		1 1	1 1	1 1	3 1	1 1	1 1	1.239	1 *
Total		21	572	470	151	15		10	1	r	4	1			,	1,239	*
Light Gray:	(36)																
S.M.	(26)	1 1	, ,	()	1 +	10	10	70	10	13	1 09	1 1	2 1	τ	1	23	* 1
N. S. L. M.	(36)	' '	1 (22	12 20	47	50	330	3,728	1,449	110				1 1	6,228	0.1
Total		1	1	22	32	57	116	1,204	5, 532	2,300	234	,	,			9,497	10
Gray:	(17)	1	,														
w.W.	(27)	1		1	1	,	1 1		. ,	i. i	1 -1	1 1	, ,	1 1	1 1	1	1
S.L.M.	(47)	1 1	1 1	0 0	71	ı	1 7	10	22	10-1	10	1	1	1		- 15	1 *
Total		,	,	16	71	2	,	38	72		10		,	1		101	* *
Below Grade		279	968	1,196	3,084	3,288	6,872	7,216	10,155	2,243	197			1		35 426	
All grades		3,733	67,326	288,954	620,459	693,943	514,857	390,191 1,	390,191 1,546,506 2,948.891		995.178	25,665	600	93.6	CC	. 11	
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Persont		+ + + + + + + + + + + + + + + + + + + +				230	/T ZCC, /60,8	100.0
		*	0.8	3.6	7.7	8.6	6.4	4.8	19.1	36,4	12.3	0,3	rercent	Fercent *	Percent *	Percent 100.0	
1/ As reported by the Bureau of * Less than 0.05 percent.	by the	Bureau or	the Censu	the Census, running	g bales.								Perce	Percentage rough preparation	sh preparat	cion	-
							- [Ī			1		Avera	ige staple.		: :	33.6

Table 2. -- Grade and staple of upland cotton ginned in the United States, 1974-75

31 31 32 32 34 35 36 36 36 36 36 36 36	Shortest 28 29 30 31 32 33 35 35 35 35 35 35	Bales 29,522 1,769 124,961 4,719 127,961 4,719 127,844 17,117 1,325 8,468 10,519 20,329	Bales 14,272 2,106,630 116,278 867,914 126,630 118,278 87,778 8,524 87,778 9,313 9,313 9,313 126,912 572,600 572,600 572,600 573,600 573,600 574,339,738 126,912 577 586,982 777 786,982 777 786,982 777 786,982 777 786,982 777 786,982 777 786,982 777 787 787 787 787 787 787 7	36 36 36 373 373 373 373 373 373 373 373	37 Bales 27 27 27 3,046 56,490 9,137 2,189 11,957 2,411 843 5,219 5,219	38 Bales 206 218 4,157 689 1,716 20 20 20 210 210 210 210 210 210 210 21	Bales 2 200 2 236 2 244 6 691		All staples Bales 23,048 23,048 4,223,564 4,223,564 2,937 1,976,610 19,768 2,595 2,595 2,595 2,597 2,595 2,337,927 1,1364,186 2,337,927 2,337,927 2,437,927 2,437,927 2,437,927 2,595 2,597 2	
	Hartes H	Bales 29,522 1,769 124,961 4,719 122,725 21,834 21,837 21,844 311,5011,6 1,325 8,468 10,519 20,329	Bales 14, 272 867, 914, 272 210, 620 2, 106, 630 112, 278 8, 524 8, 524 8, 778 8, 524 8, 524	Bales 6 3,518 71 259,250 170,739 559,713 61,794 1,769 1,769 1,769 1,761 200 10,009 41,126 17,761 69,096 69,096 7,2223 1,434 4,036	27 27 27 602 3,046 56,490 4,959 9,159 9,159 81,784 843 843 5,219 2 2,189 11,957 2,411 843 843 5,219 843 843 843 843 843 843 843 843 843 843	206 218 4,157 208 1,716 20 7,286 7,286 7,286 210 210 210 210 210 210 210 210 210 210	Bales 2002 236 236 244 19 19			Percent 12 12 13 37 13 13 13 13 13 13 13 13 13 13 13 13 13
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	11	29,522 1,769 124,961 4,725 21,894 21,848 311,5011,9 19,848 94,984 71,117 1,325 8,468 10,519 20,329	14,272 867,914 210,620 2,166,630 1,866 81,866 81,866 81,318 81,318 105,374 105,374 339,234 4,339,234 115,803 126,912 572,600 19,803 119,803	6 3,518 259,250 170,739 559,713 618,773 3,992 17,402 81,126 17,402 81,126 17,761 69,096 81,126 17,761 81,434 4,036 81,434 4,036	27 5,602 3,046 56,490 9,159 9,159 1,957 2,189 11,957 2,411 843 843 843 5,219	206 218 4,157 4,157 11,716 20 21 20 21 21 20 21 20 21 20 21 20 21 20 21 20 21 20 21 20 20 20 20 20 20 20 20 20 20 20 20 20	2000 236 244 244 244 244 244 244 244 244 244 24	665 665 721127 7311 8311 1118 1118 1118	23, 25 23,048 2,048 4,23,000 4,223,564 4,235,564 239,927 1,976,610 19,783 246,238 33,952 8,542,693 8,542,693 8,542,693 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,595	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1	10	29,522 1,769 124,961 4,719 122,725 21,844 311,5011,9 19,848 94,984 71,117 1,325 8,468 10,519 20,329	14,272 10,620 2,166,630 112,278 861,866 861,866 862,866 87,778 87,339,738 105,374 105,374 126,912 572,600 19,803 12,777 36,982 213 36,982	3,518 259,250 77 71 71 72 73 73 73 73 73 73 73 73 73 73	27, 602 3,046 56,490 9,159 9,159 1,957 2,189 11,957 2,411 843 843 843 5,219 7,219 1,957 2,411 1,957 2,411 1,957 2,411 1,957 2,411 1,957 3,119 1,197 1,	206 218 4,157 689 11,716 20 20 210 210 210 210 210 210 210 210 2	2002 236 244 244 261 19	231 231 231 231 231 231 331 331 331 331	23,048 23,048 4,23,000 409,209 4,223,564 239,927 1,976,610 19,783 246,238 246,238 33,952 2,595 2,595 290,201 1,364,126 661,005 2,337,927 2,337,927 21,810 124,8810 124,8810 124,8810 124,8810 124,8810 124,8810 127,611 2554,501	20.05 20
1,	10	29,522 1,769 124,961 4,719 122,725 21,894 21,894 311,5011,6 19,848 94,984 71,117 1,325 8,468 10,519 20,329	867, 914 112, 278 861, 866 861, 866 87, 87, 778 87, 778 87, 778 105, 374 339, 234 4, 339, 798 105, 374 36, 982 10, 803 119, 803 126, 912 577, 600 572, 600 573, 600 573, 600 573, 600 574, 777 575, 600 576, 600 577, 600 577, 600 577, 600 578,	259, 250 170, 739 559, 713 61, 794 103, 779 1, 241, 214 1, 241, 214 1, 26 10, 009 41, 126 17, 761 69, 096 6, 096 11, 434 4, 036	5,602 3,046 56,490 9,159 9,159 1,139 1,195 1,195 1,195 1,195 1,195 1,195 1,195 1,195 1,219 2,411 843 5,219 2,219	206 218 4,157 689 1,716 20 20 7,286 7,286 210 210 210 210 210 210 210 210 210 210	236 236 244 244 190 190 190	665	1,369,000 4,223,564 4,223,564 239,927 1,976,610 19,783 246,238 33,952 8,542,693 8,542,693 2,395 2,395 2,337,927 193 21,810 124,810 124,810 124,810 124,810 124,810 124,810 124,810 127,611 2554,501	12. 33. 37. 17. 10. 20. 60. 60.
1	10	1,769 124,961 4,719 122,747 21,894 4,378 311,5011,6 19,948 94,948 94,948 94,948 10,117 1,325 8,468 10,519 20,329	210,620 2,105,620 112,278 80,364,866 8,524 81,778 81,778 9,313 9,313 9,313 126,912 572,600 572,600 105,374 19,803 112,803 126,912 572,600 573,600 573,600 574,374 336,982 575,600	259,713 61,794 163,794 17,402 17,402 17,402 17,614 1,264 17,761 69,096 69,096 11,434 4,036	3,046 56,490 9,159 9,159 1,100 1,057 2,411 843 5,219 5,219 1,957 2,411 111 111 111 111 111 111 111 111 111	20 20 1,716 20 20 20 20 210 210 210 210 210 210 210	23.000.23.000.000.000.000.000.000.000.00	231 231 231 1118 1118 1118	2,595 2,595 2,595 2,595 2,595 2,337,927 3,952 8,542,693 8,542,693 1,364,126 661,005 2,337,927 1,364,126 1,364,126 2,337,927	20.00 20.00 1.00 1.00 1.00 1.00 1.00 1.0
1,	1,	124,961 4,719 127,825 21,894 4,378 311,5011,6 19,848 94,9848 71,117 1,325 8,468 10,519 20,329	2,166,630 112,278 81,524 81,778 9,313 9,313 9,313 1,080 105,374 339,234 126,912 572,600 572,600 19,803 12,777 36,982	559, 713 61, 734 61, 734 13, 092 17, 402 17, 402 17, 61 200 10, 009 41, 126 17, 761 69, 096 69, 096 11, 434 4, 036	26,490 4,939 9,137 2,189 110 110 11,957 2,411 843 5,219 5,219	4,157 689 1,716 20 20 7,286 7,286 210 210 210 210 210 210 210 210 210 210	230 2336 244 261 119 119 119	127 231 231 21 116 116 118	4, 223, 564 239,927 1,976,610 19,783 246,238 33,952 8,542,693 8,542,693 1,364,126 661,005 2,337,927 2,337,927 1,93 21,810 124,881 107,611 2554,501	37. 10. 20. 20. 20. 20. 20. 20. 20. 20. 20.
1	12	122,725 127,824 21,894 4,376 311,501 1,0 19,848 94,848 71,117 1,325 8,468 10,519 20,329	112,278 118,278 118,686 118,686 118,6912 118,6912 118,6912 118,6912 118,6912 118,777	61,734 163,773 3,092 17,402 1,241,214 41,126 17,761 69,096 69,096 11,434 4,036	9,959 137 2,189 10 10 105 1,957 2,411 843 5,219 11 11 11 11	1,716 1,716 267 20 20 210 210 210 210 210 210 210 210 2	236 244 244 199 199 199	231 231 21 118 118 134	2, 595, 927 1, 976, 610 19, 784 33, 952 8, 542, 693 8, 542, 693 2, 595 2, 337, 927 2, 337, 927 2, 337, 927 1, 810 124, 887 107, 611 2554, 501	200.000.000.000.000.000.000.000.000.000
10 10 10 10 10 10 10 10	10	21, 894 21, 894 4, 378 311, 501 1, 61 19, 848 94, 848 94, 848 77, 117 1, 325 8, 468 10, 519 20, 329	9, 1, 200 9, 1, 200 9, 313 9, 313 105, 374 126, 912 126, 912 126, 912 126, 912 126, 912 126, 912 127, 777 36, 982 12, 777 36, 982	10,002 17,402 17,402 17,402 17,602 10,003 10,009 11,761 69,096 69,096 11,434 4,036	2,189 2,189 10 10 10 10 10 10 2,411 843 5,219 5,219 11 11 11	1, 72 267 20 20 210 210 210 551 - - - - - - - - - - - - - - - - - -	169	221 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	2,595 2,595 2,595 2,595 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927 2,337,927	20.00.00.00.00.00.00.00.00.00.00.00.00.0
1	12	21, 894 4, 376 10, 848 94, 984 71, 117 186, 141 186, 141 1, 325 8, 468 10, 519 20, 329	87,778 9,313 9,313 105,374 105,374 126,912 572,600 572,600 19,803 112,777 36,982	17,402 87 1,7414 1,769 10,009 10,009 17,761 69,096 11,434 4,036	2,189 165 11,057 2,411 843 5,219 5,219	267 20 20 210 210 210 210 551 	11 16 16 16 16 16 16 16 16 16 16 16 16 1	118 118 118 118 118 118 118 118 118 118	246, 238 784 33,952 8,542,693 2,595 290,201 1,364,126 681,005 2,337,927 2,337,927 1193 21,810 124,887 107,611 254,501	20.05
	12	10, 17 10, 186 10, 848 94, 984 71, 117 186, 141 1, 325 8, 468 10, 519 20, 329	9,313 4,339,798 105,374 126,912 572,600 572,600 19,803 112,777 36,982 28 4,374 19,803 112,777 36,982	1,769 1,741,214 200 10,009 11,761 69,096 11,368 2,223 1,434 4,036	100 1105 81,784 1,957 2,411 843 5,219 	7,286 7,286 210 210 210 551 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1118	2,595 2,595 2,595 2,0,201 1,364,126 681,005 2,337,927 2,337,927 21,810 124,887 107,611 254,501	20.5
1	12	311,501 1,0 192 19,848 94,984 71,117 16,141 16,141 1,325 10,519 20,329	4,339,798 105,374 126,912 126,912 126,912 12,873 12,777 12,777 36,982	200 10,009 41,126 17,761 69,096 69,096 11,434 4,036	81,784 1,957 2,411 843 5,219 5,219 11	7,286 210 210 210 551 - - - - - - - - - - - - - - - - - -	169	1116 119 134 134 134 134 134 134 134 134 134 134	8,542,693 2,595 290,201 1,364,126 681,005 2,337,927 2,337,927 1,193 21,810 124,887 107,611 254,501	20.0
1	12 1.50 1.	19, 848 94, 984 71, 117 11, 325 8, 468 10, 519 20, 329	1,080 105,374 126,912 126,912 572,600 64,374 19,803 112,777 36,982	200 10,009 41,126 17,761 69,096 69,096 11,434 4,036	2,411 843 843 843 843 843 843 11 11 11	210 210 210 210 551 	111616	134 138 138	2,595 290,201 1,364,126 681,005 2,337,927 193 21,810 124,887 107,611 254,501	20.00.00.00.00.00.00.00.00.00.00.00.00.0
10 10 10 10 10 10 10 10	22	19, 848 94, 984 71,117 11,325 10,519 20,329		200 10,009 41,126 17,761 69,096 - 11 11,434 4,036	2,411 843 843 843 5,219 5,219 11	21 320 210 210 551 	111616		2,595 290,201 1,364,126 681,005 2,337,927 193 21,810 124,887 107,611 254,501	20.00
1. 1. 1. 1. 1. 1. 1. 1.	12 2 3 45 308 36 36 36 36 36 36 36 3	19,846 94,984 71,117 11,325 8,468 10,519 20,329		200 10,009 41,126 17,761 69,096 69,096 11,434 4,036	2,957 2,411 843 843 843 5,219 7,219 111 11	21 320 210 210 251 251 251 251 251 251 251 251 251 251	1101 61 11111		2,595 290,201 1,364,126 681,005 2,337,927 2,337,927 21,810 124,887 107,611 254,501	20.00.00.00.00.00.00.00.00.00.00.00.00.0
1	32	19,848 94,984 71,117 186,141 1,325 8,468 10,519 20,329		10,009 41,126 17,761 69,096 69,096 11,434 4,036	2,411 2,411 843 843 5,219 5,219 111 12 42	210 2320 2100 2100 2100 230 36 45	101 61 11111		290, 201 1,364,126 681,005 2,337,927 193 21,810 124,887 107,611 254,501	20.00.00.00.00.00.00.00.00.00.00.00.00.0
(4) 4 1, 100 16, 101, 102 17, 102 17, 102 17, 101, 101, 101, 101, 101, 102 17, 103 17,	(15)	94,984 71,117 11,117 16,141 8,468 10,519 20,329		41,126 17,761 69,096 2,223 1,434 4,036	2,411 843 843 843 19 2,219 31 11 42	320 210 551 551 	0 1 0 1 1 1 1 1 1 0		1,364,126 681,005 2,337,927 193 21,810 124,887 107,611 254,501	20.00
(1) (2) (3) (4) (4) (4) (4) (4) (5) (4) (4) (5) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	(15) (23) (24) (24) (25) (25) (25) (25) (26) (27) (27) (28) (29) (29) (29) (29) (29) (29) (29) (29	186,141 1,325 8,468 10,519 20,329		69,096 11,368 2,223 1,434 4,036	5,219	551	O H I I I I I		2,337,927 193 21,810 124,887 107,611 254,501	20.0
[11] [12] [13] [14] [15] [15] [15] [15] [15] [15] [15] [15	(15) (23) (24) (34) (35) (36) (37) (37) (38) (39) (39) (39) (39) (39) (39) (39) (39	1,325 8,468 10,519 20,329		2,23 2,23 1,434 4,036	311 311 31	11106			21,800 21,810 124,887 107,611 254,501	0
[11] [12] [13] [14] [15] [15] [15] [15] [15] [15] [15] [15	(15)	1,325 8,468 10,519 20,329		11 368 2,223 1,434 4,036	31 31 42	3.00		11111	193 21,810 124,887 107,611 254,501	0110
10 10 10 10 10 10 10 10	(14)	1,325 8,468 10,519 20,329		11 368 2,223 1,434 4,036	31	36 36	1 1 1 1 1		21,810 124,887 107,611 254,501	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
(51) 10.04 (7.04) 21.074 21.075 21.075 21.075 21.025 22.102 21.077 21.024 21.02	(14)	1,325 8,468 10,519 20,329		368 2,223 1,434 4,036	31 11 42	36 45	1 1 1	1111	21,810 124,887 107,611 254,501	2.2
(41) 190 4, 253 19, 304 27, 637 21, 479 12, 420 10, 940 22, 114 22, 12, 114 30 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	(14) 10 1,024 7,049 27,587 13,495 12,956 16,940 10,	8,468 10,519 20,329		1,434	31	36 45	1 1 1 1	1 1 1	124, 887 107, 611 254, 501	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
196 4,253 19,384 55,231 39,770 55,369 20,329 50,562 35,082 4,036 42 45 45 45 45 45 45 45	(14) (24) (24) (34) (34) (34) (34) (34) (34) (34) (3	20,329		4,036	42	45	1 -	1	254,501	2
(14) 1. 2. 2. 1. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	(14) (24) (24) (24) (24) (24) (24) (24) (2	1 1 64								
[44] 10 23 173 141 20 34 43 1139 213 27	(14) (24) (24) (24) (24) (34) (34) (34) (35) (35) (35) (36) (36) (37) (38) (39) (39) (39) (39) (39) (39) (39) (39	1 1 8								
14 10 686 226 144 62 34 473 139 213 100 10 100	(24) - 2 173 141 62 34 (44) 10 88 236 440 221 118 (54) 28 67 112 277 208 156 (54) 38 178 521 858 491 308 (55) - 10 - 10 - 6 (55) (25) - 17 122 240 88 136 (46) - 17 128 240 96 383 1,	. £			,				,	
(34) 10 68 236 440 250 118 223 1005 231 27	(15)	43				•	1		6	
(15) (15) (16) (17) (18) (18) (19) (19) (19) (19) (19) (19) (19) (19	(15)	r crc		27	1 .		1		855	*
155	(15)	221		9	1				1,724	*
(15) (16) (16) (17) (16) (18) (19) (19) (19) (19) (19) (19) (19) (19	(15) (25) (35)	537 1,		54	1	1	. 1	1	5,400	
(25) (25) (26) (26) (26) (26) (27) (26) (27) (27) (27) (27) (27) (27) (27) (27	(25) 10 - 6 (35) 10 6 (46) - 17 128 240 96 383 1, (17) - 17 128 240 96 383 1,									
1 1 1 1 1 1 1 1 1 1	y: (16)				1 1	1 1				
The color of the c	(16) 10 6 (26) 17 128 240 96 383 1, (17) 17 128 240 96 383 1,	11		11				32	116	
(16) 60 388 742 27 6 6 388 742 27 2 2 2 4 4 8 6 6 388 742 27 2 2 2 2 4 4 8	(16)	11		11		1		32	126	
15 15 15 15 15 15 15 15	(16)									
1 1 1 1 1 1 1 1 1 1	(36) - 17 122 240 88 247 - 17 128 240 96 383 1,	9		27			1 1		1,217	
(17) (27) (27) (27) (27) (27) (27) (27) (2	(40) - 17 128 240 96 383 1, (17)	956 4		522	44	80		1	9,797	0.1
(17)	(11)	1 553		707	100	a			3,027	
(47)	(17)	2000		/2/					140,01	
(27) (27) (27) (27) (27) (27) (27) (27)					2			,	,	1
(47) 19 6 6 - 15 35 149 30	(27)				,	ı			20	*
de 264 2,527 6,482 9,743 6,650 13,000 11,579 21,244 9,616 1,115 - 18 18	(37) 8 6 - 15 (47) 19 25 8 9	35		1 00		1 1	1 1	1 1	243	
e 264 2,527 6,482 9,743 6,650 13,000 11,579 21,244 9,616 1,115 - 18 - 18	27 31 8 24	83		20	1			,	608	
Fercent Percent Percent Percent Fercent 5.3 681,787 Fercent Fercent Fercent Fercent 5.3 6.1 7.3 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1	264 2527 6482 9743 6650 13.000	11.579		1.115		a.			850 08	100
Second S								Ш	- 11	
Percent Percen	590 11,693 70,314 423,995 683,787 594,366 531,734	531,734 2,	4,965,928 1,	,316,262		7,908	710	1	11,239,735 1/	100.0
	Percent Percent Percent Percent Percent Percent 0.6 3.8 6.1 5.3	Percent 4.7	Percent 44.2	Percent 11.7		Percent 0.1		ercent	Percent 100.0	
reported by the Bureau of the Census, running bales.	As reported by the Bureau of the Census, running bales.					Pe	rcentage rou	gh prepar	ation	-

Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1975-76

			3 GI	ade and sta	ple of upla	nd cotton g	inned in th	ne United States,	during s	pecified	periods	, 1975-7	6		
Grade and	Staple	Prior to Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total	Prior Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total
Grade White:	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
G.M. S.M.	(11)	12	374	52 20,254	65 16,044	2,587	265	117 39,536	-	-		•		-	*
M.+	(30)	-	19	1,356	451	119	-	1,945		0.2	0.8	0.5	0.1		0.5
M. S.L.M.+	(31)	11,361	24,851 2,656	693,682	541,540	173,551	22,921	1,467,906	6.7	12.1	29.0	18.0	9.7	4.3	18.1
S.L.M.	(41)	63,916	74,958	959,519	172,232	33,883	5,936 36,820	415,709 2,428,869	38.0	1.3 36.6	8.3	5.7	1.9	1.1	5.1
L.M.+	(50)	4,259	5,495	65,251	54,281	13,101	1,810	144,197	2.5	2.7	2.7	1.8	15.2	6.8	30.0
L.M. S.G.O.+	(51)	33,032	17,638	233,260	494,999	185,006	31,892	995,827	19.6	8.6	9.8	16.5	10.4	5.9	12.3
S.G.O.	(61)	1,950	2,827	11,200	54,120	36,207	10,870	8,048 117,174	0.2	0.1	0.1	0.1	0.1	2.0	0.1
G.O.+ G.O.	(70)	280	303	12	108	133	-	257	-					-	
Total	(,-,	116,957		630 3 196 057	4,509	5,062	2,711	13,495	0.2	0.1	•	0.1	0.3	0.5	0.2
		110,907	129,230	2,186,057	2,304,081	722,731	113,416	5,633,080	69.5	63.1	91.3	78.4	40.4	20.9	69.5
Light Spot G.M.	(12)														
S.M.	(22)		-	268	1,506	2,101	489	4,364	-	- 1	-	0.1	0.1	0.1	-
M.	(32)	3,048	14,476	39,141	133,950	199,427	45,375	435,417	1.8	7.1	1.6	4.5	11.2	8.4	0.1
S.L.M. L.M.	(42)	32,888 9,860	39,083	114,010	345,809	455,629	121,314	1,108,733	19.5	19.1	4.8	11.5	25.6	22.7	13.7
Total	(52)	45,796	71,583	42,113	131,290	189,058	69,357	459,702	5.8	8.8	1.8	4.4	10.6	12.9	5.7
Spotted:		=====	71,505	190,002	612,555	846,215	236,535	2,008,216	27.1	35.0	8.2	20.5	47.5	44.1	24.9
G.M.	(13)	-		_	_		_			-	_	-	-	-	
S.M.	(23)	-	-	36	68	1,844	781	2,729	-	-			0.1	0.1	
M. S.L.M.	(33)	116 2,045	1,193	788 3,608	2,404 9,366	67,508 91,089	47,949 70,851	118,883 178,152	0.1	0.1	0.2	0.1	3.8	8.9	1.5
L.M.	(53)	2,549	1,446	3,933	8,033	31,041	26,835	73,837	1.5	0.7	0.2	0.3	5.1	13.1	0.9
Total		4,710	2,757	8,365	19,871	191,482	146,416	373,601	2.8	1.4	0.4	0.7	10.7	27.1	4.6
Tinged:															
S.M.	(24)		- 10	-	-	201	70	271	-	-	-	-			
M. S.L.M.	(44)	11	13	32	126	4,966 4,575	10,554	15,576 15,429				-	0.3	2.0	0.2
L.M.	(54)	78	36	27	128	1,527	3,263	5,059					0.1	0.6	0.1
Total		100	52	59	254	11,269	24,601	36,335		*			0.7	4.6	0.5
Stained:	1 1														
S.M. M.	(25)			-		39	1,200	1,239		-			-	0.2	-
Total	(33)	_	-	_	-	39	1,200	1,239	_	-	-	-		0.2	

Light Gray G.M.	(16)		_	13	10			23	-	_			_	-	
S.M.	(26)	-	9	174	1,086	188	10	1,467	-						
M.	(36)	75	23 49	145 41	4,659 1,115	1,124 428	202 146	6,228 1,779			:	0.2	0.1	:	0.1
S.L.M. Total	(40)	75	81	373	6,870	1,740	358	9,497				0.2	0.1		0.1
					0,070	1,740		3,437							
Gray: G.M.	(17)								-	_	_10	_			_
S.M.	(27)	-	1	1	W -	-	-	-	-	-	-	_	-	-	-
M.	(37)	-	-	12	20	16	9	57	-	-	:				:
S.L.M. Total	(47)	-	-	36 48	10 30	32 48	23 32	101	-	-					,
Below Grad	ie	965	926	1,765	4,534	10,717	16,519	35,426	0.6	0.5	0.1	0.2	0.6	3.1	0.4
All grades	3	168,603	204,637	2,392,199	3,008,795	1,784,241	539,077	8,097,552 1/	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Grade inde	x	89.9	91.3	94.5	92.2	89.6	86.3	91.8	-	-	1 -14	-	-	-	-
Staple					2 500	1 407	CEO.	2 702				0.1	0.3	0.1	
26 and s 28	horter		26 22	39 381	1,582 39,014	1,427 21,884	659 6,025	3,733 67,326	-			0.1	0.1	1.1	0.8
29		-	72	905	125,939	132,312	29,726	288,954	-			4.2	7.4	5.5	3.6
30		338	2,534	9,515	210,019	283,746 299,793	114,307	620,459	0.2	1.2	1.3	7.0	15.9	21.2	7.7
31		1,887	29,689 57,726	31,546 23,139	186,502 91,673	235,623	91,861	514,857	8.8	28.3	1.0	3.0	13.2	17.0	6.4
33		55,903	18,556	34,899	134,592	106,364	39,877	390,191	33.2	9.1	1.5	4.5	6.0	7.4	4.8
34		77,142	38,459 49,636	442,948	611,094	309,256	67,607	1,546,506 2,948,891	45.7	18.8	18.5 56.4	20.3	17.3	12.5	36.4
35 36		16,957 1,541	7,427	489,770	419,152	57,773	19,515	995,178	0.9	3.6	20.5	13.9	3.2	3.6	12.3
37		-	306	9,057	14,016	2,216	70	25,665	1	0.1	0.4	0.5	0.1		0.3
38 39			184	187 41	452 241	159 34	21	1,003 316	-	-				-	*
40 and 1	onger			231	117	138	44	530	-	-		*		*	
All staple	s	168,603	204,637	2,392,199	3,008,795	1,784,241	539,077	8,097,552 <u>1</u> /	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average st	aple	33.6	33.2	34.9	33.8	32,3	31.7	33.6	**	-	-	-	-	-	-
										1100					

As reported by the Bureau of the Census, running bales.

Less than 0.05 percent.

-- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1975-76 Table 4.

	-d	Proporation				Grade	Reduction	Reductions by Causes	ses 1				
State	Normal	Rough Pr Prep.	Rough Preparation Prep. 3 and 4 din Cut	Bark	Grass	Motes	011	Sand and Dust	Seed	Spindle Twist	Stems	Other	Tota1
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Virginia	755	í	1	20	12	1	1	1		1	t	1	32
North Carolina	44,772	1	1	157	1,646	•	1		14	1	1	1	1,817
South Carolina	92,287	0	ľ	3,538	5,731	•	1	1		1	1	1	6,269
Georgia	139,036	54	1	17,293	1,942		23	1	24		•	88	19,370
Florida	2,599	1	1	88	45	1	,	2	12	1	1		148
Alabama	301,630	72	1	2,617	9,662		1		,	9	1	1	12,285
Mississippi	1,006,203	229	1	24,198	76,139		202	1	1	1	29	1	100,568
Tennessee	217,137	0	1	1,500	16,005	-	•	1	1	31		,	17,536
Missouri	189,401	19	ı	422	3,414	11	25	1	1	R	52	1	3,977
Arkansas	670,574	82	1	1,233	31,144		11		•	12	149		32,615
Louisianna	338,382	61	1	5,420	24,923	1	9	1	,	1	1	1,	30,349
Oklahoma	172,952	22	1	54,440	692		m	1	1		•		55,212
Texas	2,368,415	1,092	1	561;804	14,839	,	24	123	132	71	20	83	577,042
New Mexico	65,452	19	1	2,690	753		7	191	75	,		1	3,716
Arizona	554,505	214	ľ	22,413	6,522	1	18	15	415	7	48	1	29,438
Nevada	1,245	1	1	7	1	1	1						7
California	1,930,140	156	50	3,259	50,197	1	110	1	437	E	10		54,086
United States	8,095,485	2,038	50	701,100	243,743	=	495	331	1,109	199	308	171	947,467
			:										1

1/ Cotton reduced in grade for reasons other than preparation.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1972-1975

State		Grade	index <u>l</u> /			Average :	staple <u>2</u> /	
	1972	1973	1974	1975	1972	1973	1974	1975
	Index	Index	Index	Index	32nd inches	32nd inches	32nd inches	32nd inches
Virginia	82.8	87.1	84.5	84.1	34.3	34.8	35.1	33.5
North Carolina	88.0	88.7	87.6	85.2	34.6	34.8	35.4	34.6
South Carolina	87.9	88.1	88.4	86.7	34.7	34.8	35.0	34.6
Georgia	89.2	0.88	86.2	85.8	33.8	34.1	34.0	34.0
Florida	90.3	88.3	88.9	87.3	33.9	34.0	34.1	34.0
Alabama	88.1	89.5	90.1	89.0	33.6	33.6	34.2	33.7
Mississippi	89.5	89.9	89.2	88.7	34.4	34.4	34.7	34.7
Kentucky	92.8	93.0	90.0	-	33.9	33.6	34.7	-
Tennessee	89.0	91.5	89.6	90.1	33.8	33.8	34.4	34.1
Missouri	88.4	92.2	91.1	91.6	34.0	34.1	35.1	34.6
Arkansas	88.8	91.1	90.6	92.1	34.2	34.3	34.9	34.7
Louisiana	90.6	90.3	90.6	92.3	34.1	34.2	34.6	34.7
Oklahoma	88.2	91.6	87.2	86.6	31.6	31.7	31.9	31.9
Texas	87.1	92.8	88.3	89.3	31.7	31.3	32.1	31.0
New Mexico	91.0	96.5	91.7	95.3	35.2	34.8	35.9	35.2
Arizona	90.4	96.5	92.4	96.3	34.1	34.6	34.7	34.7
Nevada	97.0	99.1	97.5	100.0	36.0	36.0	35.9	36.0
California	94.3	96.1	95.2	96.9	35.3	35.3	35.3	35.4
United States	89.2	92.3	90.8	91.8	33.5	33.3	34.2	33.6

^{1/} Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of staple code 30. Converted to an index with Middling White equaling 100.

^{2/} Averages calculated on numerical staple codes (32nd inches).

Table 6. -- Tenderability of upland cotton ginned, by states, 1975-76

State	Tenderable	e <u>1</u> /	Untendera	able	Total Cr	op
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Virginia	485	64.2	270	35.8	7 55	100.0
North Carolina	31,395	70.1	13,377	29.9	44,772	100.0
South Carolina	53,198	57.6	39,098	42.4	92,296	100.0
Georgia	65,149	46.8	73,941	53.2	139,090	100.0
Florida	1,682	64.7	917	35.3	2,599	100.0
Alabama	220,501	73.1	81,201	26.9	301,702	100.0
Mississippi	658,030	65.4	348,402	34.6	1,006,432	100.0
Tennessee	155,678	71.7	61,468	28.3	217,146	100.0
Missouri	128,516	67.8	60,904	32.2	189,420	100.0
Arkansas	462,948	69.0	207,708	31.0	670,656	100.0
Louisiana	243,403	71.9	95,040	28.1	338,443	100.0
Oklahoma	36,703	21.2	136,271	78.8	172,974	100.0
Texas	418,402	17.7	1,951,105	82.3	2,369,507	100.0
New Mexico	22,949	35.1	42,522	64.9	65,471	100.0
Arizona	341,291	61.5	213,428	38.5	554,719	100.0
Nevada	1,206	96.9	39	3.1	1,245	100.0
California	1,661,678	86.1	268,647	13.9	1,930,325	100.0
All states	4,503,214	55.6	3,594,338	44.4	8,097,552	100.0

^{1/} Tenderable with respect to grade, staple, and mike in settlement of futures contracts.

Table 7. -- Tenderability of upland cotton ginned in the United States, 1958-1975

	'm a					
Year	Tenderable	e <u>1</u> /	Untendera	ble	Total crop	2/
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,540,115	64.3	5,307,177	35.7	14,847,292	100.0
1966	4,902,137	51.6	4,589,060	48.4	9,491,197	100.0
1967	4,011,329	54.4	3,358,964	45.6	7,370,293	100.0
1968	6,714,407	62.0	4,123,977	38.0	10,838,384	100.0
1969	5,511,908	55.9	4,348,322	44.1	9,860,230	100.0
1970	6,342,553	63.1	3,712,684	36.9	10,055,237	100.0
1971	5,638,379	55.6	4,495,040	44.4	10,133,419	100.0
1972	7,279,575	55.3	5,895,947	44.7	13,175,522	100.0
1973	8,367,010	66.8	4,165,891	33.2	12,532,901	100.0
1974	6,651,985	59.2	4,587,750	40.8	11,239,735	100.0
1975	4,503,214	55.6	3,594,338	44.4	8,097,552	100.0

^{1/} Beginning in 1965, tenderable with respect to grade, staple, and mike in settlement of futures contracts. Prior to 1965, tenderability was based on grade and staple only.

^{2/} As reported by the Bureau of the Census, running bales.

Table 8. -- Grade and staple of upland cotton ginned in North Carolina, 1975-76

Part					
Bales Bale	-	38	39 40	40 and All staples	aples
(11) (30) (40) (41) (40) (41) (41) (42) (42) (42) (43) (43) (43) (44) (44) (44) (44) (44	Bales Bales	as Bales	Bales	Bales Bales	Percent
(31) (32) (33) (34) (34) (34) (34) (34) (34) (34	1	1	•	1	
(44) (44) (45) (50) (50) (50) (60) (60) (60) (60) (70) (71) (72) (72) (73) (74) (74) (74) (75) (75) (76) (77) (78) (79) (79) (79) (79) (79) (79) (79) (79	1	1	•	1	
(40) (41) (42) (53) (54) (54) (54) (54) (54) (55) (54) (55) (55	, ,	1 1	•	1 L	
(50) (51) (50) (51) (50) (51) (50) (51) (50) (51) (50) (51) (50) (51) (51) (51) (51) (51) (51) (51) (51		1 1	۱ ۱	0.7	
(51) (52) (53) (54) (55) (57) (57) (57) (57) (57) (57) (57	371	1	1	- 6.791	
(60)	168	1	1	- 2,019	
(51) (72) (72) (73) (74) (75) (77) (77) (78) (79) (71) (71) (72) (73) (74)		- 68	t	- 23,991	
(71) (12) (12) (13) (14) (154) (154) (154) (154) (154) (157) (158) (159) (159) (150)	45	1	1	- 477	1.1
(12) (12) (12) (13) (13) (13) (13) (14) (14) (14) (14) (154)	76	1	,	- 2,271	
(12)	8	1		0	
(12)			-	- 273	
(22)	1,874 3	39	1	- 35,905	80.2
(22) (32) (32) (32) (33) (23) (23) (23) (23) (24) (24) (24) (24) (35) (36) (36) (37) (37) (38)					
(42)		1	1		
(52)	8 1	1	ı	1 8	
(13) (13) (23) (23) (24) (53) (54) (54) (54) (54) (54) (54) (54) (54		7 6		760 1	
(13) (23) (23) (24) (53) (54) (54) (54) (54) (54) (54) (54) (54		-		5,716	12.8
(13) (23) (43) (43) (53) (43) (43) (53) (44) (54) (54) (54) (54) (54) (54) (54	317			7,692	17.2
(23) (43) (43) (53) (24) (24) (54) (54) (54) (54) (54) (54) (54) (5					
(33) (43) (53) (53) (54) (24) (44) (54)	,	1	,		
(43)			ı	1	
(53)		1		00 (
(24) (34) (44) (54) (54) (54) (54) (54) (54) (5	14		1 1	- 188	
(24) (34) (44) (54) (54) (54) (54) (54) (54) (5	38			- 802	
(24) (44) (54) (54) (54) (54) (54) (54) (5					
(54)		,	1	1	
(54)	,	1	1	1	
	ŧ		ı	1	
32 239				00	
32 239		-		00)	
		5	•	365	
1	2,229 39	,		- 44,772 1/	100.0
Percent Percent Percent Percent Percent Percent Percent Percent	Percent Percent	Percent	Percent Percent	P.	
All grades - 2.0 44,3 48,6	5.0 0.1	1	8		
As reported by the Bureau of the Census, running bales.					

Table 8. -- Grade and staple of upland cotton ginned in South Carolina, 1975-76 (Continued)

						-										
Grade	Code Shorter	d 28	29	30	31	32	33	34	35	36	37	38	39	40 and	All staples	les
	Bales	s Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:	()															
E. E.	(11)		1		1	ı	1	1	1	1	1	1	1	1	1	
N . M.	(A)		1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1		1			
M	(31)	1	1	1	1	1	18	552	207	220	1	1	1	1	1,297	1,4
S. L. M.+	(40)	1	1	1	1	1	18	38	89	14	14	1	ı	1	152	0.2
S. L. M.	(41)	1	1	1	1	6	459	7,218	10,950	3,950	1	1	ı	1	22,354	24.2
L. M.+	(20)	1	1	ı	ı	1	41	1,242	2,048	910	44	1	1	1	4,285	4.6
L.M.	(51)	1	1	1	1	15	651	11,266	15,777	2,690	30	1	1	1	30,429	33.0
S. G.O.+	(09)	.1	1	1	1	1	18	283	470	14	ı	1	1	1	785	6.0
S. G. O.	(61)	1	1	1	1	9	68	1,553	954	109	1	ł	1	1	2,711	2.9
G. O.+	(20)	1	1	1	1	1	, 1	1 (FU	1	ı	1	1	ı		1
g. 0.	(11)		1			4	3/	125	12	1				'	1//	0.2
Total		1	1	1	1	30	1,331	22,277	30,557	7,907	88	1	1	1	62,190	67.4
wht Spotted:																
G.M.	(12)	1	1	1	1	1	1	ı	•	1		1	1		t	1
S.M.	(22)	1	1	1	1	1	1	1	1	1	1	1	1		1	1
M.	(32)	1	1	1	1	6	18	297	161	40	1	1	1	1	588	0.6
S.L.M.	(42)	1		1	1	1 00	998	5,592	4,366	855	63	1	1	1	11,742	12,7
L. M.	(36)			t		45	200	0,000	0000	905	47			1	14,094	TO.CI
Total			1	1		33	1,940	12,692	10,415	1,757	87	1	1		26,924	29.1
Spotted:		'	1	1	1	1	ι	'	1	'	,	'	1	1	ŧ	
*		'	1	1	1	1	1	4	1	1	1	,	1			
M.	(33)	1	1	1	1	1	,	1	1	28	1	1	1	1	28	-
3. L. M.		1	1	1	1	1	36	314	200	58	1	1	1	1	809	0.7
L. M.,	(53)	1	1	1	1	1	160	1,100	454	105	1	1	1	1	1,819	2.0
Total		1	1	•	1	1	196	1,414	654	191	1	t	1	ı	2,455	2.7
Tinged:																
S.M.	(24)	1	1	1	1	1	1	1	1	ł	1	1	1	ı	ŧ	•
М.	(34)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	•
S. L. M.	(44)	1	1	1	1	1	1	1	6	1	1	1		1	6	*
J. M.	(54)	-	1	,		1		43	28	1	_	1	1	1	71	0.1
Total		1	1	•	1	1	1	43	37	1	1	1	4		80	0.1
tht Gray:																
E. B.		1	1	ı	1	•	•	•	•	ı	1	1		1	1	1
. M.				1	1	1	1	69	1	1	1	1	1	ı	69	0.1
S. L. M.	(46)	1 ;	1 6			1 1	1	ı t	1 1	1 1	1 1		' '	1 4		
E+0E								0,4							0	
1 2 2 2															60	0.1
Below Grade			ŝ	1	9	1	113	310	149	1	•	1	1	1	578	0.6
All grades			1	1	9	63	3,580	36,805	41,812	9,855	175	-	1	ę	92,296 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
All grades		1		1	-	0,1	3,9	39.9	45.2	10.7	0.2	1	1	'	100.0	

Table 8. -- Grade and staple of upland cotton ginned in Georgia, 1975-76 (Continued)

								Stanle									
000000000000000000000000000000000000000	Code	26 and shorter	28	59	30	31	32	33	34	35	36	37	38	39	40 and	- All staples	ples
White:		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G. W.	(11)	1	1	1	1	1	1	t	1	1	1	1	I	1		1	1
. + . W	(30)	1 1	1)	1 1	1 3	1 1	1 1	1	1	1	1	1	1	1	1	1	1
M.	(31)	1	1	1	1	1	0	135	346	15	1 1	1 1	1 1	1 1	1 1	505	0.4
No. L. M.+	(40)	ł	1	1	1	6 1		6	86	13	1	•	1	1	,	108	0.1
L. M. H.	(50)		1 1	1 1	1 1	O 1	28	3,394	16,363	5,804	436	1	•	1	1	26,034	18.7
L.M.	(51)	,	•	1	1		139	5.320	25.329	9,278	115	1 1	t i	1		4,046	2,00
S.G.O.+	(09)	1	1	1	1	i	1	34	406	85	29		1			554	4.62
0.0.0	(61)	1	1	,	1	1	06	1,423	3,451	427	23	1	1	1	4	5,414	· σ°
+ 0 0	(0/)	•	1	1	I	1	1 (00	25	1	1	ı	1	1	1	33	
	(17)					1	33	282	307	28	1				+	650	0.5
Total		'	1	1	1	6	599	10,922	48,349	17,704	1,037	1	1	1	1	78,320	56.3
Light Spotted:																	
. E. W	(12)	1	E	1	1	1	•	1	ı	1	1	•	1	ı	ı	1	1
. E	(35)	. ,	1 (1 1	1	1	1	1 7	. [1	1	1	1	1	ı	1	1
S.L.M.	(42)				1 (1 1	1 77 1	102 102	4/6	132	13	•	1	ł	1	705	0.5
L.M.	(52)	1	1	1	1	1	188	5,084	17,359	4,379	275	1 1	1 1	1 1	1 (26,742	19.2
Total		٠	. 1	1		1	343	10.270	34 R14	B 661	718					000,73	C*6T
44-4	11							10,25,70	+10,+0	Too's	CT+		,		-	54,503	39.5
Sported: G.M.	(13)	,	1		ė												
S.M.	(23)	1	4	1	1		, ,	1 1	1 1	1 1	1 1		1	1		1	1
м.	(33)	1	1	1	1	1	1	10	69	8			1 1	1	1 1	- 28	' [
S.L.M.	(43)	1	1	ı		1	m (377	617	243	ì	•	1	1	•	1,540	1.1
	(22)						933	1,005	1,754	256	15	1	1	1		3,123	2.2
Total	11	t	1	-	•		96	1,392	2,740	207	15	•	1	1	t	4,750	3.4
Tinged:	(14)																
E & V	(24)	1 1	1		ı		1	1	ı	1	1	1	1	1	1	1	1
×	(34)				1 8	1 1		1 (1	1		t	1	1	1	ı	t
S.L.M.	(4)	ł	1	1	1	1	1 1	11	10	1	1 1	1 1	1 1	1 (1 1	1 00	1 *
L.M.	(54)	-	1	1		1	1	62	18	9	1	1	1	1		83	0.1
Total		•	1	ı	ı	1	1	73	27	m	1	,		1	,	103	
Light Gray:	41																
G.M.	(16)	ı	1	1	1	1	1	1	1	1	1		1	1	ı	1	ı
E S	(26)	1	•	1	1	1	1	1	1	1	1	•	1	1	1	1	1
S.L.R.	(46)	1 1	1 1	1 6	t t	1 1	1 1		on c	1	1	4	1	1		6	*
Total		,							7							0	*
1000	- []				1		'	1	18	-	1	•	1	1	1	18	*
Below Grade		1	1	1		16	F	260	694	49		,	1			1.396	
	1																
All grades		-	1	1	1	25	815	23,217	86,642	26,924	1,467	8	-	1	1	139,090 1/	100.0
All srades	M4	Percent	Percent	Percent	Percent	Percent	Percent 0.6	Percent 16.7	Percent 62.2	Percent 19.4	Percent 1.1	Percent	Percent	Percent	Percent	Percent 100.0	
1/ As reporte	d by the	Bureau	of the Cen	As reported by the Bureau of the Census, running bales	ng bales.								Po	ncentage r	renond dance	200	
	0.05 pe	cent.											Gr	Grade index	des propos		85.8

* 85.8 34.0

Percentage rough preparation... Grade index....

Table 8. -- Grade and staple of upland cotton ginned in Florida, 1975-76 (Continued)

								Staple									
d.rage	Code Sh	26 and shorter	28	59	30	31	32	33	34	35	36	37	38	39	40 and longer	All staples	ples
+ k eltil	Щ	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(11)	1	1	1	1	1	1	1	1	1	1	1	1	1	'	1	ı
S.M.	(21)	-	t	1	1	t	1	F	1	1	1	1	1	ı	1	t	
M.+	(30)	1	•	1	1	1	1	ı	ı	F	1	ı	1	1	1	í	ı
. M.	(31)	ı	1,	ı	•	1	ı	Ł	7	1	1	1		1	ı	7	0.3
S. L. M.	(41)							- 72	635	198	' '	1 1	1 1	i 1	1 1	B60	32.0
L.M.+	(SS	-	ı		•	1	ı	1	47) I	1	1	1	•	•	47	
L.M.	(51)	1	ı	1	1	1	7	147	263	110	1	ŧ	1	1	1	827	31.8
S.G.O.+	(09)	•	1	1	1	1	1	1	7	1	1	ı	1	4	•	7	E. O.
S.G.O.	(61)	,	1	ı	1	•	1	7	57	9	1	1	1	i	1	0/	2.7
G.O.+	(0/2)	ı	ŧ	1	1	1	•	1	1	ı		1	i	ı	1	1	ı
G.0.	(71)	1	1	3	1		1	1			1						-
Total		ı	١	ı	1	4	7	181	1,316	314	•	1	1	1	ı	1,818	8.69
Light Spotted:																	
G.M.	(12)	1	. •	•	•	1	. 1	1	1	1		1	1	1	1		1
S.M.	(22)	1	ŧ	•	1	1	•	1	•	•	,	•	•	٠	1	1	•
M	(35)	,	•	1	•	1	1	1	7	1	•	ı	. 1	ı	٠	7	0.3
S.L.M.	(42)	4	1	1	•	1	•	49	216	78	1	1	1	3	1	343	13.2
L.M.	(25)	1	-	1	1			93	182	25	1		1	1	1	325	12.5
Total		-		'	1	1	ı	140	405	130	1	1	1	1	1	675	26.0
Spotted:																	
G.M.	(13)	1	1	t	1	t	1	1	1	ı	1	1	ı	•	•	1	ı
S.M.	(23)		1	à	•	1	ł	ŧ	1	1	1	1	ı	1	1	1	ı
× + 0	(33)	1 !		1 1	1		1	• 0	1 00	1			r		1	1 (1 1
L.M.	(23)			1	1 1	1		18	15			1 1				300	U. C.
Total		1	1	1	-	'		36	32		1		1		1	68	2.7
	H																
Below Grade			1			18	7	7	9	1	'	1	1	•	•	38	1,5
All grades		ı	1	,	ı	18	14	364	1,759	444	-	F	4	ı	'	2,599 1/	100.0
All grades	Per	Percent P	Percent -	Percent	Percent	Percent 0.7	Percent 0.5	Percent 14.0	Percent 67.7	Percent 17.1	Percent	Percent	Percent	Percent -	Percent	Percent 100.0	
1/ As reported by the Bureau of the Census, running bales.	d by the E	Sureau of	f the Cens	sus, runnî	ng bales.								Gr	Percentage rough preparation Grade index	ough prepa	ration	87.3
)			

Table 8. -- Grade and staple of upland cotton ginned in Alabama, 1975-76 (Continued)

Table 8. -- Grade and staple of upland cotton ginned in Mississippi, 1975-76 (Continued)

						-			-	The real Property lies and the last of the						
Grade	Code Shorter	28	59	30	31	32	33	34	35	36	37	38	36	40 and longer	All staples	ples
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:	- (11)	1	1	-	1	ı	1	•	15	11	1	1		1	56	
	21) -	ı	1	1	1	1	22	345	806	133	1	1	1	1	1,408	0.1
	30	1	1	•	1 (1 1	180	6 048	ECE TC	3.536	1 20		1 1	6 1	35,313	. B.
3. T. M +	31)		1 1			1 1	100	1,180	5,374	845	30	1	1	1	7,494	0.7
	41)	1	1	1	1	85	2,971	99,220	259,999	38,194	655	92	1	,	401,216	40.1
	- (05	1	1	1	t	1	201	4,302	19,366	3,849	426	79	1	1	28,223	2.8
	51)	ı	1	1	1	132	4,156	126,927	159,805	20,549	530	13	ı	1	312,112	31.0
		1			· LC	C [8	4/	461	15 672	7 547	13	1 1	1 1	1 1	41.391	4-1
0.00	100		1	t i	n 1	10	1,040	18	10,01 25	1+001	20 1			1	160,14	•
	- (17	1 1	ıt		טו	0	522	3,033	1,081	2	11	1	1	t	4,730	0.5
al			1	6	10	311	10,145	264,824	487,213	68,756	1,747	184	1	1	833,190	82.9
Light Spotted:	- 101	•	1				1	1	ě				1	3		•
	25		1 1		1 6	1 1	2	06	36		1	1	1	1	131	•
	32)	1	1	1	1	14	299	2,615	2,019	230	1	•	,1	1	5,177	0.5
_	42) -	•	1	1	1	65	2,217	39,422	33,596	2,976	96	11	1	1	78,386	7.8
_	52)	1	1	1	1	135	2,578	30,292	19,726	1,773	48	1	1	•	54,552	4.0
Total	•	1	1	1	ŧ	214	5,099	72,419	55,377	4,979	146	11	1	1	138,245	13.7
-:																
G.M.	13)	1	•	1	1	1	1	•	1	1	1	1	1	,	1	
		1	ı	ı	1	1	1 00	11	2000	1 7	1	1	•		11	• 6
A T. W	73)					٠ ٧	541	534	3 720	17.		1 (1 1		10 994	7.
	53)	1	1			49	1,245	6,772	2,462	147	1	1			10,675	1,1
Total	'	,	1	1	1	69	1,809	13,796	6,584	332	8	1	1	1	22,590	2.3
Tinged:																
	- 24	•	1	1	1	ı	•	1 8	1.2			1	,	1	1 6	1 1
		1 1	1 1				٦ .	17	_ R	1	1	£ (8 1	212	
		1	1		1		23	66	3 1		1				116	•
al	1		8	'	•	•	104	195	62		1	1	ı	ı	361	-
ray:	141						1	1	1		ı		1			
		1		. 1	t	1	31	232	78	1	1	ı	1	1	341	
	36)	1	1	ı	1	14	218	1,695	504	1	1	1	1	ı	2,431	0.2
S.L.M.	46)	1	•		1	6	27	292	47	11	1		1	•	386	-
Total	1	1	1	1	1	23	276	2,219	629	11	•	\$	1		3,158	0.2
Gray:																
	27)		1 1				1 1	, ,	, ,							1 1
	37) -	•	1	1	1	١	1	1	1	ı	1	1	1	1	٠	1
_	47)	1	ŧ	5	1	1	1	7	1	1	1	1	1	1	7	-
Total	1	\$	1	1	ı	1	•	7	1	1	٠	1		•	7	•
Below Grade					L.	98	1 BO6	5. 48B	348	751					raa a	
o diam						06	7,000	000	1,340	007					100 60	6.0
All grades	6	1	1	-	15	715	19,239	358,948	551,213	74,214	1,893	195	4	4	1,006,432 1	100.0
grades	Percent	Percent	Percent	Percent	Percent	Percent 0.1	Percent 1.9	Percent 35.7	Percent 54.7	Percent 7.4	Percent 0.2	Percent	Percent	Percent	Percent 100.0	
As reported by	y the Bureau of the Census, running bales.	of the Cens	sus, runnin	g bales.								Per	Percentage rough preparation	igh prepara	tion	•
ress man o.o. bercent.	bercelle.											Gra	drade index			1.88

Table 8. -- Grade and staple of upland cotton ginned in Tennessee, 1975-76 (Continued)

2000	1							Staple									
	Code	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and	- All staples	ples
White:		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G. M.	(11)	1	ı	1	1	,	1	+	ı	1	1	1	1	1	1	•	
# + <u>*</u>	(30)	1 1		1 1	1 1	1 (•	1	218	66	•	1	1	1	•	317	0.1
H	(31)	1	1	1	1	1		419	7,174	2,318	25	1 1	1 1	1 1	1 1	9.936	4.6
+ • ± • ± • • • • • • • • • • • • • • • •	(40)	1 1	1 1	1 1	1	1	, ,,	58	1,951	753	86	1	1	•	•	2,848	1.3
L. M. +	(20)	1	4	1 1			0 10	339	5,455	24,405	315	1	1	•		103,403	47.5
L.M.	(51)	•	t		10		153	4,862	33,031	8,432	198	1 1		• •	4 1	46.686	0.5
+ 0 0 0	(60)	E I	1	1	1	•	10	145	464	F	1	1	ı	•		969	0.0
4.0.0	(20)	1 1		1 1	1 1	8 1	140	1,558	3,056	675		1	1	t	•	5,429	2.5
G. O.	[71]	1	1	1	1		19	215	322	1 08	1 1	1 1	1 1	1 1	1 (n D	* 0
Total		•	٠	1	OL		402	030 01	000	10000	1					200	0,0
Light Spotted.	11							600001	16/3060	30,004	703	1	,	1		177,659	81.7
G. M.				1	1	6											
w. w.		•		1	i	•	1	1 4	12	1 1	, ,	' '	1 1	1 1	•	100	1 4
M. → M	(35)	1	•	8	1	ı	19	280	1,219	. 285	12	'		1 1		1.815	8.0
L. M.	(52)	1 1	1 1	1 1	. 1		121	2,637	16,208	3,263	47	ı	1	t	•	22,276	10.3
Total							201	01760	0,130	280		3	-	1		10,606	4.0
	11						400	6,133	23,589	4,528	29	1		1	1	34,709	16.0
Spotted:	(13)																
S. W.	(23)		1 1	1 1		' '	1 1	, ,	- 6	1	1		1	•	•	1	1
M.	(33)	ı	•	•	i	,	1	23	96			1 1		1 1	1 (12	* 6
L. M. A.	(53)	1 1	1 1	1 1		•	10	192	645	159	ŀ	1	1	1	,	1,006	0.5
4							OB.	250	752	126	1	1	1	1	,	1,478	0.7
10191	-		'			'	06	735	1,505	282	1	٠	1	ı	•	2,615	1,3
Tinged:	(100)																
ž	(34)	1	ŧ 1	1 1		1 1	1 1		1	1	ı	1	1	1	•	1	
S.L.M.	4 (2)	,	1	•	1	,	٠			1 1		1 1		1 1	1 1	1 1	1 1
*# °T	1 1	1	1		-	S	1		-	1	1	1	0	1	•	S	٠
Total	1		t	1	•	2			1	•	,	8	•	1	1	Ŋ	٠
Light Gray:																	
ಕೆ ಕ	(16)		1	1		ı	1	1 1	t	ı	•	•	,	1	4	ŧ	ı
M.	(36)	•			1 1	4 1	- 14	360	55	1	1	1	ı			09	٠
S. L. M.	(46)	t	1					73	59			, ,	1 1	1 1	1 1	132	4.0
Total		-	1	1	1	1	14	438	519	t	1	ı		1	1	1779	, C
Gray:	(171)																
S.M.	(27)		1 1	1 1	, ,	1 1	£	1	1	6	1	1	ŧ	1	٠	1	- 1
M.	(37)	1	ž	š		,		1 1	12		1 1	1 1	1 1		•	1 0	1 4
о. г. п.	(4/)		E		1	1	1		1	t		1	1		1	77	, ,
Total	1	1	•	,		1	1	1	12	,	ŧ	1	1	ŧ	1	12	
Below Grade		ı					L										
	11				-		45	207	562	61	1		1	-	'	1,175	0.5
All grades		1		1	10	5	952	18,672	153,207	43,538	762	ı	t	1	1	217,146 1/	100.0
All grades	-1	- Income	rercent	Fercent	Percent	Percent	Percent	Percent	 			Percent	Percent	Percent	Percent	Percent	
1/ As reporte	d by the	Rimean	the Cour	1 3	. 1.4.7	-	4.0	8.6	70.5	20.1	0.4	4	1		1	100.0	
	0.05 per	ent.	oute cetts	Less than 0.05 percent.	g oales.								Per	Percentage ro	Percentage rough preparation.	ation	90.1
													Ave	Average staple	0		34.1

Table 8. -- Grade and staple of upland cotton ginned in Missouri, 1975-76 (Continued)

Code	56 and	000	00	000		-		34	EC.			000	0	40 and	All Staples	ples
	shorter	07	53	30	31	32	33	5	C P	36	37	38	39	longer		
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
(11)				1	-	1		1	1	1	1	•	1	1	1	1
(21)	1 1	1 1	1 1	1			1	51	33		1	1	ı		84	
(30)	1	1	1	1	1	1	1	1	1	1	•	1	1	1	1 (•
(31)	1	1	1		1	1	22	8,695	7,239	93	1	1		1	16,082	α - π 4
(41)	1 1	1 1	1 1	1	1 1	1 1	281	36,401	51,865	1,408			•	1 1	89,955	47.4
(20)	t	1	1	1	1	1	28	1,841	3,461	379	1	t	1	1	5,739	3,0
(21)	1	1	1	ı	1	1	732	11,195	12,166	859	ı	ı	ı	1	24,952	13.2
(60)	1 1		1 1	1 3	1 1	· 11	193	626	513	85	1 1				1,741	0.0
(20)	1	1	1	١	1	'	m	'	1	1	1	'	1	1	m	
(71)	-	ı	1	1	1	1	45	72	71	1	1	1	1	1	134	0.1
		-	1	1	1	11	1,367	60,494	76,748	2,889	1	,	1	1	141,509	74.6
Light Spotted:																
(25)	1 1	1 1		1 1	1 1	1		ָ רַ		1 1					11	
(35)						1	36	4,879	2,725	84	1			1	7,724	4.1
(45)	1	,		•	1	٠	202	12,727	15,874	741	8	•	•	ŧ	29,544	15.6
(25)	1	1	1	2	t	m	381	3,989	.3,345	217	-				7,935	4.2
	1	,	1	1	1	е	619	21,606	21,944	1,042	1		1	r	45,214	23.9
(21)																
(23)		1		' '	1 1		1 1				ı t		,	1 1	1 1	
(33)	1	1	ŀ	•	1	1	•	102	31	,		•	r	1	133	0.1
(43)	1 1		1 1	1 1		1 1	23	694 407	402	1 5		1 1	1 7 (1 1	1,149	9.0
(00)							1 C	7	CT.							
	1	•				1	CB	1, 203	700	11				•	1,951	I.1
(24)	'	'	1	1	1	1				'	'	•	1	•	,	'
(34)	1	1	1	1		1	1	ı	1	1	1	1	1			•
(4)	•	٠	1	1	1	1	1 0	28	1	•	1	1	1	•	5 88	
1					ı										6	
	1	-	1	1	1	1	6	28	-	1	1	-	1	ě	37	-
Light Gray: G.M. (16)	1	1	1	1	1	1	1	1	1	•	1	ŀ	,	1	,	
	1	•	1	ı	1	ı	•	11	1	1	1	1	1	1	11	•
(36)	1 1		1 1	1 1	1 1	1 1	- 53	149	12	1 1	1 1			1 1	158	0.0
	1		'		1	,	23	22.1	21	•	'		'	1	265	0.2
(17)	1	1	1	1	ı	1	1	1	ı	,	1	•	1	1	٠	1
(27)	ı	1 -	1	4	1		•	1	ı	1	1	•	1	ı	ı	1
(47)	1	1 1	1	' '	1	1 1	11		1	1 1	I 1		8 1		11	٠.
	•	1	ı	'	•	1	11	'	,	'	1		1		נו	•
Below Grade	ı	ā	1	1	1	37	168	199	29	1	1	1	1	1	433	0.2
	1	1	1	ı	1	51	2,282	83,751	99,394	3,942	-	*		1	189,420 1/	100.0
	Percent	Percent	Percent	Percent	Percent	Percent	Percent 1.2	Percent 44.2	Percent 52.5	Percent 2.1	Percent	Percent	Percent	Percent	Percent 100,0	
orted by	As reported by the Bureau of the Census, running bales,	of the Cen	sus, runni	ng bales.								Pe	r contage	Percentage month meanagetion	1	

(Continued	
1975-76	
Arkansas,	
in	
ginned	
cotton	
upland	
of	
staple	
and	
Grade	
ŧ	
œ	
Table	

								40	orac								
Grade	Code	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	36	40 and	All staples	aples
1.00		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(11)	1	1	ı													
M	(21)	1	,	à	,	1			185	264			+ 1		1 1	- 44	0.1
₽. ×	(31)	1 1	1 1))	1 -	1 40	1 5	1 6	1 00	\$ 6	12	1	•	1	1	12	
S.L.M.+	(40)	1	1	•		7 '	77	26	3,590	12.569	2,931		1 1			62,815	4 m
S. L. M.	(41)	1	1	1	1		1	786	93,341	264,630	11,606	16	1			370,580	55.4
L.M.	(51)			1 1	1 1		100	32	6,733	22,617	991	,	•	t	1	30,373	4.5
4.0.0.0	(09)	ŧ	1	1	,	1 1	h 1	18	46,706	492	601,2	, ,	1 1	1 1	1 1	102,233	15.2
0°0°+	(20)		1 1		1 (6	714	4,150	1,828	99	ŧ	t	•	•	6,766	1.0
G.O.	(72)	1				1 1	1 1	114	283	10	1 1	1 1	1 1			51	• (
Total		1	ě	1	1	25	40	4,411	166,788	401,928	18,647	16	f	,	,	591.855	88.4
Light Spotted	**																
. W. B	(12)	1	1	Í		1	1	t	1		- 1	í	,	,	,	,	•
, E		è 1			1		1	12	13	1	• :	1	1	1	1	25	4
S.L.M.		1	t		' '	1	20	719	19,678	30,873	672	1 1		1 (3 (8,266	1.2
L.M.		•		4		1	59	748	7,807	4,913	50	1	1 1	1 1	t a	13,547	2.0
Total		1	1	ŧ	•	*	49	1,611	31,760	39,618	762	1	1	5	1	73,800	10.9
Spotted:																	
w.w.	(13)		ŧ		,	1	1	1	1	,	1	1	,		r	1	1
M. H.	(33)	1 1	1 1	. 1	1 1	1 1	1 1	1 7	- 173	11			1	ŧ	1	11	
S.L.M.	(43)	•	1		4	4	t	63	1,092	206	18	1 1			1 1	2.080	* O
	(55)	1					12	06	783	596	11			1	0	1,192	0.2
Total			1	-	i	•	12	167	2,048	1,292	59	1	t	1	ŀ	3,548	0.5
Tinged:	(24)	,															
M.	(34)	1			1 5	1 1	1 1		1 1		1 1		t i		*	1 1	1.4
N. L. M.	4 40		1 1	1 (6	,	1	1 0	יט פֿי	6				ł i	1 (14	
Total			,					77	13	*		•	1			25	•
							1	12	18	50		-	'	,		50	
Stained:	(25)																
M.	(32)						1	10	1 4	£ 1	1 1	1 1	1 1	1 1	1 1	1 0	
Total		1			1	٠	1	10	2	4	1	,	,		,	10	
Light Gray:																2	
G.M.	(16)		1	•	i	(1	1 1	1	1	1	1	1	,	1		
M.	(36)	4			1	1 1	1 1	24	226	11	11 -	1 1	1 1	1 - 1	1 1	360	• [
S.L.M.	(46)		-	1		'	t	87	228	12	,	6		1		327	* *
Total		1	1	1	1	•	1	116	482	133	11	1	1	1		742	0.1
Gray:	(71)																
ž.	(27)		•		1 1	1 1	1 1		1 1	1 8	. 1	1 1	1 1	e e	T E		
S.L.M.	(47)	E 1	1 1	()	1 1	1 1	1 1	1 1	1 0[2 (1	1	4	,	1	1 1	,
Total		,	1	4	1	1	1	1	19			1	1 .		•	10	• •
															4	61	
Below Grade				1	9	1	71	86	379	139	11	t	1	1	,	632	0.1
All grades				1	(25	118	6,413	201,494	443,130	19,460	16	ŧ	ž		670,656 1/	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent		Percent	Percent	Percent	Percent	Percent	
1/ As report	ed by th	Burban o	f the Cone	and the same of	20100			7.0	30.0	1.00	۷٠۶	-		,		100.0	
	0.05 pe	Less than 0.05 percent.		The state of the s	0								Perce	Percentage rough preparation	th preparat	ion	
													Avera	Average staple.			34.7

Table 8. -- Grade and staple of upland cotton ginned in Louisiana, 1975-76 (Continued)

								301	270								
Grade	Code	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	All staples	les
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:	(11)	,	1	1	1	1	•	1		1	,	1	1	'		1	ŧ
S.M.	(21)	1	1		ı	,	1	•	43	247	1	1	1	1	1	290	0.1
+ * ×	(30)	1 1	1 1	1 1	1 1	1 1	1 1	1 E	8,319	23,496	1,223	1 1			1 1	33,071	8,6
S.L.M.+	(40)	1	1	ı	1	1	ı	1	955	3,567	133	1	1	1	1	4,655	1.4
S.L.M.	(41)	•	1	1	1	1	17	635	53,984	137,066	4,994	13	1 1	1 1		196,709	
L. M. +	(20)		1 1			1 1	10	384	19,576	29,200	684	1	1	1	ı	49,854	14.7
S. G. O. +	(09)	1	1	1	1	1	1	•	F	17	1	•	•	1	ľ	94	- ;
S.G.O.	(61)	1	1	1	ł	1	1	61	1,741	1,927	24	1	1	1	ı	3,753	1.1
4°0°+	(70)	1 1	1 1			1 1	1 6	10	184	185	13	1 1	1 1	1 1	1 1	392	0.1
Total							27	1,137	87,456	203,499	7,310	13	t	1		299,442	98.6
	11																
Light Spotte	1: (77)	•	,	1	,	1	1		1	1	1	1	t	,	ŧ	1	t
S.M.	(22)			1		1	1	•	13	1	٠	4	1	•	1	13	
M.	(32)	1	1	1		1	7	123	2,043	2,785	30	1	1	1	ı	4,988	1,5
S.L.M.	(42)	1	1 1) ()	50	329	9,194	13,867	430	7			, ,	5,673	7.0
Total	(3)			1	,		27	557	13,885	19,524	521	7	1			34,521	10.2
	11																
Spotted:	(13)	1	1	1	,	t	1	1	,	1	•	1	1	1	1	•	•
N. W.	(23)	1		t	1	4	1		8 6	20	•	1	ı	•	ŧ	20	- ;
ž	(33)	•	1	1	1	1	1	25	199	120	1 0	1	1	1	1	446	000
L.M.	(53)	1 1	1 (1 1	1	% 4	273	176	T 1	1 1	1 1			495	0.0
Total		1		'		ı		160	1,145	626	13	1		ı	1	2,257	9.0
B	11																
Inged:	(24)	,	1	1		1	1	1	,	1	1	1	ı	,	ı	•	٠
M.	<u>8</u> 3	1	•	1	•		ı	• 61	7	1 0	1	•		1	1	r 8	
L.H.B.	\$ \frac{x}{2}			1	1 1			CT	12	ו ח			1 1	1 1	8	12	-
Total		1						13	35	С			٠			71	-
	If																
Light Gray:	(16)	1	1	•	1	,	1	1	10	13	1	1		1	1	23	
S.M.	(26)		1	•	1	1	10	29	452	96	1 5	•	1	•	•	290	0.0
S.L.M.	9(94)				1 1			7	67	10	07	1		' '		1,003	0.0
Total			1		1	•	10	110	1,239	417	10	1	1	1	'	1,786	0.5
Gray:	11																
G.M.	(1)	ı	1	1	•	•	1	1	•	•	1	1	•	1		•	1
M.W.	(2)	. ,			1 (1 1					1 (1 1	
S.L.M.	(47)	,	1	-		•		11	13				1	,		24	-
Total		1	•	1	1	•	•	11	13	1	1	1	1	1	1	24	*
Below Grade	· ·	1	•		1		13	26	216	87	\$	1	ı	1	•	342	0,1
All grades	1	4	1		1	1	F	2,014	104,009	224,469	7,854	20		ı	,	338,443 1/	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent 0.6	Percent 30.7	Percent 66.4	Percent	Percent	Percent	Percent	Percent	Percent	
The sound of the	by th	Burnoan o	f the Cone	and annuin	poled p								Boy	oporto ao no	Donocarto en accidentation		-
* Less than	0.05 pe	reent	T clic cell	Less than 0.05 percent.	97 97								Gra	Grade index	aredard ugn	o o o o o o o o o	92.3
													Ave	Average staple	6		34./

Table 8. -- Grade and staple of upland cotton ginned in Oklahoma, 1975-76 (Continued)

Color Colo	1	ひず は す ひ す む す む す む す む す む す む す む す む す む													-		-	
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	0		E,	59	30	31	32	33	34	35	36	37	38	39	40 and	All Sta	aples
1,	(1) (2) (3) (4)	11 + 6 •	Bales		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
1,	1,		11) -	1	- 1	t	1	,	1		1							
1,	1, 10, 10, 10, 10, 10, 10, 10, 10, 10,		(12	1	1	ı	1	1	1	13	25	1	1	1	1		000	
1,	1, 10 1, 1		30)	1	•	1	1	1	1	•	1	1	1	1	1	1	3 1	
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1 1 1 1 1 1 1 1 1 1		31)	1	1	37	205	417	91	665	1,426	1,221	13	1	1	1	4,075	2
1,	13, 13, 13, 13, 13, 13, 13, 13, 13, 13,		40)	1	1 (1	0	1		61	74	166	30	1	1	,	340	0
1	Column C		41)	1	D	279	1,306	2,466	2,537	3,103	3,439	2,000	66	1	1	•	15,238	8.8
Column C	10,475 1		000	1	1	•	30	108		319	30	1	•	1	1	1	799	0
1,	1,		(10	1	1	1/1	927	3,064	3,021	2,151	875	190	30	1	ı	F	10,435	9
1371 1371	1,		(00)	ŀ	1	5 1	1	1	0	59	1	1	1	1	1	ı	47	•
1 1 1 1 1 1 1 1 1 1	10			1	1	6	234	328	309	368	114	6	1	1	1	1	1,371	0.8
1 1 1 1 1 1 1 1 1 1	1			1	1	•	1		1	-		1	1	1	1	1	1	
12 12 12 13 14 14 15 15 15 15 15 15	12 12 12 13 13 13 13 13		(1)	8	,		21	99	40	39	2			1	1	1	166	0.1
12 1 1 1443 5 15 16 17 17 17 17 18 17 18 19 18 18 18 18 18 18	12 12 13 14 14 14 15 15 15 15 15	Total	'	•	6	511	2,732	6,449	6,319	6,748	5,983	3,586	172	1	1	'	32,509	18.8
12 1 1 1 1 1 1 1 1 1	12 1 1 1 1 1 1 1 1 1	1ght Spotted:																
12 12 12 13 14 14 15 15 15 15 15 15	12 12 12 13 14 15 15 15 15 15 15 15			1	1	1	ı	,	1		1	1	ŧ	1	,	•		
12 12 13 14 14 15 15 15 15 15 15	12 12 12 13 14 15 15 15 15 15 15 15			1	1	1	6	19	1	1	1	1	ě	1	1	1	28	
1	1				19	1,443	5,756	6,310	1,376	316	330	89	1	1	1	1	15.618	0.0
1 1 1 1 1 1 1 1 1 1	1				112	4,001	19,984	19,054	4,795	936	365	238	47	1	1	1	49,541	28.6
1 1 1 1 1 1 1 1 1 1	1 1 2 2 2 2 2 2 2 2	L.M.	(75	-	110	1,425	7,920	11,034	3,768	1,049	47	1	1	1	1	1	25,353	14.7
(13) (23) (43) (53) (43) (53) (43) (54) (54) (54) (54) (54) (54) (54) (54	(23)	Total			241	698,9	33,669	36,417	6:636	2,301	742	306	47	1	1	'	90,540	52,3
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,																	
13 13 13 13 14 13 13 14 14	.M. (33) 2		(13)	1	1	1	1	1	ŧ	1	1	1	,		1			
1 1 1 1 1 1 1 1 1 1	1,186 4,643 2,943 2,943 2,943 2,943 2,943 2,943 2,944 2,9442 2		[23]	1	•	1	28	8		1	1	1	1	*	1	1	36	
Figure 1 (53) 9 7 7 3 2,345 10,990 7,991 1,138 229 9 9	Total (34) 70 12.535 10.1890 7,991 1.138 1259 9 12.102 2.693 1.140				28	1,186	4,643	2,933	526	84	0	1	1	1	1	1	9,442	ນ
Trotal 9 9 171 4,784 20,848 15,307 2,630 478 37 12,102 Thotal 9 9 171 4,784 20,848 15,307 2,630 478 37 12,102 Thotal 1,114 1,468 680 119 9 1 1 3,901 219 17,848 Erades 9 40 625 13,530 59,463 59,481 19,355 9,580 6,771 3,901 Ercent Percent	Total 9 9 171 4,784 20,848 15,307 2,630 478 37 12,102 Fig. 1.				2 5	2,345	10,890	7,991	1,138	229	0	1	1	1	1	1	22,693	13,1
Total 9 9 171 4,784 20,848 15,307 2,630 478 37 44,273 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Total Second Se				Q.	1,433	2,28/	4,3/5	933	165	19	-	1	-	1	1	12,102	7.0
(24)	Secondary Carbon	Total	5		171	4,784	20,848	15,307	2,630	478	37	1	ı	1	1		44,273	25.6
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	.M. (24) 51 348 385 153 19 9 95	Inged:																
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	State 348 34		(24)	1	ŧ	1	0	1		1		1	•	•			C	*
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1,114 1,468 680 119 9 - - - - - - - 1,381 - - - - - - - - -				51	348	385	153	19	1	•	1	1	1	ı	1	920	C
Total 91 349 489 346 72 91 349 346 346 349 346 349 346 349 346 349 3	Total 91 349 489 346 72 91 319 349 346 346 349 346 349 346 349 346 349 349 348				54	417	582	181	28	6	1	1	ł	1	ı	1	1.281	00
Total	Total To		The state of the s	1	81	349	489	346	72	1	ı	1		1	8	1	1,337	0
Ow Grade - 15 18 252 746 628 348 44 9 9 - - 2,069 grades 9 40 625 13,530 59,463 59,481 19,355 9,580 6,771 3,901 219 - - 2,069 grades Percent	Ow Grade Strades 9 44 9 9 - - 2,069 Grades 9 40 625 13,530 59,481 19,355 9,580 6,771 3,901 219 - - 2,069 grades Fercent Percent	Total			186	1,114	1,468	089	119	6	ı	t	1	•	1	•	3,583	2,1
Egrades 9 40 625 13,530 59,463 59,481 19,355 9,580 6,771 3,901 219 2,069 Rades Percent	Erades 9 40 625 13,530 59,463 59,481 19,355 9,580 6,771 3,901 219 2,069 Randes Percent Percen	opens motor		U	G.	CL	14.0											
Strades 9 40 625 13,530 59,463 59,481 19,355 9,580 6,771 3,901 219 - - 172,974 <u>1</u>	Strades 9 40 625 13,530 59,463 59,481 19,355 9,580 6,771 3,901 219 172,974 <u>1</u> 1,2014 1 1,2	3		04	0 1	20.7	/40	870	348	44	On	0	•	1	•		5,069	1.2
Rades Percent As reported by the Bureau of the Gensus, running bales.	Randes Bercent Percent		5		625	13,530	59,463	59,481	19,355	0,580	6,771	3,901	219	8	1	1		100"0
As reported by the Bureau of the Census, running bales.	As reported by the Bureau of the Census, running bales. Less than 0.05 percent.	All grades	Percent		Percent 0.4	Percent 7.8	Percent 34.4	Percent 34.4	Percent 11.2	Percent 5.5	Percent 3.9	Percent 2.3	Percent 0.1	Percent	Percent	Percent	Percent 100.0	
	Less than 0.05 percent.		by the Burea	u of the Cer	nsus, runni	ing bales.								Pa	noontage	de de la concessión de la concesión de la concessión de la concesión de la concessión de la concessión de la concessión de la	4400	

Table 8. -- Grade and staple of upland cotton ginned in Texas, 1975-76 (Continued)

Grade	Code	26 and shorter	23	29	30	31	32	33	34	35	36	37	38	39	40 and longer	All staple	aple
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White: G.M. S.M.	(11)	1 1	21	. 40	258	124	1 00	21	11	22 238	11 283	23	23	53	1 1	1,227	0.1
+	(30)	1 1	1,933	6,245	51	9 29,572	7 18,973	5,991	28	5,650	4,101	1,479	- 79	175	- 66	130	4.1
S.L.M.+	(40)	. (1 90	09	487	656	455	598	1,878	978	707	328	90 5	44 4	29	6,250	0.3
L.M.+	(50)	/0	38	35, 588	904	1,770	1,931	29, 101	1,776	531	4,139	71	17	C -	2 1	10,339	0.4
L.M.	(51)	1	1,179	7,434	27,602	46,104	45,262	37,903	22,277	4,379	089	112	1 1	1 1	1 1	192,882	E * 8° 3
8.6.0.	(61)		63	785	2,551	5,331	8,134	7,556	4,232	648	108	38	7	1	1	29,473	1.2
+ °°° °°	(70)	1 1	1 +	53	360	765	921	832	470	117	1 1	15	1 1	1 1	1 1	3,533	0.1
Total		67	10,235	50,403	129,936	183,752	149,472	95,171	80,324	27,940	10,155	3,225	247	277	201	741,405	31.1
Light Spotted: G.M.	d: (12)	,		1	1	1	1	1	,	1	ı	1	1	1	1	ı	4
S.M.	(22)	1 1	15	63	841	1,109	460	124	13	1 6	1 0	1 .	1	ı	1	2,625	0.1
S.L.M.	(42)	400 831	24,603	105,187	203,930	201,690	133,602	33,654	28,086	1,520	734	314 153	1 0	1 1	46	738,579	31.4
L.M.	(25)	145	4,506	25,497	60,243	71,347	60,707	19,964	10,474	1,726	175	15	8	*	,	254,807	10.8
Total		1,442	41,671	176,317	358, 434	369, 127	249,563	62,391	43,452	6,303	1,519	482	14	1	119	1,313,834	55.7
Spotted:	(13)	1	1	,	,	,	,	,		ı	1	1			1	(
S.M.	(23)	1	1	328	1,279	609	151	76	36	1	1	1	1	1	1	2,479	0.1
*	(33)	Fi	1,484	20,478	45,287	26,274	9,794	1,355	506	88	9	1	1	1	1	105,349	4.4
N° T° N° T° N° T° N° T° N°	(53)	3/4	4,597 1,450	4,650	45, 863 9, 836	36,839 9,410	5,608	3,567	1,688	183	11	1	1 1	1 1	, ,	130,474 35,555	1.5
Total		638	7,531	46,202	102,265	73,132	31,923	7,561	3,887	684	34	-	1	1	ı	273,857	11.5
Tinged:	(10)			1	 												
M. W.	(34)	37	1,509	5,977	5,334	1,284	251	21	31	- 25	1 1	1 1	1 1	1 1	1 1	262 14,466	0.6
D.L.M.	<u>4</u> &	570	2,765	4,494	4,129	1,255	239	45	19	0 1	1 1	1 1	} 1	1 1	1 1	13,525	0.6
Total		880	4,862	11,365	10,479	2,954	640	133	53	33	4	1	1	1	1	31,397	1.3
Stained: S.M.	(25)	- 21	572	470	151	15	, ,	1 1	1 1	1 1	1 1	4 8		3 4	1 1	- 220	- 0
			1														
Total		21	572	470	151	15		'		-	1		2	1	1	1,229	0.1
Light Gray: G.M.	(16)	1	4	1	1	+ (1	ŧ	1	1	1	1	ı	1	1	1	
e ° z	(36)	1 1	1 1	22	12	4	28	47	63	1 1	1 1	1 1	1 1	1 1	1 1	217	
S.L.M.	(46)	1	1	4	20	1	•	0	00		1	1	-	-		36	-
Foral		•	1	777	35	/c	87	CC	60				-		-	263	*
Gray: G.M.	(17)	1 1	1.1	1 1	1 P	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
M. L.M.	(37)	t t	1 1	0 0	17	1 1	, ,	1 1	1 1	1 1	1 1	1 1	1 1	1 6	4 1	25	
Total		1	1	16	71		1	1	. 1	,	1			-		33	*
Below Grade		244	776	1,054	1,420	1,308	1,128	985	539	35		•	1	,	4	7,489	0.3
All grades		3,292	65,647	285,849	602,734	630,345	432,754	166,296	128,324	37,993	11,708	3,707	261	277	320	2,369,507 1/	100.0
		Percent 0.1	Percent 2.8	Percent 12.1	Percent 25.4	Percent 26.6	Percent 18.3	Percent 7.0	Percent 5,4	Percent 1.6	Percent 0.5	Percent 0.2	Percent *	Percent	Percent	Percent 100.0	
1/ As report	ted by th	rcent.	of the Cer	As reported by the Bureau of the Census, running bales. Less than 0.05 percent.	ing bales.								Per	Percentage ro	rough preparation	ation	*
0 71													Gra	de index			89,3

Table 8. -- Grade and staple of upland cotton ginned in New Mexico, 1975-76 (Continued)

		260 000													40	FEX	2 - 1 - 2
	Code	shorter	28	29	30	31	32	33	34	32	36	37	38	39	Tonger	salders its	a p T d r
White		Bales	Bales	Bales	Bales	Bales	Bales	Percent									
G.M.	(11)	1			1	1	'	1	1	,	10	1	1	1	1	OL	
S.M.	(21)	1	1	ı	1	1	16	1	26	197	1,262	230	1	ŧ	ı	1,731	2.6
+ = =	(30)	1 (1 (1 (1	1	1	•	ı	1	1	1		t	1	1	1
M. A. A	(15)	OT	n n	12	190	108	82	143	324	1,684	14,107	7,758	09	1	1	24,520	37.5
- E - E - E - E - E - E - E - E - E - E	(4)	1 K	0 0	1 4	16	12	10	9 (85	489	3,095	2,300	48	1	1	6,064	9,3
T M I	(+1)	0.4	20	617	38/	318	224	63	409	1,816	8,793	5,260	147	1	1	17,806	27.2
T.M.	(20)	ی ا	· c/	æ Θ	1 (, (1 6	7	43	340	382	366	10	1	•	1,759	2.7
+ 0	(60)) (7	06	140	4/	00	R2	209	405	478	158	10	1	•	1,742	2.7
	(69)	1			1 0		' {	+ [7	22	1	ı	1	1	1	29	*
G-0-+	(0/2)	ı		, ,	0 1	17	7	6	145	19	1	1	1	1	t	391	0.6
G.0.	(77)	-	-	12	•	15	ι ω	17		- 1	1 1	1 (F	1	1 (' (
Total		61	187	345	744	527	456	448	1,245	5,021	28,730	16,072	275	1		54,111	82.7
Light Spotted:	••																
G.M.	_		1	1	,	1	1	•	- 1	,	1	'			1		
S.M.	(22)	1	1	1	10	18	9	1	1	22	27	1	1	1	1 1	' a	' C
м.	(35)	80	F	160	175	86	79	70	109	213	1,214	755	31	1		3.061	4 7
S.L.M.	(42)	144	497	617	640	235	76	121	207	525	594	375		18	1	4.370	6.7
L.M.	(25)	83	379	436	355	95	166	96	169	108	31	1	3	t		1,888	2.9
Total		277	953	1,513	1,180	446	348	287	485	868	1,866	1,130	31	18	1	9,402	14.4
Spotted:																	
G.W.	(13)	1	1	1	1	1	1	1	•	1	•	1	1	1	1	,	•
· E.	(53)	1	1 (1	1	1	1	à	1	1	1	1	1	1	1	,	1
E 0	(33)	0 Lú	ם ער	121	96	30	25	1	12	1	1	ı	•	1	ŧ	292	0.4
L.M.	(E)	94	125	117	35	30	48 87	30	9 4	28	11	18	1	1	•	029	1.0
Total		6	SOB	OCA	23.4	L			Ca	77						526	0.8
3 3 3 4		77	000	430	234	Ch	151	16	43	20	11	18	1	1	1	1,488	2.2
Tinged: S.M.	(24)	ı		•													
Ξ.	(34)	1	00	19	22	α	1 1		1	1	1	1	ı	1	i	1	1
S.L.M.	(44)	ı	25	23	1 K	0			1	8	ī	1	•	1	1	27	0.1
L.M.	(54)	1	16	1) 1		1		1 1	1 1	•	ı	1	4	1	35	0.1
Total		1	49	42	6	17						1	1	-		16	*
						/ 1					1		1	1	,	165	0.2
Below Grade		11	38	12	80	12	78	09	84	2	,		1	,	4	305	0.5
All grades		400	1,535	2,342	2,223	1,097	1,033	892	1,857	5,941	30,607	17,220	306	18	,	65,471 1/	100.0
All grades		Percent 0.6	Percent 2.3	Percent 3.6	Percent 3.4	Percent 1.7	Percent 1.6	Percent 1.4	Percent 2.8	Percent 9.1	Percent 46.7	Percent 26.3	Percent 0.5	Percent	Percent	Percent 100.0	

Percentage rough preparation...
Grade Index......
Average staple....

Table 8. -- Grade and staple of upland cotton ginned in Arizona, 1975-76 (Continued)

								Stable									
Grade	Code sl	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	All staples	ples
1. The 2. 4		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
	(11)	1	1	1		1	1	ı	1	1	ı	•	•	1	1	1	1
	(21)	1	ı	1		1	1 1	1 (878	8,140	746	9	11	1	. 1	9,781	1.8
	(31)	ı t	1 1	1 1	1 1	36	24	759	40,849	213,595	22,491	840	183	ι σ	24	278,809	50.4
I. M.+	(40)		1 0	1	1	10	00 7	131	5,983	28,267	3,124	103	22	60 1	90.00	37,683	8.00
	(50)	1 1	י מ	. ,	1 1	0 1	11	139	1,171	2,123	213	100	1 1	n ı	19	3,681	7.0
	(51)	t	00	1	27	23	357	1,455	4,150	2,987	143	1	1	1	1	9,150	1.6
+	(60) (61)	1 1	1 1	1 1	58	09	32	1,260	1,032	126	10	1 1	1 1	1 1	1 1	3,167	9.0
	(70)	1 1	1 1	1 1	- 4	- 75	415	426	265	27	1 1	1 1	1 1	1 1	1 1	1.234	2.0
	(+,)																
Total			16	1	129	191	1,612	5,599	79,944	328,853	33,279	1,119	216	21	181	451,160	81.5
Light Spotted:	(12)	1	,	•	,	1	1	ı	1	1	1	1	1	1	•	t	•
S.M.	(22)	1	1	1	•	ŀ	1	18	389	464	36	7	1	1	1	944	0.2
M.	(32)	1	Θ	1	9 4	13	284	1,145	18,844	33,791	3,141	157	11	t	o (57,409	10.3
L.M.	(52)	1 80	1 4	9 8	255	434	2,947	3,670	3,375	454	65	1 1	14		0.2	11,226	2.0
Total		8	12	1	296	566	4,209	7,601	32,044	41,677	4,065	164	25	r	59	969,06	16.3
Spotted:	131																
	(23)	1 1	1 1		,	. ,	7	Φ	119			1	,	1 1	1 1	134	
	(33)	ı	1	1	1 (1	71	286	701	161	1	1		1	1	1,226	0.2
L.M.	(43) (53)	1 1	()	- 56	53	151	481	285	235	E -	10	1 1	1 1	i 1	1 1	1.429	0°1
		1	1	26	99	226	989	1,041	1,301	254	10	1	1	1	1	3,610	0.6
Tinged:	100																
M. W.	(34)	1 1	1 1	1 1		1 1		1 1	1 1	1 1			1 1	1 1		(₁	1 1
S.L.M.	(44)	1	1 1	1 1	1	1	1	1 1	1	11	1	1	1	t	*	11	
- Fortal	1									, ,						- -	-
10001										-						,	
Light Gray: G.M.	(16)	,	1	1	,	1	1		1	1	1	1	1		1	1	ı
	(36)	1 1	1 1				1 1	21	. F	9 89		, ,		1 1	1 1	36	
	(46)	-	1	1	-	1		00	15	}	*	-	-	1	1	23	-
Total		1	1	ı	1	1	1	29	36	122		1	1	ı	'	243	-
Gray:	(71)	1	ı			ı	•	1			,						
S.M.	(27)	1	1	ı	t	1	ı	1	1	1	1				1		1
M. S. L. M.	(37)	1 1	1 1	1 1	F 1	ı LO	1 1	1 1	1 1	1 1	1 1	+ 1	1 1	1 1	1 1	ı LO	
Total			1	đ	1	5	*	1	ŧ	ı	1	1	1	1	t	D.	
Below Grade		24	67	112	1,289	959	4,249	1,835	441	14	8		,	ı		8,998	1.6
All grades		32	95	138	1,780	1,947	10,756	16,105	113,822	370,927	37,362	1,283	241	21	210	554,719 1/	100.0
All grades	Pe	Percent Pe	Percent *	Percent *	Percent 0.3	Percent 0.4	Percent 1.9	Percent 2.9	Percent 20.5	Percent 67.1	Percent 6.7	Percent 0.2	Percent	Percent *	Percent *	Percent 100.0	
1/ As reported by the Bure * Less than 0.05 percent.	d by the	Bureau of ent.	the Cen	the Bureau of the Census, running bales. percent.	ng bales.						,		Per	Percentage rough Grade index	Percentage rough preparation	ation	96.3
													AVE	werage stapie.			7.+0

Table 8. -- Grade and staple of upland cotton ginned in California, 1975-76 (Continued)

d party								Stapl	o.								
	Code	26 and shorter	28	29	30	31	32	33	34	35	36	37	38	36	40 and	- All staples	aples
Whi te.		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
G.M.	(11)	1			1	1	1	1			77	,				7	٠
S.M.	(21)	1	1		ŧ	1	1	7	269	12,666	10,798	14		, ,		24.054	
+ = =	(30)	1	r	1	ı	i	1	•	1	505	1,287	1	1	1		1,792	0.1
M.T. M. T.	(31)	•	ı	1	ı	7	20	286	41,484	535,452	322,710	224	1	1	1	900,183	46.9
S.L.M.	(41)	1 1				39	10 268	1.334	23, 137	155,311	170,893	184	•	4	•	328,535	17.0
L.M.+	(20)	1	1	1	1	1	6	30	258	8,712	14,590	24		1 1	1 1	23,623	20.02
E.Z.	(51)	1	1	1	•	99	470	973	9,322	32,277	22,401	88	1	٠	•	65,597	3.6
0.0.0	(63)	1 1		1 (8	1 14	1 0	13	160	549	206	14	1	•	1	945	
4.0.5	(20)	1	1			2 1	526	500	665,2	3,554	1/9	•	1	1	6	7,587	4.0
G.O.	(71)	-	1	1	19	7	45	52	297	255	4 4	1 1	1 1	1 1	1 1	715	
Total		1	,		19	184	1.161	9 24B	70 666 1	70 566 1 025 ADA	700 654	1 050				01/ 000 5	
També One the							10161	0+210	000 467	1,040,404	460,004	1,009	•	1	•	1,893,395	98.2
G.M. (1	(12)	1	1	,													
S.M.	(22)	1	1	1	1	1		1	36	338	201	t i	1 -	4	1	1 00	1 4
M.	(35)	1	1	1	ı	7	81	609	3,885	4.272	2,003	1 1	1 1	1 1	1 1	30 857	0
S.L.M.	4	1	1		•	46	308	644	3,226	5,786	3,788	10	1	1		13,808	0.0
. E . I	(20)		8		36	182	889	673	2,521	1,679	757	10	1	5	1	6,750	0.3
Total		,	4	1	36	235	1,278	1,926	6,668	12,075	6,652	20	11	•		31,893	1.6
Spotted:																	
E W	(13)		1	1	1	•	4	1	1	1	1	1		4	6	1	
M.	(33)	1 1		, ,	4 1	1 1	1	1	• 6	20	+ [ı	1	8	•	20	•
S.L.M.	(43)	1	1	1		1 1	7	- 64	120	502	10/		1	1	i	332	• (
L.M.	(33)		1	1	0	49	10	58	239	263	7	1	1 1	1 1	1 1	829	• •
Total		•	1	1	01	49	17	101	412	266	301	8	î	1		1,886	•
Tinged:																	
N. W.	(24)	ı	1	1	1	1	•		1	1	1						
M. T.	(34)	ı	ı	•	•	1	1	1		80	i	1		•	,	ι ω	1 *
L.M.	(54)	1 1	1 1			1 1	1 1		1 00	4 h	10	1	•	•	1	14	•
Total		•	•						2 6	2				4	B	35	
									02	12	10	'		•	1	22	•
Light Gray:	(16)	1	1	1	•		•	•									
w. M.	(26)	1	1	1	•	6	•	1		237	58	1	, ,		1 1	295	1 *
S.L.M.	(46)	1 1	1 1	1 1	1 1	1 1	41	2 23	390	296	100	1	1	ı	4	686	0.1
Total		1	1	٠	1	ı	41	11	598	978	202	1				1,896	0,1
Gray:	(12)																
S. M.	(27)		1 1	1 1	1 1		1 1	1	1	1	1	1	•	1	٠	ı	ı
M. o	(37)	1	4	1	1	1	ı t	10	10		1 1	1 1	1 1	1 1	1 1	. 02	1 0
. E. E. E.	(/+/	1	1	4	•		-		11	1	10	4	1		1	21	•
Total		1		1	•	1	'	10	21	1	10	1	1	ı	t	41	-
Below Grade		1	1	1	115	218	331	111	250	66	33	1				1 157	
																10767	1.
All grades		1	•	1	182	686	2,828	5,473	90,635 1,039,580	,039,580	789,862	1,079	1	1	1	1,930,325 1/	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent 0.1	Percent 0.3	Percent 4.7	Percent 53.9	Percent 40.9	Percent 0.1	Percent	Percent	Percent	Percent 100.0	
1/ As report	ted by th	As reported by the Bureau of the Census, running bales. Less than 0.05 percent.	of the Cent	sus, runni	ng bales.								Perc	entage rou	Percentage rough preparation	tion	
	4												Grad	Grade index			96.9
													,	age orapir			4.05

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states 1975-76

NORTH CAROLINA

SOUTH CAROLINA

Grade and	Staple	Prior to	October	November	December	After Dec. 31	Total crop	Prior to	October	November	December	After Dec. 31	Total crop
Grade White:	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
G.M.	(11)	_	_	_	_	_	-		-	_	-	_	_
S.M.	(21)	-	-	-	-	-	_	_	_	_	_		_
M.+	(30)	-	-	-	_	-	-	-	_	_	-	_	-
M.	(31)	-	-	25	~	-	25	60	938	286	13	-	1,297
S.L.M.+	(40)	-	42	8	-	-	50	40	85	27		800	152
S.L.M.	(41)	129	3,703	2,767	192	-	6,791	2,735	13,837	4,455	1,147	180	22,354
L.M.+	(50)	99	845	1,007	68	-	2,019	888	2,259	984	139	15	4,285
L,M.	(51)	79	11,503	11,567	829	13	23,991	499	20,841	6,513	2,036	540	30,429
S.G.O.+	(60)	-	127	288	62	-	477	-	426	340	19	-	785
S.G.O.	(61)	-	282	1,574	339	76	2,271	20	668	1,136	611	276	2,711
G. O.+	(70)	-	-	8	-	-	8	-	-	-	-	-	-
G.O.	(71)	-		195	51	27	273			36	44	97	177
Total		307	16,502	17,439	1,541	116	35,905	4,242	39,054	13,777	4,009	1,108	62,190
Light Spot													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-		-	-	-
M.	(32)	-	84	8	-	-	92	30	341	179	38	-	588
S.L.M.	(42)	30	1,253	533	68	-	1,884	579	5,981	4,151	441	590	11,742
L.M.	(52)	10	3,252	2,157	277	20	5,716	160	8,765	4,428	637	604	14,594
Total		40	4,589	2,698	345	20	7,692	769	15,087	8,758	1,116	1,194	26,924
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-		-	-	-	-	-	-	-
M.	(33)	-,	-	8	-	-	8	-	28	-	-	-	28
S.L.M.	(43)	10	113	59	6	-	188	50	227	161	44	126	608
L.M.	(53)		310	262	34	-	606	30	909	510	132	238	1,819
Total		10	423	329	40	-	802	80	1,164	671	176	364	2,455
Tinged: All grad	es	-	-	8	-	-	8	-	14	9	13	44	80
Light Gray All grad		-	-	-	-	-	-	-	-	63	6	-	69
Below Gra d	e	10	70	237	28	20	365	10	114	286	57	111	578
All grades		367	21,584	20,711	1,954	156	44,772 1/	5,101	55,433	23,564	5,377	2,821	92,296
Grade inde	x	89.0	85.9	84.7	82.9	74.2	85.2	91.2	87.1	85.9	85.2	81.8	86.7
Staple													
26 and s	horter	-	-	-		-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-		6		6
32		-	-	-	*	_	-	-	-	36	12	15	63
33		-	14	770	113	7	904	10	739	2,426		171	3,580
34		10	4,336	13,966	1,428	93	19,833	50	14,050	17,039	3,567	2,099	36,805
35		60	15,335	5,915	401	56	21,767	2,126	33,728	3,946	1,476	536	41,812
36		258	1,899	60	12	-	2,229	2,825	6,831	117	82	-	9,855
37 38		39	-	-	-	-	39	90	85	-	-	-	175
39		_	-	-	-	-	-	-	-	-			-
40 and 1	onger	-	-				-			-		-	
		367	21,584	20,711	1,954	156	44,772 1/	5,101	55,433	23,564	5,377	2,821	92,296
ll staples			34.9	34.3	34.2	34.3	34.6	35.6	34.8			34.1	
Average st		35.9								34.1	34.3		34.6

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Contid.)

GEORGIA

FLORIDA

Grade and	Staple	Prior to	October	November	December	After Dec. 31	Total crop	Prior to	October	November	December	After Dec. 31	Total crop
Grade White:	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	_
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M. S.L.M.+	(31) (40)	3	71 13	263	168	-	505	-	-	-	7	-	7
S.L.M.	(41)	105	10,881	92 11,050	3,776	222	108	-	-		-	-	-
L.M.+	(50)	125	1,826	1,605	463	222 27	26,034 4,046	-	161	388	274	37	860
L.M.	(51)	286	14,120	16,764	7,642	2,164	40,976	_	65	25	20	2	47
S.G.O.+	(60)	-	120	157	273	4	554		-	525	215 7	22	827
S.G.O.	(61)	9	391	1,013	2,846	1,155	5,414	_	32	25	13	· · ·	70
G.O.+	(70)	-	-	9	24	-	33	-	-	-	-	_	-
G.O.	(71)		28	74	278	270	650	-	-	-			
Total		531	27,450	31,027	15,470	3,842	78,320	-	258	963	536	61	1,818
Light Spot													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	14	307	241	143	1 006	705	-	-	-	7	-	7
S.L.M. L.M.	(42) (52)	48 82	7,536 5,923	11,148 9,595	6,714 8,199	1,296	26,742 27,056	-	65 32	137 125	101 128	40	343 325
Total	()	144	13,766	20,984	15,056	4,553	54,503	_	97	262	236	80	675
						-,000					250		075
G.M.	(13)												
S.M.	(23)					_	-	-	-	_	-	-	-
М.	(33)	_	53		32	2	87	_	_	-		_	_
S.L.M.	(43)		267	397	403	473	1,540		_		20	18	38
L.M.	(53)		493	732	660	1,238	3,123			12	-	18	30
Total		-	813	1,129	1,095	1,713	4,750	-	-	12	20	36	68
Tinged:													
All grad	es	-	-	36	8	59	103	-	-	-	-	-	-
light Gray													
All grad	es	-	-	18	-	-	18	-	-	-	-	-	-
Below Grad	e		112	237	673	374	1,396	-	-	-	20	18	38
all grades		675	42,141	53,431	32,302	10,541	139,090 1/	-	355	1,237	812	195	2,599
rade inde	x	87.3	87.4	86.6	84.1	80.5	85.8	-	88.6	87.6	87.3	83.1	87.3
taple	1												
26 and s	norter	-				-	-	-	-		-		
28		-	-			_	-						
30				_	_		_	in .	_		_	-	_
31		_	-	9	16	_	25	-	_	-		18	18
32		_	15	336	274	190	815	-	-	-	14	-	14
33		24	1,161	9,771	7,592	4,669	23,217	-	-	187	88	89	364
34		192	19,708	38,135	23,203	5,404	86,642	-	129	951	591	88	1,759
35		395	19,879	5,171	1,201	278	26,924	-	226	99	119	-	444
36		64	1,378	9	16	-	1,467	-	-	-	-	-	-
37		-	-	-	-	-	-	-	-	-	-	-	-
38		-	-	-	-	-	-	**	-	-	-	-	
39		-	-	-	-	-	-	-	-	-	-	-	-
40 and 1		675	42,141	53,431	32,302	10.541	139,090 1/		355	1,237	812	195	2,599
ll staple:	5	675	+5,1+1	33,431	JE, 302	10,071	100,000 1						
		34.7	34.5	33.9	33.8	33.5	34.0	-	34.6	33.9	34.0	33.3	34.0

 $[\]underline{1}/$ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

ALABAMA

MISSISSIPPI

rade and	Staple	Prior to	October	November	December	After Dec. 31	Total crop	Prior t	October	November	December	After Dec. 31	Total crop
Prade White:	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
G.M.	(11)	_	_	-	-	_	_	-	15	11	_	_	26
S.M.	(21)	_	15	_	12	_	27	20	1,207	167	14	_	1,408
M.+	(30)	_	_	-	-	-	_	-	_	_		_	_
M.	(31)	45	809	1,328	369	27	2,578	560	24,854	9,181	696	22	35,313
S.L.M.+	(40)	42	702	916	153	-	1,813	221	5,477	1,625	171		7,494
S.L.M.	(41)	567	44,911	70,203	14,790	909	131,380	2,050	182,890	180,823	34,289	1,164	401,216
L.M.+	(50)	43	3,457	5,141	1,766	492	10,899	257	16,378	10,150	1,405	33	28,223
L.M.	(51)	131	21,847	42,645	17,187	1,668	83,478	628	62,076	175,063	68,793	5,552	
S.G.O.+	1 1		86	364	225	36	711	l i	149			5,552	312,112
	(60)	-	609		2,398			13		624	424	0 500	1,210
S.G.O.	(61)	-		2,263		318	5,588	13	4,331	19,904	14,643	2,500	41,391
G.O.+	(70)	-	-	-	7	-	7	-	-	62	5	400	67
G.O.	(71)		27	88	217	36	368		148	1,764	2,329	489	4,730
Total		828	72,463	122,948	37,124	3,486	236,849	3,762	297,525	399,374	122,769	9,760	833,190
ight Spot	ted:												
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	-	-	-	-	-	-	73	31	27	-	131
M.	(32)	_	187	517	533	9	1,246	-	1,350	1,907	1,877	43	5,177
S.L.M.	(42)	350	8,707	16,055	7,683	1,748	34,543	62	9,930	28,149	35,940	4,304	78,385
L.M.	(52)	102	3,471	8,590	5,841	1,545	19,549		5,029	16,810	26,402	6,311	54,552
Total	, ,	452	12,365	25,162	14,057	3,302	55,338	62	16,382	46,897		10,658	138,245
potted:													
G.M.	(13)						uto .						
S.M.	(23)		- Ī		6		6			11			11
	1 1	_	= = = = = = = = = = = = = = = = = = = =	24		40		-	-		818	102	
M.	(33)	- 24	57	24	150	43	274	-	240	64		102	984
S.L.M.	(43)	14	214	1,144	1,742	624	3,738	-	349	1,038	6,988	2,545	10,920
L.M.	(53)		497	918	1,177	841	3,433		132	1,160	4,902	4,481	10,675
Total		14	768	2,086	3,075	1,508	7,451	-	481	2,273	12,708	7,128	22,590
Minged: All grad	les	-	-	63	115	233	411	-	-	21	144	196	361
Light Gray			29	20	18		86			2,487	617	54	2 150
All grad	ies			39	10					2,407	017		3,158
Pray: All grad	les	_	_	_	6	-	6	-	_	_	7	-	7
Below Grad	le	28	57	468	783	225	1,561	-	368	1,152	4,252	3,109	8,881
all grades		1,322	85,682	150,766	55,178	8,754	301,702 1/	3,824	314,756	452,204	204,743	30,905	1,006,432
rade inde	x	90.0	90.2	89.4	86.8	83.7	89.0	93.2	91.9	88.7	85.2	79.8	88.7
taple													
26 and s	horter	-	_	_	_	-	-	-	-	-	-	-	-
28		-	_	-	-	9	9	-	-	-	-	_	-
29		_	-	-	_	_	-	-	-	-	-	_	-
30		-	_	_	-	-	_	-	-	-	-	-	-
31		-	-	259	31	21	311	-	-	-	15	-	15
32		_	116	2,150	2,537	385	5,188	-	15	174	436	90	715
33		45	19,534	61,919	21,116	2,369	104,983	_	839	8,033	5,752	4,615	19,239
34		671	55,102	71,664	24,865	3,209	155,511	171	50,597	167,673	118,588	21,919	358,948
35		564	10,437	14,578	6,595	2,752	34,926	2,240	222,282	244,850	77,578	4,263	55,213
		42	493	196	34	9	774	1,071	39,621	31,130	2,374	18	74,214
		76	+35	150	J-	9	, ,	158	1,402	333	2,074	10	1,893
36									1,402				
36 37		-	-				-	184	-	11			195
36 37 38						-	-	-	-	-	-	-	
36 37 38 39	onger	-		_			_	_	-	_	_	_	
36 37 38		1,322	85,682	150,766	55,178	8,754	301,702 1/	3,824	314,756	452,204	204,743	30,905	1,006,432

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. — Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Contid.)

TENNESSEE

MISSOURI

Grade and S	Staple	Prior t	October	November	December	After Dec. 31	Total crop	Prior t	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
hite:	4					,							2000
G.M.	(11)	-	-	-	-		-	-	-	-	-	-	_
S.M.	(21)	6	284	27	-	-	317	7	77	-	_	-	84
M.+	(30)	-	-			~	-	-	-	-	-	-	-
M.	(31)	212	8,574	1,120	30	-	9,936	1,829	13,853	397	3	-	16,082
S.L.M.+	(40)	45	2,628	170	5	-	2,848	190	2,287	95	-	-	2,572
S.L.M.	(41)	2,222	75,419	23,553	2,159	50	103,403	6,534	73,660	9,306	365	90	89,955
L.M.+	(50)	134	5,638	1,783	198		7,753	380	4,971	359	18	11	5,739
L.M. S.G.O.+	(51) (60)	752	21,516	19,251	4,827	340	46,686	110	13,278	9,542	1,599	423	24,952
	(61)	45	185	358	153	-	696	-	188	47	12	-	247
S.G.O.	(70)	40	975	2,696	1,403	310	5,429	-	630	652	257	202	1,741
G.O.+	(71)	_	49	- 040	5	-	5	-		-	3	-	3
G. O.	(/1)		49	242	183	112	586		22	47	27	38	134
Total		3,416	115,268	49,200	8,763	812	177,659	9,050	108,966	20,445	2,284	764	141,509
ight Spott													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)		12	44	-	-	12	-	11	-	-	-	11
M.	(32)	39	1,209	439	128		1,815	732	6,507	473	3	9	7,724
S.L.M.	(42)	368	10,807	9,146	1,838	117	22,276	1,478	22,558	5,049	377	82	29,544
L.M.	(52)	67	2,319	5,052	2,164	1,004	10,606	110	3,922	3,177	401	325	7,935
Total		474	14,347	14,637	4,130	1,121	34,709	2,320	32,998	8,699	781	416	45,214
Spotted:	()												
G.M.	(13)	-	-	-	-	-	-	-	-	-	-		-
S.M.	(23)	-	12	-	-	-	12	-	-	-	-	-	-
M.	(33)	-	49	45	25	-	119	-	77	47	9	-	133
S.L.M.	(43)	6	370	493	54	83	1,006	22	674	444	9	-	1,149
L.M.	(53)		395	672	178	233	1,478		287	312	24	46	669
Total		6	826	1,210	257	316	2,615	22	1,038	803	42	46	1,951
linged: All grade	s	_	-	-	5	_	5	-	_	37	_	-	37
All grade		-	-	842	129	-	971	-	22	198	24	21	265
}ray:													
All grade	s	-	12	-	-	-	12	-	-	-	-	11	11
Selow Grade			99	546	301	229	1,175	-	122	132	54	125	433
.11 grades		3,896	130,552	66,435	13,785	2,478	217,146 <u>1</u> /	11,392	143,146	30,314	3,185	1,383	189,420
rade index		91.6	91.9	88.2	84.6	78,2	90.1	94.2	92.4	88.0	84.6	80.4	91.6
taple													
26 and sh	orter	-	-	-	-	-	-	-	-	-	-		-
28		-	-		-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	10	-	10	-	-	-	-	-	-
31		_	-	-	5	-	5	-	-	-	-	-	-
32		_	12	252	496	192	952	-	22	-	9	20	51
33		51	3,010	8,913	5,467	1,231	18,672	14	606	848	390	424	2,282
34		2,668	92,666	49,672	7,149	1,052	153,207	5,620	56,773	18,094	2,417	847	83,751
35		1,154	34,199	7,544	638	3	43,538	5,423	82,487	11,023	369	92	99,394
36		23	665	54	20	-	762	335	3,258	349	-	-	3,942
37		_	_	-	-	-	-	-	-	-	-	-	-
38		-	_	-	_	_	_	-	-	-	-	-	-
39		-	-	-	-	-		-	-	-	-	-	-
40 and 10	nger				-		-	-			-		-
		3,896	130,552	66,435	13,785	2,478	217,146 1/	11,392	143,146	30,314	3,185	1,383	189,420
ll staples													

 $[\]underline{1}$ / As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

ARKANSAS

LOUISIANA

White: G.M. S.M. M.+ M. S.L.M.+ S.L.M. L.M.+ L.M. S.G.O.+ G.O. Total Light Spott G.M. S.M.	(12)	1,832 811 23,940 2,790 2,737 25 34 - 12 32,181	Bales - 374 12 56,773 15,264 253,760 20,459 36,441 333 991 12 49 384,468	Bales - 70 - 3,916 988 82,677 5,773 50,074 430 3,709 19 241	Bales - 5 - 267 29 9,955 1,293 12,098 209 1,618	Bales 27 - 248 - 58 - 883	Bales - 449 12 62,815 17,092 370,580 30,373	0ct. 1 Bales - 13 - 566 33 1,361	Bales - 267 11 24,645 4,043	Bales - 10 - 7,343	<u>Bales</u> 517	Bales	Bales - 290
G.M. S.M. M.+ M. S.L.M.+ S.L.M. L.M.+ L.M. S.G.O.+ G.O. Total Light Spott G.M. S.M. M. S.L.M.	(21) (30) (31) (40) (41) (50) (51) (60) (61) (70) (71)	1,832 811 23,940 2,790 2,737 25 34 - 12	374 12 56,773 15,264 253,760 20,459 36,441 333 991 12	70 - 3,916 988 82,677 5,773 50,074 430 3,709	267 29 9,955 1,293 12,098 209	27 - 248 58 883	449 12 62,815 17,092 370,580	566 33	267 11 24,645	7,343		-	
S.M. M.+ M. S.L.M.+ S.L.M. L.M. S.G.O.+ S.G.O. G.O.+ G.O. Total Light Spott G.M. S.M. M. S.L.M.	(21) (30) (31) (40) (41) (50) (51) (60) (61) (70) (71)	1,832 811 23,940 2,790 2,737 25 34 - 12	374 12 56,773 15,264 253,760 20,459 36,441 333 991 12	70 - 3,916 988 82,677 5,773 50,074 430 3,709	267 29 9,955 1,293 12,098 209	27 - 248 58 883	449 12 62,815 17,092 370,580	566 33	267 11 24,645	7,343		-	
M.+ M. S.L.M.+ S.L.M. L.M.+ L.M. S.G.O.+ S.G.O. Total Light Spott G.M. S.M. M. S.L.M. L.M.	(30) (31) (40) (41) (50) (51) (60) (61) (70) (71)	1,832 811 23,940 2,790 2,737 25 34 - 12	12 56,773 15,264 253,760 20,459 36,441 333 991 12 49	3,916 988 82,677 5,773 50,074 430 3,709	267 29 9,955 1,293 12,098 209	27 - 248 58 883	12 62,815 17,092 370,580	566 33	11 24,645	7,343		-	
M. S.L.M.+ S.L.M. L.M.+ L.M. S.G.O.+ S.G.O. G.O.+ G.O. Total Light Spott G.M. S.M. M. S.L.M. L.M.	(31) (40) (41) (50) (51) (60) (61) (70) (71)	1,832 811 23,940 2,790 2,737 25 34 - 12	56,773 15,264 253,760 20,459 36,441 333 991 12 49	3,916 988 82,677 5,773 50,074 430 3,709	267 29 9,955 1,293 12,098 209	27 - 248 58 883	62,815 17,092 370,580	566 33	24,645	7,343		-	11
S.L.M.+ S.L.M. L.M.+ L.M. S.G.O.+ S.G.O. G.O.+ G.O. Total Light Spott G.M. S.M. M. S.L.M. L.M.	(40) (41) (50) (51) (60) (61) (70) (71)	811 23,940 2,790 2,737 25 34 - 12	15,264 253,760 20,459 36,441 333 991 12 49	988 82,677 5,773 50,074 430 3,709	29 9,955 1,293 12,098 209	248 58 883	17,092 370,580	33					00 071
S.L.M. L.M.+ L.M. S.G.O.+ S.G.O.+ G.O. Total Light Spott G.M. S.M. M. S.L.M. L.M.	(41) (50) (51) (60) (61) (70) (71)	23,940 2,790 2,737 25 34 - 12	253,760 20,459 36,441 333 991 12 49	82,677 5,773 50,074 430 3,709	9,955 1,293 12,098 209	248 58 883	370,580	1 1	4,043	562	17	-	33,071
L.M.+ L.M. S.G.O.+ S.G.O. G.O.+ G.O. Total Light Spott G.M. S.M. M. S.L.M. L.M.	(50) (51) (60) (61) (70) (71)	2,790 2,737 25 34 -	20,459 36,441 333 991 12 49	5,773 50,074 430 3,709	1,293 12,098 209	58 883			70,297	111,857	13,051	143	4,655 196,709
L.M. S.G.O.+ S.G.O. G.O.+ G.O. Total Light Spott G.M. S.M. M. S.L.M. L.M.	(51) (60) (61) (70) (71)	2,737 25 34 -	36,441 333 991 12 49	50,074 430 3,709 19	12,098 209	883		46	3,464	6,383	719	145	10,612
S.G.O. G.O.+ G.O. Total Light Spott G.M. S.M. M. S.L.M. L.M.	(61) (70) (71) ted: (12)	34 - 12	991 12 49	3,709 19		2.0	102,233	201	11,235	29,759	8,381	278	49,854
G.O.+ G.O. Total Light Spott G.M. S.M. M. S.L.M. L.M.	(70) (71) ted: (12)	12	12 49	19	1,618	10	1,007	_	-	67	27	_	94
G.O. Total Light Spott G.M. S.M. M. S.L.M. L.M.	(71) ted: (12)	12	49			414	6,766	7	661	2,258	698	129	3,753
Total Light Spott G.M. S.M. M. S.L.M. L.M.	ted: (12)			241	20	-	51	-	-	-	1	-	1
Light Spott G.M. S.M. M. S.L.M.	(12)	32,181	384,468		131	44	477		90	221	81		392
G.M. S.M. M. S.L.M. L.M.	(12)			147,897	25,625	1,684	591,855	2,227	114,713	158,460	23,492	550	299,442
S.M. M. S.L.M. L.M.						,							
M. S.L.M. L.M.		-	-	-	-	-	-	-	-	-	-	-	-
S.L.M. L.M.	(22)	-	25	-	-	-	25	-	13		-	-	13
L.M.	(32)	537	5,363	2,124	242	-	8,266	40	2,383	1,796	756	13	4,988
	(42) (52)	2,898 166	23,923	20,356 7,166	3,977 2,106	808 816	51,962 13,547	173	6,770 1,154	12,932 2,966	3,682 1,221	290 306	23,847 5,673
	(32)	3,601	32,604	29,646	6,325	1,624	73,800	239	10,320	17,694	5,694	609	34,521
10041		3,001	32,004	29,040	0,323	1,024	73,600	239	10,320	17,094	5,694	009	34,321
Spotted:	(20)												
	(13)	-	-	-	-	-	-	-	- 10	-	-	-	-
S.M.	(23)	18	11 89	109	39	10	265	-	13 129	79	7 115	23	20 344
M. S.L.M.	(43)	75	625	624	582	174	2,080	13	316	412	562	21 95	1,398
L.M.	(53)	12	263	476	245	196	1,192	7	88	164	155	81	495
Total	, ,	105	988	1,209	866	380	3,548	20	546	655	839	197	2,257
Tinged:													
All grade	es	25	11	9	5	-	50		-	-	24	47	71
Stained: All grade	es	-	-	-	-	10	10	-	-	-	-	-	-
Light Gray:	:												
All grade	es	76	45	509	112	-	742	-	153	1,447	157	29	1,786
Gray:													
All grade	es	-	12	-	-	7	19	-	24	-	-	-	24
Below Grade	2		118	303	92	119	632	7	50	186	73	26	342
All grades		35,988	418,246	179,573	33,025	3,824	670,656 <u>l</u> /	2,493	125,806	178,442	30,244	1,458	338,443 <u>1</u> /
Grade index	c	92.9	93.5	89.8	87.6	83.0	92.1	94.0	93.9	91.7	89.5	83.7	92.3
Staple 26 and sh	norten												
20 and sn 28	101 061.		-		_	_			-				
29			_		_	_	_	_			_		
30		_	_	_	_		~	-	_	_	_	-	_
31		-	25	-	-	-	25	-	_	-	-	-	_
32		-	36	37	5	40	118	-	13	30	34	-	77
33		108	335	4,102	1,457	411	6,413	21	343	1,290	321	39	2,014
34		12,137	85,093	78,698	22,791	2,775	201,494	1,087	26,193	58,470	17,259	1,000	104,009
35		22,060	316,616	95,107	8,749	598	443,130	1,339	94,819	115,399	12,493	419	224,469
36		1,674	16,141	1,622	23	-	19,460	46	4,425	3,253	130	-	7,854
37		9	-	7	-	-	16	-	13	v a	7	-	20
38 39			-	-	-	-	_	-		1	1		
40 and 10:	onger					_			_		_		
All staples	3	35,988	418,246	179,573	33,025	3,824	670,656 <u>1</u> /	2,493	125,806	178,442	30,244	1,458	338,443 <u>1</u> /
Average sta	nlo	34.7	34.8	34.5	34.2	34.0	34.7	34.6	34.8	34.7	34.4	34.3	34.7

 $[\]underline{1}$ / As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Contid.)

OKLAHOMA

TEXAS

Grade and	Staple	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop	Prior to Sept. 1	September	October	November	December	After Dec. 31	Total
Grade White:	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
G.M.	(11)	-	-	-	_	40	-	-	_	23	44	-		67
S.M.	(21)	-	38	-	-		38	12	210	291	621	93	_	67 1,227
M.+	(30)	-	-	-	-	-	_	-	19	36	15	60	_	130
M.	(31)	-	1,316	2,063	652	44	4,075	11,361	13,731	16,958	33,136	21,221	1,324	97,731
S.L.M.+	(40)	-	88	243	9	-	340	1,840	373	626	2,707	675	29	6,250
S.L.M.	(41)	3	1,767	7,920	5,356	192	15,238	63,916	34,203	33,495	168,515	87,036	11,491	398,656
L.M.+	(50)	-	113	576	103	7	799	4,259	723	923	3,463	857	114	10,339
L.M.	(51)	-	200	5,656	4,190	389	10,435	33,029	12,198	9,085	84,365	40,769	13,436	192,882
S.G.O.+	(60)	-	-	-	47	-	47	307	75	8	489	161	9	1,049
S.G.O.	(61)	-	-	525	793	53	1,371	1,950	2,699	1,331	14,650	6,691	2,152	29,473
G.O.+	(70)		-	-		-	_	-	4	-	21,000	64	- 105	
G.O.	(71)			61	66	39	166	280	291	188	1,292	960	522	68 3,533
Total		3	3,522	17,044	11,216	724	32,509	116,954	64,526	62,964	309,297	158,587	29,077	741,405
Light Spot	tted:													
G.M.	(12)	_	_	_		_								
S.M.	(22)	_			28	_	28	-		13	488	1 666	450	0.605
M.	(32)		113	1,799	13,079	627	15,618	3 049	12 914		488	1,666	458	2,625
S.L.M.	(42)		342	4,906	40,356	3,937	49,541	3,048	12,814	9,155	93,479	158,616	40,711	317,823
L.M.	(52)		38	2,080	18,847	4,388		32,888	32,956	9,825	219,386	340,967	102,557	738,579
Total	(02)		493	8,785	72,310	8,952	25,353 90,540	9,860	17,301 63,071	4,191	64,360 377,713	617,170	43,174	254,807 1,313,834
Constant.														1,515,654
Spotted:	(12)													
G.M.	(13)	_	-	-		-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	28	8	36			-	11	1,695	773	2,479
M.	(33)	-	-	30	8,236	1,176	9,442	116	100	190	1,636	56,984	46,323	105,349
S.L.M.	(43)	-	-	121	17,357	5,215	22,693	2,045	973	236	3,888	62,202	61,130	130,474
L.M.	(53)		-	455	7,461	4,186	12,102	2,549	1,397	530	1,770	14,951	14,358	35,555
Total			-	606	33,082	10,585	44,273	4,710	2,470	956	7,305	135,832	122,584	273,857
Tinged: All grad	les	-	13	61	1,965	1,544	3,583	100	27	21	-	8,874	22,375	31,397
Stained:	ies	-	-	-	-	-	-	-	-	-	-	39	1,190	1,229
Light Gray		-	-	-	-	-	-	75	5		16	112	55	263
Gray: All grad	les	-	-	-	-	-	-	-	-	-	-	24	9	33
Below Grad	le	-	13	30	1,593	433	2,069	965	871	590	349	964	3,750	7,489
All grades	3	3	4,041	26,526	120,166	22,238	172,974 <u>1</u> /	168,600	130,970	87,715	694,680	921,602	365,940	2,369,507 <u>1</u> /
Grade inde	ex.	94.0	94.9	89.8	86.4	81.9	86.6	89.9	90.0	92.6	90.2	89.2	86.7	89.3
Staple														
26 and s	shorter	-	-	-	9	-	9	-	26	39	1,483	1,149	595	3,292
28		-	-	-	18	22	40	-	22	381	38,825	20,624	5,795	65,647
29		-	~	183	309	133	625	-	72	905	125,625	129,950	29,297	285,849
30		-	26	2,190	9,633	1,681	13,530	338	2,534	9,489	207,184		110,749	602,734
31		-	-	4,304	45,831	9,328	59,463	1,887	29,689	31,452			133,163	630,345
32		-	77	4,975	44,743	9,686	59,481	14,835	57,726	22,716		184,014	70,741	432,754
33		-	227	3,858	14,089	1,181	19,355	55,903	18,283	7,231	29,735	43,274	11,870	166,296
34		2	772	4,633	4,006	167	9,580	77,142	15,171	7,200	14,703	11,281	2,827	128,324
35		1	800	4,504	1,426	40	6,771	16,954	7,179	5,658	3,834	3,662	706	37,993
36		-	2,050	1,758	93	-	3,901	1,541	268	1,720	5,833	2,169	177	11,708
37		-	89	121	9	-	219	-	-	624	2,770	300	13	3,707
38		-	-	-	-	-	-	-	-	46	110	98	7	261
39		-	-	-	-	-	-	-	-	23	241	13	-	277
40 and 1		-	4 040	06 500	120 166	22 222	172 074 1	160 600	130,070	231	77 694,680	12	365,940	320 2,369,507 <u>1</u> /
All staple	s -	3	4,041		120,166		172,974 1/	168,600		87,715				
Average st	aple	34.3	35.2	32.9	31.7	31.5	31.9	33.6	32.3	32.0	30.5	30.7	30.8	31.0

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Cont'd.)

NEW MEXICO

ARIZONA

Grade and	Staple	Prior t	October	November	December	After Dec. 31	Total crop	Prior to	October	November	December	After Dec. 31	Total crop
Grade White:	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
G.M.	(11)	_	_	10	-	_	10	-		_	_	_	-
S.M.	(21)		750	963	18	-	1,731	48	3,507	5,956	219	51	9,781
M.+	(30)	-	-	-	-	-	-	-		-	-	-	-
М.	(31)	10	7,132	15,070	2,299	9	24,520	261	67,805	158,584	46,765	5,394	278,809
S.L.M.+	(40)	-	496	4,598	963	7	6,064	-	8,231	19,450	8,724	1,278	37,683
S.L.M.	(41)	_	3,358	8,907	5,353	188	17,806	384	21,940	47,157	28,477	9,504	107,462
L.M.+	(50)		31	583	1,084	61	1,759	-	107	1,411	1,731	432	3,681
L.M.	(51)	_	47	555	1,014	126	1,742	-	481	2,234	2,680	3,755	9,150
S.G.O.+	(60)		_	-	29	-	29	_	-	11	131	51	193
S.G.O.	(61)			10	255	126	391	-		132	646	2,389	3,167
G.O.+	(70)			-	-	-	-			-	-	2,009	5,107
		_	_		42	17	59		_				
G.O.	(71)				42	1/	29			11	251	972	1,234
Total		10	11,814	30,696	11,057	534	54,111	693	102,071	234,946	89,624	23,826	451,160
ight Spot													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	16	43	24	-	83	-	46	685	182	31	944
Μ.	(32)	-	1,115	904	995	47	3,061	153	9,305	26,175	19,424	2,352	57,409
S.L.M.	(42)	-	389	710	2,882	389	4,370	38	2,906	5,872	8,196	4,105	21,117
L.M.	(52)	_	31	-	1,540	317	1,888		262	1,216	3,847	5,901	11,226
Total		-	1,551	1,657	5,441	753	9,402	191	12,519	33,948	31,649	12,389	90,696
potted:													
G.M.	(13)	_	_	-	**	_	_	11 -		-	-	-	_
S.M.	(23)	_	_	_	_		_	-	_	26	108	_	134
М.	(33)			-	226	66	292		54	249	786	137	1,226
S.L.M.	(43)	_	18	11	517	124	670		54	229	368	170	821
	(53)	_	10		400	126	526		J=+	151	554	724	1,429
L.M. Total	(55)		18	11	1,143	316	1,488		108	655	1,816	1,031	3,610
			16	11	1,143	310	1,400		100	055	1,610	1,031	3,010
Pinged: All grad	les	-	-	-	72	93	165	-	•	-	7	-	7
Light Gray		-	_	_	-	_	_	-	53	105	29	56	243
ray:													
All grad	les		-	-	-	-	-	-	**	-	-	5	5
Below Grad	le	-	-		113	192	305	-	52	260	1,168	7,518	8,998
ll grades		10	13,383	32,364	17,826	1,888	65,471 <u>1</u> /	884	14,803	269,914	124,293	44,825	554,719]
rade inde	x	100.0	97.9	97.3	91.0	82.2	95.3	96.6	98.1	97.9	95.4	84.3	96.3
taple													
26 and s	norter	-	-	99	269	32	400	-	-	-	-	32	32
28		-	-	189	1,242	104	1,535	-	-	-	-	95	95
29		**	-	109	2,053	180	2,342	-	-	22	-	116	138
30		-	-	594	1,398	231	2,223	-	-	51	142	1,587	1,780
31		-	16	308	609	164	1,097	-	53	-	417	1,477	1,947
32		-	47	79	711	196	1,033	-	70	695	1,923	8,068	10,756
33		-	63	79	580	170	892	-	610	1,279	4,691	9,525	16,105
34		-	47	708	838	264	1,857	263	20,305	36,187	40,963	16,104	113,822
35		-	327	2,899	2,374	341	5,941	611	86,228	204,174	72,336	7,578	370,927
36			6,895	17,306	6,243	163	30,607	10	7,340	26,597	3,244	171	37,362
37		10	5,829	9,829	1,509	43	17,220	-	197	703	369	14	1,283
31		-	141	165	_	_	306	-	-	166	61	14	241
38		_	18	-	-	_	18	_	_	-	21	-	21
		_	-	-	-	-	-			40	126	44	. 210
38	onger					-		1.1					
38 39		10	13,383	32,364	17,826	1,888	65,471 <u>1</u> /	884	114,803	269,914	124,293	44,825	554,719

 $[\]underline{1}/$ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1975-76 (Contid.)

CALIFORNIA

Frade and Staple	Prior to Oct. 1	October	November	December	After Dec. 31	Total
rade Code	Bales	Bales	Bales	Bales	Bales	Bales
G.M. (11)	_	14				2.4
S.M. (21)	70	13,444	8,155	2,171	22.4	14
M.+ (30)	-	1,297	436		214	24,054
M. (31)	5,742			59	-	1,792
S.L.M.+ (40)		469,954	308,353	100,060	16,074	900,183
	898	159,180	140,739	23,096	4,622	328,535
S.L.M. (41)	725	169,440	293,144	64,627	12,402	540,338
L.M.+ (50)	10	4,780	15,038	3,237	558	23,623
L.M. (51)	20	10,525	40,036	12,713	2,303	65,597
S.G.O.+ (60)	-	57	410	394	81	942
S.G.O. (61)	-	299	3,536	2,982	770	7,587
G.O.+ (70)	-		10	4	-	14
G.O. (71)	-	29	237	402	48	716
Total	7,465	829,019	810,094	209,745	37,072	1,893,395
ight Spotted:						
G.M. (12)	-		_	_	-	_
S.M. (22)	-	59	259	160		478
M. (32)	117	1,722	3,909	3,545	1,564	10,857
S.L.M. (42)	103	3,018	7,229	2,407	1,051	13,808
L.M. (52)	-	431	3,443	1,527	1,349	6,750
Total	220	5,230	14,840	7,639	3,964	31,893
potted:						
G.M. (13)	_	_			_	
S.M. (23)			20			20
	-	-		-	-	
M. (33)		62	113	88	69	332
S.L.M. (43)	30	145	345	235	74	829
L.M. (53)	-	29	439	168	69	705
Total	30	236	917	491	212	1,886
inged: All grades	_	-	10	37	10	57
ight Gray:						
All grades	-	71	1,146	536	143	1,896
ray:						
All grades	-	-	30	11	-	41
elow Grade	_	-	348	539	270	1,157
ll grades	7,715	834,556	827,385	218,998	41,671	1,930,325
rade index	98,8	98.0	96.1	96.0	95.0	96.9
taple						
26 and shorter	-	-		-	-	-
28	-	-	-	-	-	-
29	-	-	-	-	-	-
30	-	40	-	123	59	182
31	-	go.	84	247	355	686
32	-	-	175	415	2,238	2,828
33		187	1,006	1,174	3,106	5,473
34	417	9,977	40,214	30,268	9,759	90,635
	6,487	426,520	455,297	144,099	7,177	1,039,580
35					18,977	789,862
36	811	397,054	330,356	42,664	10,9//	
37	-	818	253	8	-	1,079
38	-	-	*	-	-	-
39	-	-	-		-	-
40 and longer	-	-	-		-	-
11 staples	7,715	834,556	827,385	218,998	41,671	1,930,325

^{1/} As reported by the Bureau of the Census, running bales.

SOUTHEASTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76

RALETGH COLUMBIA AUGUSTA Ginned in State Classing Ginned in State ::. Ginned in State Grade and Staple North Office :: South 2 : Virginia Georgia Carolina total Carolina Grade Code Bales Bales Bales :: Bales :: Bales White: :: :: G.M. (11):: S.M. (21):: :: (30) M.+ :: :: M . (31)25 25 1,297 :: 40 :: S.L.M.+ 40) 50 50 152 :: 54 :: S.L.M. 41) 6,791 39 6,830 22,354 :: 4,587 :: L.M.+ 50 2,019 2,019 4,285 :: 2,168 : : L.M. 51 23,991 483 30,429 24,474 :: :: 8,660 S.G.O.+ 60 477 477 785 174 :: :: S.G.O. 51 (61)2,271 2,322 :: 2,711 :: 1,503 G.O.+ (70) 8 8 :: :: 8 G.O. (71)273 273 177 178 Total 35,905 36,478 573 :: 62,190 :: 17,372 Light Spotted: G.M. (12):: :: S.M. (22) :: M. (32)92 92 :: 588 479 :: S.L.M. (42) 1,884 50 1,934 11,742 6,754 :: L.M. (52)5,715 5,841 14,594 5,138 Total 7,692 175 7,867 26,924 12,371 Spotted: G.M. (13):: S.M. (23) :: :: M. (33)8 8 28 38 :: :: (43)188 S.L.M. 188 608 412 : : :: L.M. (53)606 606 ,819 364 Total 802 802 2,455 814 : : :: Tinged: 8 All grades 8 80 13 Light Gray: All grades 69 :: :: Below Grade 365 7 372 :: 578 226 :: 30,796 44,772 755 45,527 92,296 All grades :: 84.1 85.2 86.7 86.1 Grade index 85.2 :: :: Staple 26 and shorter : : :: 28 :: :: 29 : : 30 :: :: 31 :: :: 31 12 63 32 12 :: 1,585 904 402 1,306 3,580 :: 33 :: 17,307 19,833 329 20,162 36,805 34 :: :: 41,812 21,779 11,638 35 21,767 12 :: :: 2,229 9,855 226 2,229 36 :: :: 39 39 175 :: 37 :: 38 :: :: :: :: 39 40 and longer 30,796 755 45,527 92,296 :: 44,772 :: All staples 34.3 33.5 34.5 :: 34.6 Average staples 34.6

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

MONTGOMERY

BIRMINGHAM

ATLANTA

Ginned in State :: Ginned in State Ginned in State Classing :: Grade and Staple :: Office Georgia Alabama Alabama Florida total Grade Code Bales :: Bales :: Bales Bales Bales White: :: :: (11)G.M. :: :: 27 S.M. (21):: :: M.+ (30) :: :: (31) 1,986 592 Μ. 465 599 :: :: 40 54 1,639 S. L. M.+ :: :: 174 174 S.L.M. 41 21,447 102,049 29,331 860 30,191 :: L.M.+ 50 1,878 7,393 3,506 47 3,553 :: :: L.M. 51 32,316 49,749 33,729 827 34,556 :: :: (60 380 396 315 322 S.G. O.+ :: :: 3,911 70 1,937 S.G.O. 3,721 1,867 :: :: G.O.+ (70)25 :: :: G. O. 472 226 142 142 Total 60,948 167,186 69,663 1,818 71,481 : : Light Spotted: G.M. S.M. (22 :: :: (32) 226 969 277 284 M. :: :: S.L.M. (42)19,988 :: 17,396 :: 17,147 343 17,490 L.M. (52) 8,031 325 11,843 21,918 11,518 42,132 26,396 29,617 Total Spotted: G.M. (13):: :: S.M. (23) 6 :: :: 236 49 38 M. :: :: 38 S.L.M. (43) 1,128 2,092 1,646 38 1,684 :: L.M. (53) 2,759 1,315 2,118 30 2,148 3,802 Total 68 3,936 :: 3,649 3,870 Tinged: All grades 90 183 228 228 :: :: Light Gray: All grades 18 86 :: Gray: 6 All grades :: :: Below Grade 1,170 750 :: 811 38 849 All grades 108,294 198,256 103,446 2,599 106,045 :: Grade index 85.7 :: 89.9 :: 87.3 87.3 87.3 Staple 26 and shorter :: 28 9 9 :: :: 29 :: 30 :: :: 31 16 297 14 18 32 :: 476 14 784 4,712 490 :: 33 96,053 8,930 9,294 21,632 364 :: 34 69,335 91,721 63,790 1,759 65,549 : : 35 15,286 5,397 29,529 444 29,973 :: 36 76 698 698 1,241 :: :: :: :: :: 39 40 and longer All staples 108,294 198,256 103,446 2.599 106.045 :: :: Average staple 33.9 33.5 34.2 34.0 :: ::




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Contid.)

GREENWOOD JACKSON MEMPHIS Ginned in State :: Ginned in State :: Ginned in State Classing Grade and Staple Office Mississippi Mississippi Tennessee Arkansas Mississippi total Grade Code Bales Bales :: Bales Bales Bales Bales White: :: G.M. (11)26 : : : : 245 S.M. (21)887 317 36 276 629 M.+ (30 :: 4,293 28,572 2,448 9,936 1,799 16,028 M. (31 :: S.L.M.+ 40 5,997 680 2.848 379 817 4,044 :: 103,403 (41) 328,348 32,074 16,049 40,794 160,246 S.L.M. :: :: 50 24,144 1,875 7,753 1,314 2,204 11,271 L.M.+ :: :: 23,260 23,244 (51 265,608 5,880 L.M. :: :: 46,686 75,810 S.G.O.+ (60) 702 247 696 39 261 996 :: :: S. G. O. (61' 32.981 3.999 5,429 715 4,411 10.555 :: : : G. O.+ 70 :: :: 5 67 72 3,745 G. O. (71)481 504 1,125 :: Total 691,010 65,309 177,659 26,246 76,871 280,776 :: :: Light Spotted: G.M. (12):: :: 41 S.M. (22)66 :: 36 :: 12 29 (32) 3,446 732 1,815 183 999 2,997 M. :: :: 64,573 1,786 S.L.M. (42) :: 5,819 :: 22,276 7,993 32,055 1,188 L.M. (52)45,201 3,250 10,606 6,101 17,895 52,988 Total 113,286 9,837 34,709 3,157 15,122 :: Spotted: G.M. :: :: 23 11 12 11 S.M. (23):: :: M. (33) 875 62 :: 119 47 166 :: 70 9,775 658 1,006 487 1.563 S.L.M. (43):: (53)9,452 1,478 42 616 2,136 L.M. 607 123 Total 20,113 1,327 :: 2,615 1,150 3,888 Tinged: 5 5 10 All grades :: Light Gray: 254 971 188 641 1,800 All grades 2,263 :: :: Gray: 7 All grades . . : : 12 12 712 1,953 7,982 66 Below Grade 187 1.175 All grades 835,007 :: 76,924 : : 217,146 29,780 94,501 341,427 Grade index 88.6 89.0 :: 90.1 91.0 89.3 90.0 :: Staple 26 and shorter : : :: 28 :: :: 29 :: : : 10 10 30 :: :: 5 15 20 952 299 386 30 :: 1,251 :: 18,672 725 9,690 29,087 8,862 687 33 :: :: 227,151 33.050 153,207 11,580 62,364 34 263,534 :: 41,871 43,538 16,831 22,010 82,379 35 487,332 :: :: 762 637 123 1,522 36 72,805 :: 1,286 : : 37 1,893 :: 7 195 38 : : 39 :: 40 and longer : : : : All staples 835,007 :: 76,924 :: 217,146 29,780 94,501 341,427 34.6 34.1 34.2 Average staple 34.8 :: 34.6 :: 34.1

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		HAYTI		BLYTHEVILLE		LITTLE ROCK		WINNSBORO		ALEXANDRIA
Grade and	Stanle	Ginned in State		Ginned in State	_	Ginned in State	::_	Ginned in State	::	Ginned in State
Grade and	Staple	Missouri	::	Arkansas	::	Arkansas	::	Louisiana	::	Louisiana
Grade White:	Code	Bales	::	Bales	::	Bales	::	Bales	::	Bales
G.M.	(11)	-	::	_	::		::		::	
S.M.	(21)	84	::	33	::	380	::	268	::	22
M.+	(30)	-	::	_	::	12	::	200	::	22 11
М.	(31)	16,082	::	11,124	::	49,892	::	24,818	::	8,253
S.L.M.+	(40)	2,572	::	4,127	::	12,586	::	4,450	::	205
S.L.M.	(41)	89,955	::	135,179	::	219,352	::	160,623	::	36,086
L.M.+	(50)	5,739	::	13,884	::	15,175	::	10,081	::	531
L.M. S.G.O.+	(51) (60)	24,952	::	21,057	::	75,296	::	44,994	::	4,860
S.G.O.	(61)	247 1,741	::	95	::	873	::	94	::	-
G.O.+	(70)	3	::	1,365	::	4,686	::	3,438	::	315
G.O.	(71)	134	::		::	51 353	::	379	::	1 13
Total		141,509	::	186,953	::	378,656	::	249,145	::	50,297
Light Spots	ted:							213,240		30,297
G.M.	(12)	-	::		::	_	::	_		_
S.M.	(22)	11	::		::	25	::	13	::	-
Μ.	(32)	7,724	::	4,618	::	3,465	::	4,393	::	595
S.L.M.	(42)	29,544	::	21,233	::	28,943	::	21,438	::	2,409
L.M.	(52)	7,935	::	3,205	::	9,154	::	5,059	::	614
Total		45,214	::	29,056	::	41,587	::	30,903	::	3,618
Spotted:	_									
G.M.	(13)	-	::	-	::	-	::	-	::	-
S.M.	(23)	-	::	-	::	-	::	20	::	
M.	(33)	133	::	148	::	117	::	297	::	47
S.L.M.	(43)	1,149	::	733	::	1,277	::	1,257	::	141
L.M.	(53) _	669	::	415	::	735	::	405	::	90
Total Tinged:	_	1,951		1,296	::	2,129	::	1,979	::	278
All grade	es =	37	::	20	::	30	::	67	::	4
Stained: All grade	es	-	::	-	::	10	::	-	::	-
Light Gray:		265	::	148	::	406	::	1,570	::	216
Gray:	=				_					
All grade	es ==	11	::	7	::	12	::	13	::	11
Below Grade		433	::	182	::	384	::	281	::	61
All grades		189,420	::	217,662	::	423,214	::	283,958	::	54,485
Grade index		91.6	::	92.4	::	92.1	::	92.1	::	93.5
Staple 36 and sh	ontor								::	
26 and sh 28	montel,		::		::		::		::	
29			::		::	-	::	_	::	
30			::	_	::	-	::	_	::	_
31			::	-	::	25	::	-	::	-
32		51	::	-	::	118	::	77	::	-
33		2,282	::	872	::		::	1,856	::	158
34		83,751	::	52,721	::		::	90,349	::	13,660
35		99,394	::	161,239	::		::	187,128	::	37,341 3,326
36		3,942	::	2,821	::		::	4,528	::	3,320
37		-	::	9	::		::	20	::	
38			::		::		::		::	_
39 40 and lo	nger		::	_	::_		::		::	_
All staples		189,420	::	217,662	::		::	283,958	::	54,485
Average sta	ple	34.6	::	34.8	::	34.7	::	34.7	::	34.8

SOUTHWESTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

ALTUS

DALLAS

		Ginned	in State	Classing		04	du Odert	
Grade and Sta	aple	Oklahoma	Texas	Office	::_		in State	Classing Office
			Texas	total	::	Texas	Oklahoma	total
rade hite:	Code	Bales	Bales	Bales	::	Bales	Bales	Bales
G.M.	(11)	_	_		::			
S.M.	(21)	38	222	260	::	63	-	-
M.+	(30)	_	37	37	::	0 00		63
M.	(31)	4,075	9,600	13,675	::	20,152	_	20,152
S.L.M.+	(40)	340	611	951	::	194	_	194
S.L.M.	(41)	14, 185	29,373	43,558	::	31,000	1,053	32,053
L.M.+	(50)	7 89	950	1,739	::	275	10	285
L.M.	(51)	10,036	9,542	19,578	::	5,950	399	6,349
S.G.O.+	(60)	47	83	130	::	21	-	21
S.G.O.	(61)	1,281	688	1,969	::	320	90	410
G.O.+	(70)	3.47	64	64	::	-	-	-
	(71)_	147	9	156	-::	58	19	77
Total	=	30,938	51,179	82,117		58,033	1,571	59,604
lght Spotted					::			
G.M.	(12)	-		-	::	-	-	-
S.M.	(22)	28	246	274	::	-	-	-
M.	(32)	15,504	42,718	58,222	::	17,388	114	17,502
S.L.M. L.M.	(42) (52)	48,633	82,942	131,575	::	10,468	908	11,376
	(52)_	24,645	18,537	43,182	::	1,292	708	2,000
Total	=	88,810	144,443	233,253	::	29,148	1,730	30,878
potted:	1.51				::			
G.M.	(13)	-	-	-	::	-	-	
S.M.	(23)	28	215	243	::		8	8
M.	(33)	9,341	16,303	25,644	::	236	101	337
S.L.M. L.M.	(43) (53)	22,400	25,244	47,644	::	423	293	716
	(33)_	12,021	5,710	17,731	:-	150	81	231
Total	=	43,790	47,472	91,262	::	809	483	1,292
inged: All grades		3,564	4,305	7,869	::	23	19	42
0	=							
tained: All grades			60	60		_		
All grades	_	-	00	60	::	-		-
1ght Gray:	_							
All grades		-	9	9	::	-	-	-
	=							
elow Grade	=	2,050	278	2,328	-::	127	19	146
all grades		169,152	247,746	416,898	::	88,140	3,822	91,962
rade index		86.6	89.7	88.4	::	94.3	87.3	94.0
taple	-							
26 and shor	ter	9	-	9	::	35	-	35
28		40	341	381	::	46	-	46
29		615	5,202	5,817	::	140	10	150
30		13,426	43,262	56,688	::	5,275	104	5,379
31		58,326	112,162	170,488	::	39,056	1,137	40, 193
32		58,202	78,932	137,134	::	39,435	1,279	40,714
33		18,954	6,780	25,734	::	4,063	401	4,464
34		9,122	1,003	10,125	::	53	458	511
35		6,338	46	6,384	::	13	433	446
36		3,901	18	3,919	::		_	
37		219	-	219	::			_
38		-	-	-	::			-
40 and longe	9 m		-		::	24	_	24
40 and longe		169,152	247,746	416,898	::	88,140	3,822	91,962
	-							21.5
verage staple	2	31.9	31.2	31.5	::	31.5	32.3	31.5

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

		AUSTIN		CORPUS CHRISTI		HARLINGEN		ABILENE
		Ginned in State	_::_	Ginned in State	_::_	Ginned in State	_::_	Ginned in Stat
Grade and St	aple	Texas	::	Texas		Texas	::	Texas
rade	Code	Bales	::	Bales	::	Bales	::	Bales
nite:			::		::		::	
G.M.	(11)	-	::	-	::	-	::	-
S.M.	(21)	261	::	12	::	-	::	88
M.+	(30)	55	::	-	::	-	::	-
M.	(31)	6,898	::	6,226	::	1,747	::	15,846
S.L.M.+	(40)	1,241	::	500	::	460	::	289
S.L.M.	(41)	27,735	::	29,529	::	28,208	::	43,185
L.M.+	(50)	411	::	3,538	::	900	::	448
L.M.	(51)	9,719	::	21,594	::	12,724	::	34,058
S.G.O.+	(60)	34	::	313	::	22	::	53
S.G.O.	(61)	3,113	::	1,317	::	1,113	::	3,909
G.O.+	(70)	-	::	. 4	::		::	5,909
	1 1					154		288
G.O.	(71)_	412	::	228	-::		- 11	200
Total		49,879	::	63,261	::	45,328	::	98,164
ght Spotted	i: -							
G.M.	(12)	• .	::	-	::		::	-
S.M.	(22)		::		::	-	::	1,660
M.	(32)	3,913	::	1,873	::	415	::	94,098
S.L.M.	(42)	32,400	::	6,559	::	24,992	::	149,733
L.M.	(52)	19,711	::	1,900	::	8,532	::	54,721
Total	(/-	56,024	::	10,332	::	33,939	::	300,212
	=							
otted:	, ,							
G.M.	(13)	-	::	-	::	-	::	-
S.M.	(23)	-	::	-	::	-	::	2,222
Μ.	(33)	139	::	61	::	35	::	38,702
S.L.M.	(43)	838	::	287	::	1,974	::	32,506
L.M.	(53)	1,404	::	420	;;	2,653	::	6,463
Total	(/ -	2,381	::	768	::	4,662	::	79,893
	-							
nged: All grades		_	::	7	::	107	::	10,988
	:							
ained: All grades		_	::		::		::	740
AII SIAGO	-							7-10
ght Gray:		16		4		76		80
All grades	-	10	::	+	::	70	::	
low Grade		853	::	352	* *	1,153	::	301
l grades		109,153	::	74,724	::	85,265	::	490,378
ade index		88.5	::	90.3	::	88.3	::	89.5
aple								
26 and shor	rter	18	::	_	::	_	::	137
28		36	::		::		:;	1,284
29		91	::	10	::		::	13,554
30		1,386		434		11		
31			::		::		::	102,564
		11,616	::	1,959	::	60	::	203,105
32		35, 155	::	13,887	::	1,289	::	134,519
33		15,824	::	40,119	::	18,405	::	28,394
34		20,302	::	15,863	::	61,466	::	5,970
35		22,946	::	2,399	::	4,012	::	794
36		1,779	::	53	::	22	::	57
37			::	_	::	-	::	
38			::		::		::	-
39		_	::		::		::	
40 and long	ger	-	::		::	-		-
l staples		109,153	::	74,724	::	85,265	::	490,378
erage stapl	۱۵	33.1	::	33.0	::	33.8	::	31.2

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

LUBBOCK

	LUBB	OCK				El	L PASO	
	Ginned in	State	Classing	::		Ginned in Sta	ite	Classing
Grade and Stap	le Texas	New	Office	::	Texas	New	Arizona	Office
Grade Co	de Bales	Mexico	total	- ::		Mexico		total
White:	de Dates	Bales	Bales	::	Bales	Bales	Bales	Bales
G.M. (1:	1) -		_	::	67			
S.M. (2	!		92	::	67 365	-	-	67
M.+ (30			38	::		394	325	1,084
м. (з			27,429	::	5 201	13 400	-	
S.L.M.+ (40			304	::	5,201	11,403	6,999	23,603
S.L.M. (4		456	202,554	::	1,049	2,855	606	4,510
L.M.+ (50		8		::	2,863	8,123	1,230	12,216
L.M. (5:		49	3,396	::	361	1,475	78	1,914
S.G.O.+ (60		49	98,123	::	139	543	21	703
S.G.O. (6	!	-	523	::	-	29	-	29
G.O.+ (70		_	18,643	::	62	14	31	107
G.O. (7	•	_	1 070	::	-	-	-	-
,			1,878	:	16	7	33	56
Total	352,467	513	352,980	::	10,123	24,843	9,323	44,289
ight Spotted:				-				
G.M. (1:	(-		::	-	-	-	-
S.M. (2:	1	-	222	::	-	33	79	112
M. (3:		203	149,777	::	2,127	1,546	1,529	5,202
S.L.M. (4:		1,443	426,963	::	1,816	990	556	3,362
L.M. (5)	2) 148,905	605	149,510	::	370	260	192	822
Total	724,221	2,251	726,472	::	4,313	2,829	2,356	9,498
potted:								
G.M. (13	3) -	-	-	::	_	-	-	_
S.M. (23	3) 31	-	31	::	11		15	26
м. (33	3) 47,488	115	47,603	::	407	7	70	484
S.L.M. (43	3) 66,384	252	66,636	::	879	77	62	1,018
L.M. (53	3) 17,497	128	17,625	::	332	63	91	486
Total	131,400	495	131,895	::	1,629	147	238	2,014
linged:								
All grades	15,341	82	15,423	::	27	-	-	27
Stained:	429		400					
All grades	429		429	::	-	-	-	
Light Gray: All grades	78		78		_			
AII grades	76		70	::			-	
Fray: All grades	33	_	33	::	-	-	-	-
elow grade	1,631		1,631	::	465	103	125	693
11 grades	1,225,600	3,341	1,228,941	::	16,557	27,922	12,042	56,521
rade index	88.8	87.4	88.8	::	93.6	96.2	97.2	95.6
taple								
26 and shorter	r 3,084	92	3,176	::	18	-	-	18
28	63,635	647	64,282	::	102	-	-	102
29	266,120	1,413	267,533	::	39	-	-	39
30	446,916	802	447,718	::	306	-	24	330
31	254,629	265	254,894	::	343	-	23	366
32	117,495	74	117,569	::	840	115	285	1,240
33	47,094	24	47,118	::	1,244	177	434	1,855
34	16,918	24	16,942	::	1,999	621	2,019	4,639
35	4,899	-	4,899	::	2,236	2,877	5,964	11,077
36	4,216	-	4,216	::	5,483	16,086	2,230	23,799
37	578	-	578	::	3,129	7,951	873	11,953
38	16	-	16	::	245	77	14	336
39	-	-	-	::	277	18	21	316
40 and longer				* * *	296	-	155	451
ll staples	1,225,600	3,341	1,228,941	::	16,557	27,922	12,042	56,521
verage staple	30.3	29.3	30.3	::	35.2	36.1	35.1	35.6




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Contid.)

						PHOENIX		FRESNO
her shown	740-7-		in State	Classing	::_	Ginned in State	_::_	Ginned in State
Grade and S	Staple	New Mexico	Texas	Office total	::	Arizona	::	California
rade	Code	Bales	Bales	Bales	::	Bales	::	Bales
nite:					::		::	200 20 10
G.M.	(11)	10	-	10	::	-	::	14
S.M.	(21)	1,337	124	1,461	::	8,991	::	14,018
M.+	(30)	-	-	-	::	-	::	1,750
М.	(31)	13,117	4,632	17,749	::	245,592	::	329,927
S.L.M.+	(40)	3,209	1,602	4,811	::	34,364	::	181,174
S.L.M.	(41)	9,227	4,665	13,892	::	83,632	::	199,436
L.M.+	(50)	276	68	344	::	3,434	::	13,419
L.M.	(51)	1,150	1,082	2,232	::	7,922	::	25,946
S.G.O.+	(60)	-	-	-	::	183	::	674
S.G.O.	(61)	377	308	685	::	2,855	::	2,255
G.O.+	(70)	-	-	-	::	-	::	14
G.O.	(71) _	52	490	542	::	1,105	::	197
Total	_	28,755	12,971	41,726	::	388,078	::	768,824
ight Spotte	ed:							
G.M.	(12)	-	~	-	::		::	_
S.M.	(22)	50	497	547	::	865	::	122
M .	(32)	1,312	5,717	7,029	::	54,177	::	1,497
S.L.M.	(42)	1,937	4,149	6,086	::	16,434	::	2,947
L.M.	(52)	1,023	839	1,862		9,661	::	889
Tota1		4,322	11,202	15,524	::	81,137	::	5,455
potted:	=							
G.M.	(13)	_		_	::		::	_
S.M.	(23)	_	_		::	119	::	20
М.	(33)	170	1,978	2,148	::	1,132	::	84
S.L.M.	(43)	341	1,939	2,280	::	750	::	201
L.M.	(53)	335	926	1,261	::	1,285	::	140
Total		846	4,843	5,689	::	3,286	::	445
	=							
Finged:		83	599	682		7		0.6
All grades	5	83	299	082	. ::	7	::	26
ight Gray:	=							
All grades	3	-	-	-	::	116	::	562
	=							
ray:								
All grades	5	-	-	-	::	-	::	30
elow Grade	Ξ	202	2,329	2,531	::	7,688	::	88
	=	24.200	31,944	66,152		480,312		775,430
ll grades	_	34,208	31,944	00,152	::		::	
rade index		95.3	89.7	92.6	::	96.4	::	97.0
taple								
26 and sho	orter	308	-	308	::	32	::	-
28		888	203	1,091	::	95	::	-
29		929	693	1,622	::	138	::	-
30		1,421	2,580	4,001	::	1,669	::	-
31		832	7,415	8,247	::	1,764	::	30
32		844	11,202	12,046	::	9,295	::	50
33		691	4,373	5,064	::	14,515	::	237
34		1,212	4,750	5,962	::	98,251	::	4,649
35		3,064	648	3,712	::	320,247	:1	303,896
36		14,521	80	14,601	::	33,614	::	465,668
37		9,269	-	9,269	::	410	::	900
38		229	-	229	::	227	::	-
39		~	-	-	::	-	::	*
40 and lor	nger _	-		-	::	55	-::	-
ll staples		34,208	31,944	66,152	::	480,312	::	775,430

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1975-76 (Cont'd.)

BAKERSFIELD

EL CENTRO

		Ginned	n State	Classing	::_	Ginned i	n State	Classing
Grade and Sta	aple	California	Nevada	Office total	::	California	Arizona	Office total
rade hite:	Code	Bales	Bales	Bales	::	Bales	Bales	Bales
G.M.	(11)	-	-	-	::	-	-	-
S.M.	(21)	9,260	130	9,390	::	776	465	1,241
M.+	(30)	42	-	42	::	-	-	-
M.	(31)	488,589	959	489,548	::	81,667	26,218	107,885
S.L.M.+	(40)	144,909	53	144,962	::	2,452	2,713	5,165
S.L.M.	(41)	313,090	48	313,138	::	27,812	22,600	50,412
L.M.+	(50)	10,031	-	10,031	::	173	169	342
L.M.	(51)	37,511	-	37,511	::	2,140	1,207	3,347
S.G.O.+	(60)	259	-	259	::	9	10	19
S.G.O.	(61)	4,502	-	4,502	::	830	281	1,111
G.O.+	(70)	-	-	**	::	-	-	-
G.O.	(71)	388	an-	388	::	1 31	96	227
Total		1,008,581	1,190	1,009,771	::	115,990	53,759	169,749
ight Spotted								
G.M.	(12)	256	7.4	270	::			-
S.M.	(22)	356	14	370	::	5 909	1 702	7 F11
M.	(32)	3,552	41	3,593	::	5,808	1,703	7,511
S.L.M. L.M.	(42) (52)	8,616 4,150		8,616 4,150	::	2,245 1,711	4,127 1,373	6,372 3,084
Total	(32)	16,674	55	16,729	::	9,764	7,203	16,967
potted:								
G.M.	(13)	_	_	_	::	_	_	_
S.M.	(23)	_	-	-	::	_	-	_
M.	(33)	210	_	210	::	38	24	62
S.L.M.	(43)	607	_	607	::	21	9	30
L.M.	(53)	481		481	::	84	53	137
Total		1,298		1,298	::	143	86	229
inged:		31	_	31	::	_	-	-
ight Gray:								
All grades		1,004	700	1,004	::	330	127	457
ray: All grades		11	_	11	::	des	5	5
Selow Grade		296		296 	::	773	1,185	1,958
all grades		1,027,895	1,245	1,029,140	::	127,000	62,365	189,365
rade index		96.8	100.0	96.8	::	97.3	95.2	96.6
taple								
26 and shor	cer		-		::		-	
28			-	-	::	-	*	-
30			_		::	182	87	269
31					::	182 656	160	816
32		43		43	::	2,735	1,176	3,911
33		929		929	::	4,307	1,156	5,463
34		34,736		34,736	::	51,250	13,552	64,802
35		667,892	50	667,942	::	67,792	44,716	112,508
36		324,116	1,181	325,297	::	78	1,518	1,596
37		179	14	193	::	-		-
38		-	-	_	::	_	_	_
39		_	_		::	-	-	_
40 and long	er		-		::			
All staples		1,027,895	1,245	1,029,140	::	127,000	62,365	189,365

Table 11. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1975-76 with comparisons

							-				-		-		-		+					+		
State	2.6 and below	2.7-2.9	2.9	3.0-3.2	3.0	3.3-3.4	3,4	3.5-3	9,0	4.0-4.4	4	.5-4.9		5.0-5.2		5.3 and	m	Below 3.5	3.5-4.9	-	5.0 an	and	Average mike	ege
	1974 1975	1974	1975	1974	1975	1974	1975	1974	1975 1	1974 19	1975 19	1974 1975	75 1974	4 1975		1974 1975	197		1974	1975 1	1974 1	75	1974	1975
;	Pct. Pct.	Pet.	Pct.		Pet.		Pct.	Pct. F	Pot. P				Fet.	Pil	. Pot.	Pot.	ш	Pot.	Pct.	ali	Pot. P	•	Rdg.	Rdg.
, a	1	ı	1	1.2	ı	9.9	1	40.4	1	40.2 30	30.1 11	11.6 67.4	4	N	ر ا		7.8	n	92.2	97.5	ı	2,5	4	4.0
N. G.		0.1	*	1.7	0.1	3.2	0.2	31,3	4.6	53.2 44	44.1 10.1	.1 46.8	.8 0.3	3 3.8	8 0.1	1 0.4	4 5.0	0.3	94.6	95,5	4.0	4.2	4.0	4.5
	1	*	•	0.7	0.2	1.7	0.7	18.6 1	13.05	51.7 56	56.7 24.6	.6 27.8	8 2.4	4 1.6	6 0.3	m	2.4	4 0.9	94.9	97.5	2.7	1.6	4.2	4.3
Ga.	*		*	0.5	9.0	0.8	0.9	8,9 1	12.2 3	39.9 63.	4	39.0 22.	4 8	5	5 2.	4	Ä	3 1.5	87.8	98.0 1	10.9	0.0	4.0	4.2
Fla.	ı	0.5	0.3	1.3	0.9	2.1	1.8	12.7 2	22.4 3	37.4 29	29.7 36.7	.7 44.4	9	.0	5	5	ຕໍ່	9 3.0	86.8	96.5	9,3	0.5	4.4	4.3
Ala.	0.1	1.1	0.2	2.6	1.2	2,3	2,3	14.1 2	20.8 3	39.8 52	52,3 32,	32.9 22.8	9	1 0.	4 1.0	0	6.1	1 3.7	86.8	. 6.36	7.1	4.0	4 .0	4.2
Miss.	0.1 0.2	1.2	2.2	4.5	4.7	4.3	ω. 4	19.8 1	5.2	37.6 37	37.2 28.1	.1 32.0	0 4.1	4	8 0.3	3 0,3	3 10.1	10.5	85.5	84.4	4.4	5.1	4.5	4.5
Ky.	t	1.0	1	2.9	1	7.6	1	24.7	1	34.4	- 28.7	- 7.	7.0 -			1	11.		87.8	ı	0.7	1	4.1	
Tenn.	e .0	2.1	0.1	6.8	4.0	e, 3	0.8	31.4	11.8 3	39.8 46.	.5 12.8	.8 36.3	o	5 3.8	•	0	3 15,5	5 1.3	84.0	94.6	0.5	4.1	3.9	4.4
Mo.	0.2	ന	•	8.6	1.0	7.1	1.8	24.5 1	13.7 3	32.6 35	35.0 20.	.0 39.	ى ئ	2 8.	4	5 0.6	6 19.2	2.8	77.1	88.2	3.7	0.6	4.0	4.4
Ark.	0.1 0.1	1 1.4	0.6	5.1	2.1	4.6	1.8	18.1	8.63	35,5 26.	.4 29.	.8 46.	3 4.7	17	0.7	2.	2 11.2	4.6	83,4	81,3	5.4 1	14.1	4.2	4.5
ľa.	*	0.2	0.7	1,1	2.6	1.5	2.9	8.7 1	10.5 2	28.3 29.	.8 46.7	.7 44.	5 11.0	α̈́	5 2.	5	5 2.8	8 6.2	83.7	84.8 13	13.5	0.0	4.5	4.4
Okla.	1.5 4.5	4.3	10.4	8 8	15,9	7.0	11,3	21.5 3	31.7 2	28.6 21.	.121.	.1 4.	6 5.7	Ö	4 .i	٥	1 21.6	3 42.1	71.2	57.4	7.2 (0.0	4.0	3.6
Tex.	11.6 9.3	12.8	22.5	12,3	24.3	6.8	10.5	18,1 1	16.6 1	18.4 9.	.4 12.	ນ	8 5.7	7 1.4	ř	8 0.2	2 43.5	9.99	49.0	31.8	7.5	1.6	3.7	က္
N. M.	3.2 14.1	10.4	18.0	19.2	20.6	14.0	11.9	37.4 2	26.6 1	ຕື	8.6 0.	.5 0.2	2	,	1	1	46.8	3 64.6	53.2	35.4	1		വ	3°5
Ariz.	0.1 1.8	9.0	2.9	2.6	4.2	2.0	2.9	8.2	11.02	20.1 22.	22.0 40.	.1 32.4	19.	0 16.	5 7.0	0 6.3	3 5.6	11.8	68.4	65.4 26.	0	22.8	4.6	4.4
Nev.	1	1	1	1.7	1	1.1	2.7	26.1 2	28.1 4	44.5 45.	.4 25.	8 22.	0 8	8 1.0	- 0	1	2.8	3 2.7	96.4	96.3	0,8	1.0	4.5	4.1
Calif.	0.1 0.5	0.8	1.7	1.8	8.0	1.7	e e	13,3 2	26.4 4	45.4 46,	46.1 32.	.5.16.	e B	5 1.8	8 0.9	9 0 6	4.4	8 3	91.2	89,3 4	4.4	2.4	4.3	4.1
u. S.	2.6 3.3	3 3.7	7.9	4.5	9,0	4.0	o e	16,5 1	17.5 3	33.1 29.	29.9 26.9	.9 21.3	Ŷ	1 4.	3 1.7	7 1.0	0 15.7	26.0	76.5	68.7	7.8	ى ق	4.1	4.0

• Less than 0.05 percent.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons

				-								-		-			1	-		E	403-			-		
	7.0			-		-				_				-			0.0	1		-	1000118	-		1	Average	ge
Period	and	3	2.7-2.9		3.0-3.2	2	e e e	4.6	3.5-3.	0	4.0-4.	4	5-4.	0 0	5.0-5.	N	and	-	Below 3.5		3.5-4.9	0	5.0 and above	7	mike	
	1974 1975		1974 19	1975 19	1974	1975 1	1974	1975 1	1974 1	1975 1	1974 19	1975 19	1974 19	1975 19	1974 197	5 1	974 197	75	\vdash	775 1974	4 1975	19	74 1975		1974	1975
	Pet. Pe	Pot.	Pet. Pc	Pct. Pc	Pct. P	Pot. P	Pct. F	Pet. P	Pct. Pc	Pct. P	Pet. Pc	Pet. Pet.	t. Pet.		Pet. Pe	Pct. Pc	Pet. Pe	Pet. Pe	Pet. Pc	Pet. Pet.	Pct.	t. Pet.	t. Pet.		Rdg. R	Rdg.
						1			Č	ON I			Al.			,	((({	((,	ų	(
Prior to Oct. 1	ı	1	ı	1	1		1		. ,	32.7 5	50.2 64						16.8			e E	6	_			4.6	0.4
October	1	1	0	0.1	0.4	0.1	1.2	0.12	22.1	4.7 6	60.0 51	51.6 15	15.8 40.7			2.4	-	0.3		0.3 97.	0.72 6		0.5 2	2.7 4	4.2	4.4
November	ı	1	0.1	1	1.8	t	3.6	#	36.0	3.05	51,3 36.	D	7.1 54	54.6 0		5,3	*	0.6	5,5	94.4	4 94.1		0.1 5.	5.9 4	0.	4.5
December	0.1	1	0.7	1	4.5	9.0	7.3	1.8 4	42.6 1	10.5 4	40.8 41	41.2 4	4.0 41.8		C)	3,5	*	0.6 12	12.6 2	2.4 87.4	4 93.5	D.	4		3.9	4.4
After Dec. 31	0.3	1	1.7	1	9.1	,	13.1	(1)	35.9 2	25.6 3	35.8 66	5.1 4.	_	8.3	1	1	ı	- 2	24.5	- 75.	8 100.0	0	,	(T)	3.8	4.1
Total crop	*	ı	0.1		1.7	0.1	3.2	0.2 3	31,3	4.6 5	53.2 44	1.1 10.	.1 46.	8	0,3	3.8	0.1	4.0	5.0 0	0.3 94.	6 95	5 0.	4	2 4	0:	4.5
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						4	0	,	4	SSO OF	SOUTH CA	CAROLINA	LINA EO 2 2	U	0		c		0	1 00	0 90	,	-		4	0
FFIOF TO OCC. I	ı	ı	•				0	1 .									2								0	n .
October	ı	ı					9.0			œ	54.9 61	0					0.2						_		4.3	4 .3
November	1	1		*		0.2	2.4			0					7		0.5			9	2	0 1.	0	4	4.1	4.4
December	ı	,	0.3 0	0.1	3,3	1.4	5.7	1.7 3	39,3 2	20.3 3	39,3 53	53.7 11	11.6 21.3		0.5 1	1,5	*		m	90	2 95.3	.3 0.	.5 1.	D)		4.5
After Dec. 31	1	1	1	1	4.6	5.6	8.7		35.9 2	24.3 4	41.4 49.	9.6 8.	.6 16.	00	0.4 1	1.0	0.4	- 10	13,3 8	8.3 85.	9 90	.7 0.	.8		3.9	4.1
Total crop	ı	ı		*	1.0	0.2	1.7	0.7	18.6 13	13.0 5	51.7 56	56.7 24.	.6 27.	89	2.4	1.6	0,3	*	2.4 0	0.9 94.	9 97.	5 2	.7 1.	4 9	2.	4.3
											GEORGIA	GIA														
Prior to Oct. 1	ŧ	1	t	1	0.1	0.4	ı	1.8	1.8 1	13.7 2	20.1 66.0	.0 48	48.6 18.1		20.2	1	9,5	1	0.1 2	2.2 70.	5 97.8	.8 29.	4.	4	4.7	4.2
October	1	1			*	0.1	0.2	0,3	5.4 1	13,7 3	36.1 67	67.5 44	44.2 18	18.0 11	11.0 0	0.4	3.1	1	0.2 0	0.4 85.7	7 99.2	.2 14.1		0.4 4	4.5	4.2
November	*	1	*	1	0.4	0.3	0.8			6.9 4	45.7 64	64.2 35	35.6 27	27.4 5	5.6 0		1.4	1		0.7 91.8	8 98.	D	7.0 0.7	0.8 4	4.	4.3
December	0.1	1	0.3 0	0.1		9.0	2.1	1.1	m	0	က		0	æ			0,5				0 97.	2	7	7	4.2	4.5
After Dec. 31	0.1		7.4	1	3,5	3.4	6.1		24.4 3	30.1 3	37.8 46.	5.3 23.	1,1 13,	S	2.7 0	0.2	6.0	-	11.1 9	9.8 85.	3 90°	0.0	.6 0.	2	4.1	4.0
Total crop	*	*		*	0.0	9.0	0.8	6.0	8.9 12	2	39.9 63.	3,4 39.	.0 22	4.	8,5	0.5	2.4		1,3	1.5 87.	.8 98	.0 10.	0 6	വ	4.5	4.5
											FLORIDA															
Prior to Oct. 1	t	ı	ł	1	1	1	1	1	1	1					50.2	- 1	16.6	ı	1	- 33.2				ا د	5,1	r
October	ı	1	1	1	1	1	1	1			31.4						4.1	ı	1	- 84.6		land.			4.6	4.6
November	1	,	1	1	1	1	ı	1	2.9	6.0 2	29.8 39	39,3 49	49.4 53.7		13.2	1.0 4	4.7	1	ł	- 95,3	3 66.0		4.7 1,	1.0 4	4.4	4.4
December	1 (1	1.1 0	6.0	2.0	2.5	6.9	3.42	28.1 4	49.1 4	46.4 28	28.2 14	14.7 15.9		0.0	1 (1 1	- 10	10.0 6	6.8 89.2	2 93.2		80 0		0.4	0,0
						-i									1					ř			J			n n
Total crop	ı	ŧ	0.50	0.3	1,3	0.9	2.1	1.8 1	12.7 2	22,4 3	37.4 29	29.7 36	36.7 44.4		0 8 9	0.5	2.5	1	3,9 3	3.0 86.	8 96.	D.	9,3 0,	0.5 4	4.4	4.3

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons (Continued)

Period below 2.7 2. 2.7 2. 2.9 2.9 2.9 2.9 3.9	et. Pet. - 0.6 - 0.6 - 0.2 - 0.6 - 0.7 - 0.7 - 0.5 - 0.3 - 0.3 - 0.5 -	1 1 2 7 7 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3.4 111.	3.5 3.9 1974 1975 Pet. Pet. 6.4 10.9 8.3 9.1 19.9 18.6 25.3 41.0 25.4 50.5 14.1 20.8 3.1 1.0 11.1 2.3 34.4 33.4	A.O.4. 1974 19 Pet. Pe 29.3 54 40.5 49 41.8 58 29.8 40 42.4 32 39.8 52 39.8 52 34.1 28 31.4 23 31.6 37 37.6 37	7 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	040478 40000		2 2 1 1 4 4 9 8 E L L L	00 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100W 1975 1975 10.6 11.6 11.5 15.7 3.7	4 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 (1) 8 (1) 6 (1)	above above 1974 1975 Pet. Pet. 2.6.6 - 2.5 - 7.1 0.4 7.1 0.4 1.5 2.3 0.3 0.1 0.4 0.1	Hade 1974 1974 1974 1974 1975 1974 1975 1975 1975 1975 1975 1975 1975 1975	mike 974 1975 dg. Rdg. 4.6 4.3 4.5 4.4 4.2 4.2 4.3 4.2 4.3 4.2 4.7 4.7 4.4 4.6 4.0 3.8 8.7 4.7 4.7 4.7 4.7 4.6 4.3 4.2 4.2 4.2
ct. 1	Pct. 1974 12.7 12.7 12.7 12.7 12.7 12.7 12.7 14.6 4.5		Pc 2 2 11	PP 118 118 118 118 118 118 118 118 118 1	H M 4444 W M4WMW W	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			2	4 0	10 1	Pet. 3.2 3.2 15.7 15.7 3.7 3.7 3.7 3.7 3.7 3.7	4 : 4 : 4 : 4 : 4 : 4 : 4 : 4 : 4 : 4 :		1 19 19 19 19 19 19 19 19 19 19 19 19 19	Hdg. 4.6 4.5 4.2 4.4 4.7 4.4 4.4 4.4 4.4 4.4 4.4 4.4 4.4	27.61 1.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4
ct. 1	Pect. 0.6 0.6 0.7 12.7 12.7 12.7 12.7 14.6 0.1 14.6 14.6 14.6	HI DH	P	Pe 10 10 10 10 10 10 10 10 10 10 10 10 10	FI 04404 W 04 W 01 W W	t				: 0 0 + + 0	-1 / 10 10	3.2 0.4 11.6 113.2 15.7 3.7 0.2	th 4 4 4 0 0 0 0 0 0 0 0 0	1. 8. 0. 0. 0. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	1 1 1 2 2 2 3 4 4 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Hdg 4 4 4 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	4 4 4 8 8 4 4 4 8 8 4 4 8 8 4 4 8 8 8 4 8
ct. 1	0.0 0.0 112.7 12.7 0.1 0.1 14.6 14.6		11110 8 7 1 0 1	10 10 11 11 10 10 10 10 10 10 10 10 10 1	04404W .04W0WW	ru4oro ronuui				® w 4 v w 0 4 4 v -		3.5 11.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.	4. 1. 1. 98 1. 1. 98 1. 1. 98 1. 1. 98 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	8	5 m 0 0 m 1 m 4 m	4 4 4 W 4 4 4 4 4 W W W	4 4 4 W W 4 4 4 4 W W 4 4 W W W W W W W
ot. 1	0.0 0.2 0.3 1.2 0.1 1.0 0.1 0.1 1.0 0.1 0.1 0.1 0.1 0.1		1110 8 2 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 9 9 18 41 20 50 50 20 33 33 33 33 33	04404W .04W0WW	r w 4 o r o r o w w w i				® w 4 v w 0 4 4 v -		3.5 11.6 15.7 15.0 2.0 2.0	4. 4. 9. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	δ. ω. ο. ο. ο. ι . σ. 4 · π. ω. 4 · σ.	4 4 4 W 4 4 4 4 4 W W 6 0 0 0 W 7 4 0 V	4 4 4 W W 4 4 4 4 W W 4 W 4 W W W W W W
op 0.1 - 1.1 1.3 0.1 7.1 op 0.1 - 1.1 op 0.1 - 1.4 op 0.5 2.1 5.2 op 0.1 0.2 1.2 out 1 out 1.4 out 2.1	2.0 1.2.7 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0		0 2 8 7 10	118 41 41 41 41 41 41 41 41 41 41 41 41 41	4 4 0 4 W 0 4 W 0 0 W	w 4 or v o ron vi w i			14 4 0 B E H H	w 4 vi w 0 4 4 vi		1.6 1.6 13.2 15.7 3.7 3.7	1.1 98 1.0 98 1.	22 4 6 1 1 1 2 2 4 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	w 0 0 0 u u u u u u u u u u u u u u u u	4 4 w 4 4 4 4 4 w w 0 3 w 7 4 0 v 0 4 0 v 7 4 0 v	4 4 w w 4 4 4 w w 4 4 4 w w 4 4 4 w w 4 4 4 4 w w 4
op 0.1 - 1.1 1.3 0.1 7.1 op 0.1 - 1.1 op 0.1 - 1.4 op 0.1 - 1.4 op 0.1 0.2 1.2 out 1 out 1.4 out 2.8 out 3.1 0.5 2.1 out 3.1 0.5 3.7	3.7 12.7 6.1 6.1 0.5 15.5 4		11 11 11 11	18 41 50 50 20 20 11 15 33 33 33	4 0 4 W 0 4 W 0 0 W	4 or o o o o o o o o o o	4		4 4 000011			1.6 13.2 15.7 3.7 0.2	11 98 66 68 68 68 68 68 68 68 68 68 68 68 68	4 4 6 6 6 6 7 6 6 6 6 6 6 6 6 6 6 6 6 6	00001 04004	4 w 4 4 4 4 w w w v v v v v v v v v v v	4 w w 4 4 4 w w 4
31 0.6 0.3 2.8 op 0.1 1.1 op 0.1 op 0	1.2.7 6.1.2 6.1.0 0.5.0 1.0.0 1.0.5 1.4.6 5.5 4.5 5.5 6.1.4		1110 0 111	20 20 20 20 20 33 33 33 33	04 W 04 W 01 01 W	or o rondui	4	8 2 1 10 8 8 7	4 98811			3.7 15.7 3.7 3.7	0 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 6 6 6 7 8 7 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.0.1. 0.4.0.6.4	w 4 4 4 4 4 w w v v v v v v v v v v v v	ww 4 44 ww 4
31 0.6 0.3 2.8 op 0.1 1.1 op 0.1 0.5 2.1 5.2 op 0.1 0.2 1.2 op 0.1 0.1 0.2 1.2 op 0.1 0.1 0.2 1.2 op 0.1 0.2 0.2 0.1 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	6.1 2.0 1.0 7.0 1.5 7.0 8.4 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5		2 0 111	20 20 11 20 20 20 20 20 20 20 20 20 20 20 20 20	4 6 04 6 8 8 8	ר ט רסתימש א	٦	0 1 10 m m 7	4 900011		11 12 133	3.7	2 2 79 8 95 8 95 8 95 8 95 8 95 8 95 8 95 8	2 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	0 1 0 4 0 6 4	0. w 4 4 4 6 w 6 6 6 6 6 6 6 6 6 6 6 6 6 6	w 4 44 w w 4
oct. 1	2. 0 1.0 0.5 7. 0 5. 4 4. 6 5. 7		111 11 11 11	20 15 20 33 33 33 33 33	w . 4 w a a w	0 100000	-	o m m -	4 98614			E . 0	8 95 2 79 2 8 95 8 95 8 95 8 95 8 95 8 95 8 95 8	22 6. 4. 8. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	1 0 4 0 W 4	4 4 4 6 W W	4 44 8 8 4
oct. 1	0.1 0.5 1.5 1.5 1.5 1.5 1.5		0 4 11	15 23 33	04 W W W W	700000	. ~	- O m m -	9 8 6 4 4			. 0	2 79 2 87 2 94	6. 4. 6. L. R. C.	52 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	4 4 4 W W	4 4 4 8 8 4
c. 31 0.5 2.1 5.2 1 crop 0.1 0.2 1.2 0.1 0.2 1.2 0.1 0.2 1.2 0.1 0.2 1.2 0.1 0.1 0.2 1.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.0 1.0 1.0 1.0 1.0 1.0		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 15 33	41.1 28 37.4 49 26.3 25 26.0 14 37.6 37	40.0 15.5 5.2 6.3 28.1		0,0,0,5				0.2	2 87	4 6 1 0	22 00	4 4 W W	4 4 W W 4
c. 31 0.1 1.4 0.6 0.7 5.7 crop 0.1 0.2 1.2 1.2 0ct. 1 0.1 0.2 1.4 1.0 - 8.7	15.5		11	33	37.4 49 26.3 25 26.0 14 37.6 37	15.5 5.2 6.3 28.1	900	w w 2	6 4				2 94	8	000	4 E E	4 W W 4
c. 31 0.6 0.7 5.7 crop 0.6 0.7 5.7 crop 0.1 0.2 1.2 1.2 crop 0.1 0.2 1.2 1.2 crop 0.1	15.5		11.	33	26.3 25 26.0 14 37.6 37	5.2	0 0	w 2	H. H.			5.9	-	0 1	00	J. C. E.	0. W 4. S.
rop 0.5 2.1 5.2 1 rop 0.1 0.2 1.2 0.1	14.6	1-1		000	26.0 14	6.3	c,	-	T. (36.8	65.9 63	0	0	3.7	4.8
oct. 1 0.1 0.2 1.2	5.5		.1 12.8	. 20 .	37.6 37	28.1		ţ.			32.4	54.4	67.2 45	2			
0ct. 1)	4.7 4	4.3 3.4	19.8 15.2			4 0.5	1.1 4	.8	.3	.3 10.1	10.5	85.5 84	4 4	.4 5.1	4.2	
00t. 1					CHARLE	t											
0.1 - 1.4	1	0.4	1.9 0.4	27.2 3.9	43.6 33	.9 27.3 44	4.4	- 15	က္	-	1.7 1.9	0.8	98.1.82	S	. 17.0	4.2	4.6
0.1 - 1.4	1.0 -	. 1	1.1 0.1	19.6 5.3	53.9 44	.2 23.7 44	44.7 1	1.0 5	5.2	0	0.5 1.8	0.1	97.2 94.	ci.	1.0 5.7	4.2	4.5
1.0 - 8.7	0.1 7.1	7 9.0	7.6 1.1	40.4 19.2	37.0 53	.4 6.3 24	24.4 0	0.1 1	m.	0	0.1 16.2	1.8	83.7 97	.0 0.1	1.1.2	3.9	4.2
	0.6 21.7	3.6 16.8		39.6 32.3	11.4 42	.6 0.8 18	15.0	0	7.1	0 -	0.1 48.2	6.9	51.8 89	• 6.	9.0	3.5	4.0
After Dec. 31 1.3 - 8.2	1.6 20.3	5.0 17.0	0. 4.6	38.0 38.9	14.0 36	.5 0.9 13	က့	0.3 0	7.0	,	46.8	11.2	52.9 88	.7 0.3	.3 0.1	3.5	3.0
Total crop 0.3 - 2.1 (0.1 6.8	0.4 6	6.3 0.8	31.4 11.8	39.8 46.	5 12.8 36	5.3 0	5.5	0.	0	3 15.5	L . G	84.0 94	0 9.	.5 4.1	3.9	4.4
					MISSOUR	MRI											
Prior to Oct. 1	1	- 10.5			41.8 27	20.9		_	17.8	e .	3.0 10.5	0.1	79	.1 3		4.1	4.6
October 0.1	1.3		2.2 0.7	18.7 9.1	40.8 35	.1 30.7 44	44.9 5		9.4	1.0 0.1	0.6 3.6	6.0	90.2 89.1	.1 6.2	2 10.0	4.3	4.5
	0.1 14.8	3.4 12.8	.8	35.2 36.0	26.0 39	.0 5.6 14	14.5 0	0.2 1	1.1	-	33.0	4.6	66.8 89.5	.5 0.2	2 1.1	3.7	4.0
1.1 - 15.9	30.8	10.1 16.5	7	42	7.0 28	9.0			0.3	1	64	22.2	35.7 77.	.53	0.3	9°9	3,00
After Dec. 1 1.2 - 9.3	1.4 27.8	5.6 18.7	.7 16.6	33.3 49.6	9.2 21	.1 0.5	5.7	í		1	. 57.0	23.6	43.0 76.	4.	1	3.4	B
Total crop 0.2 • 3.3	9.8	1.0 7	7.1 1.8	24.5 13.7	32.6 35	.0 20.0 39	9.5 3	c,	8.4 0	0.5 0.	0.6 19.2	2.8	77.1 88.	.2	.7 9.0	4.0	4.4

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons (Continued)

Perlod Delow 1974 1975 1975	3.0-3.2 51974 1975 Pet. Pet. 0.4 " 7 4.3 4.0 18.0 19.2 7 15.3 16.5 5 5.1 2.1	1974 1-19	3.5-3. 1974 199 15.3 0 7.7 3 21.6 18 35.8 30 40.3 26 0.8 0	4.0-4.4 1974 1977 Pet. Pet 46.3 11. 38.5 23. 22.2 20. 20.7 26. 35.5 26. 35.5 26. 35.5 26.	4.5-4. 1974 1978 1974 1974 1974 1974 1974 1974 1974 1974 1974 1974 1974 1974 1975 1	1 22 1 1 4 2 2 3 1 1 4 2 2 3 1 1 4 2 2 3 1 1 4 2 3 2 3 1 1 4 2 3 2 3 1 1 4 2 3 2 3 1 1 4 2 3 1 4 3 1	25.2 1975 1975 15.0 0.5 11.9 11.9	and above 1974 1975 Pct. Pct. Pct. Co.3 0.2 Co.3 0.2 Co.3 0.7 2.2 Co.8 Co.8 Co.8 Co.8 Co.8 Co.8 Co.8 Co.8	Belon	3.5- 1974 Pct. 96.2 90.1 86.9 62.0	1975 1 Pet. P		Average mike 1974 19 Rdg. Rd	age te 1975
Oct. 1 3.8 c. 31	Pet. 1974 18.0 15.3 5.1	1074 114.00 114.00 12.24 14.50	15.3 0 15.3 0 7.7 3 25.8 30 40.3 26 0.8 0	Pet. Pet 46.3 11. 38.5 23. 22.2 20.7 26. 35.5 26. 11.1 12. 36.9 43.	1974 Pct. 8KANSA 340 43.9 25.6 4.0 3.7 29.8 29.8 20.8 20.8 3.7 20.8 3.7 20.8 3.7 20.8 3.7 20.8 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7		1975 Pet. 15.2 3.0 0.5 11.9 11.9 11.7 11.7 11.7 11.7 11.7 11.7	Political Politi	Pet: Pet: Pet: Pet: Pet: Pet: Pet: Pet:		1975 1 Pet. F	\rightarrow	7 6	
Oct. 1 3.8 crop 0.3 1.3 5.5 crop 0.1 0.1 1.4 crop 0.1 0.1 0.1 1.4 crop 0.1 0.1 0.4 0.9 crop 0.2 0.1 crop 0.3 1.5 4.5 4.3	Pet. 1974	Pet 1 14 6 6 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6	19/4 119 Pet. Pe 7.7 3 21.6 18 35.8 30 40.3 26 18.1 8	Pet. Pet 46.3 11. 38.5 23. 22.2 20.7 26. 35.5 26. 11.1 12. 23.6 11.	19/4 Pct. 34.6 43.9 25.6 4.0 3.7 29.8 53.6 53.6 53.6 16.0		19/5 11.9 11.9 11.9 11.9 11.7 11.7 11.7 11.7		Pet. Pet. 3.8 37.8 37.8 35.1 2 11.2 2 11.2 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		19/5 1 Pct. F	→		
Oct. 1 3.8 c. 31	- 0 4 6 7 7 1 1 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1		15.3 0 15	46.3 11. 22.2 20.7 26. 35.5 26. 35.5 26. 35.5 26.	34.6 54.0 54.0 54.0 54.0 54.0 54.0 54.0 54.0		15.22 1.5.22 1.0.5.9 1.7.1 1.7.1 1.7.1		3.8 3.9 3.0 3.5 1.2 1.2 0.3					
oct. 1 - 3.8 c. 31 crop oct. 1 - 3.8 crop oct. 1 - 0.2 crop c. 31 oct. 1 - 0.2 crop crop crop c. 31 oct. 1 - 0.2 crop crop c. 31 oct. 1 - 0.2 crop c. 31 oct. 1 - 0.2 crop c. 31 oct. 1 - 0.2 crop c. 31 crop crop c. 31 c.	4.0 4.0 1.0 0.0 1.0 0.0 1.0 0.0 0.0 0.0 0.0 0		15.3 0 21.6 18 35.8 30 0 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	46.3 11. 38.5 23. 22.2 20.7 26. 35.5 26. 35.5 26. 36.9 43.	34.6 43.9 55.6 32.6 43.7 10.2 16.0 66.0 66.0 66.0 66.0 66.0 66.0 66.0		28.1 15.2 3.0 0.5 11.9 15.9 1.7		3.8 3.7 3.8 11.2 0.3 0.3					d d
oct. 1 3.8 c. 31 0.3 1.3 5.5 crop 0.1 1.4 oct. 1 0.2 crop 0.1 0.1 1.4 crop 0.1 0.2 0.9 crop 0.1 0.4 0.9 crop 0.2 0.1 0.7 oct. 1 0.2 crop 0.1 0.4 0.9 crop 0.1 0.7 oct. 1 0.2 crop 0.1 0.7 oct. 1 0.2 crop 0.2 0.1 0.7 crop 1.5 4.5 4.3 1	. 4 . 4 . 4 . 4 . 4 . 4 . 4 . 4 . 4 . 4		15.3 0 7.7 3 21.6 18 35.8 30 40.3 26 18.1 8	46.3 11. 38.5 23. 22.2 20. 20.7 26. 35.5 26. 11.1 12. 36.9 43.	34.6 47 43.9 55 25.6 32 4.0 7 3.7 10 29.8 46 29.8 46 53.6 70 53.6 70 56.6 66 56.6 66 16.0 6		28.1 15.2 3.0 0.5 0.5 11.9 11.9	7	3.5 11 11 2. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					
c. 31	0.4 18.0 15.3 1.5	0.5 14.5 0.5 4.6 0.5 4.6 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	7.7 3 221.6 18 35.8 30 40.3 26 18.1 8 0.8 0	38.5 23. 39.7 37. 22.2 20. 20.7 26. 35.5 26. 11.1 12. 36.9 43.	25.6 32 4.0 7 3.7 10 29.8 46 29.8 7 53.6 70 53.6 70 56.6 66 56.6 66 16.0 6		15.2 3.0 0.5 0.5 11,9 11,9 1.7		0.9 9.0 9.0 9.0 11.2 0.3 0.3				6 4.3	4.8
c. 31 0.3 1.3 5.5 crop 0.1 1.4 5.3 crop 0.1 0.1 1.4 crop 0.1 0.1 0.2 0.9 crop	18.3	2.441 2.0.44 2.0.2 4.0.8 4.0.8	21.6 18 35.8 30 40.3 26 18.1 8 0.8 0	20.7 37. 20.7 26. 20.7 26. 35.5 26. 11.1 12. 36.9 43.	25.6 32 4.0 7 3.7 10 29.8 46 53.6 70 53.6 70 56.6 66 56.6 66 16.0 6		3.0 0.5 11,9 11,9 1.7 0.1	0 0 44	9.6 37.8 35.1 11.2 0.3		82.0	9.0 17.8	4.5	4.6
c. 31 0.3 1.3 5.5 crop 0.1 0.1 1.4 0.2 crop 0.1 0.1 1.4 0.9 crop	15.3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	35.8 30 40.3 26 18.1 8 0.8 0	22.2 20. 20.7 26. 35.5 26. 11.1 12. 23.6 11. 36.9 43.	4.0 7 3.7 10 29.8 46 29.8 70 53.6 70 55.6 66 56.6 66 16.0 6		0.5 0.5 11.9 12.9 1.7 0.1	Q AM	37.8 35.1 11.2 0.3		88.3	3.5 3.2	4.2	4.2
crop 0.3 1.7 5.3 crop crop 0.1 0.1 1.4 5.3 crop 0.1 0.2 0.2 crop 0.1 0.4 0.9 crop 0.1 0.1 0.4 0.9 crop 0.2 0.1 0.7 0.2 0.1 0.7 0.2 0.1 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7	15.3	4 0 0 0 0 8 0	40.3 26 18.1 8 0.8 0	20.7 26. 35.5 26. 11.1 12. 23.6 11. 36.9 43.	3.7 1C 29.8 46 29.8 70 33.6 70 53.6 66 56.6 66 16.0 6		0.5 11.9 15.9 1 20.2 1.7 0.1	Q AA	35.11 11.2 0.3	64	57.8	0.2 0.5		3.6
oct. 1 0.2 c. 31 0.2 crop 0.2 crop 0.2 oct. 1 0.1 crop 0.2 oct. 1 0.1 oct. 1 0.2 oct. 1 - 0.2 oct. 1 - 1.5 oct. 1.5 4.5 4.3	5.1	0 0 0 0 0 0	8 18.1 8	35.5 26. 11.1 12. 23.6 11. 36.9 43.	59.8 53.6 56.6 38.4 16.0		11.9 15.9 1.7 1.7 0.1	O MM	11.2	1	63.1	0.2 0.5	3.6	3.7
oct. 1 0.2	- 1-0	0 0 0 0 0 0	0 0	11.1 12. 23.6 11. 36.9 43.	53.6 56.6 56.6 38.4 16.0		15.9 1 20.2 1.7 0.1	e e	6. 0 d	4.6 83.4	81.3	5.4 14.1	4.2	4.5
oct. 1 0.2 . 31 - 0.2 0.9 crop	0.1	0 0 0 0 0 0 0	0.8	11.1 12. 23.6 11. 36.9 43.	53.6 56.6 38.4 16.0		15.91	en en	6.00 A					
c. 31		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	23.6	56.6 38.4 16.0		20.2	1 (11)	E. O	7. A. A.	23	24 2 17 0	α 4	7 4
c. 31	1 0	4 4 7 7	· ·	36.9	38.4		1. 10 . E	1	5 4	# CO	70.07			
c. 31	1 10	4 2 2	8 13.9 14)	16.0	_	100	0.3		c	0 8			4.4
c. 31 0.1 0.4 0.9 crop crop c. 31 0.2 0.1 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7	5,2 3	8 .2	30,1	31.8 39.7 26.5	17.2	2	α α		ന		64.6			1 6
. 0.2 0.2 0.1 0.7 0.7 4.4 2.8 3.6 11.5 8.0	3.2	1	31.2	36.7		11	C.	0.2	4.		9.09			3.7
0.2 0.1 0.7 0.7 0.7 4.4 2.8 3.6 11.5 8.0 1.5 4.3 4.3	7 1.1 2.6	1.5 2	.9 8.7 10	.5 28.3 29.8	8 46.7 44.	1	0	0	.5 2.8 6	.2 83.7	84.8 13	3.5 9.0	4.5	4.4
0.2 0.1 0.7 0.7 4.4 2.8 3.6 11.5 8.0 1.5 4.3 4.3					OKTAHOMA									
0.2 0.1 0.7 0.7 4.4 2.8 31 3.6 11.5 8.0 pt 1.5 4.5 4.3	ı	1	1	1	100.01100.0	- 0	1	1	1	- 100,0	100.0	1	4.8	4.6
0.2 0.1 0.7 0.7 4.4 2.8 31 3.6 11.5 8.0 pp 1.5 4.5 4.3	1.6 -	0.5 1	5.7	5.9 25.1 21.1	1 41,3 57,7	.7 18.2	11.6	7.6 2.5	2.1	1.2 72.1	84.7 2	5.8 14.1	4.6	4.6
0.7 4.4 2.8 31 3.6 11.5 8.0 pp 1.5 4.5 4.3	4 2.4 2.5	2.7	4.7 11.8 29	29.1 28.0 48.4	37.7 13	.8 12.8	0.0	3.7 0.1	0.9	7.7 77.5	91,3	16.5 1.0		4.1
31 3.6 11.5 8.0 op 1.5 4.5 4.3	2 6.7 18.1	6.1 12.8	22.0	34.9 32.0 17.2	22.7 1	.4 5.6	*	1.4 -	- 16,3 46,5	.5 76.7	33.5	7.0		3,57
1.5 4.5 4.3	9 15.5 22.4		25.4	24.7 23.7 9.(.0 10.7 0.	.9 2.4	1	0.5	- 37,3 65,4	.4 59.8	34.6	* 6.5	3.7	e, €
	4 8.8 15.9	7.0 11	.3 21.5 31	.7 28.6 21	.1 21.1 4.	.6 5.7	0.4	1.5 0.1	21.6 42	.1 71.2	57.4	7.2 0.5	4.0	3.6
					TEXAS									
Prior to Sept. 1 * - 0.5 *	2.9 0.3	3.7	20.3	15.9 26.3 34.8	8 23,4 33,9	.9 17.0	12.1	5.9 2.4	7.1	0.9 70.0	84.6	22.9 14.5	4.4	4.4
September • 0.3 0.5	5 2.0 2.1	3°51	2.4 20.9 14	14.2 41.8 36.3	3 20.9 35.4	4 7.5	7.6	3.1 1.5	5.8	5.0 83.6	85.9	10.6 9.1		4.3
October • 0.5 0.1 4.3	3 1.0 9.2	1,3	10.9	19.9 30.6 30.1	1 36,3 23,7	.7 15,3	4.6	4.5 0.8	.8 2.4 20.9	.9 77.8	73.7	19.8 5.4	4.5	4.0
November 5.9 5.6 14.7 22.4	4 17.9 29.7	10.1	13.5 22.7 19	9.9 17.9 7.4	8.9	4 1.5	0.1	0.4	48.6 71.2		28.7			3.5
December 18.7 13.5 19.8 28.6	5 17.0 27.1	8.2 11	.2 16.9 15	.4 12.4 3	9 5.8 0	.3 1.0	*	0.2 -	- 63.7 80.4	.4 35.1	19.6	1.2 *	(n)	3.1
After Dec. 31 24.3 15.5 18.6 29.4	1 14.7 28.2	7.3 11	.2 15,3 13	.6 11.9 2		1.1.4		0.5	64.9 84	.3 33.2	15.7	1.9	3,3	3.0
Total crop 11.6 9.3 12.8 22.5	5 12.3 24.3	6.8 10	5 18.1	16.6 18.4 9.	.4 12.5 5.	5.8 5.7	1.4	1.8 0.2	43.5 66	.6 49.0	31.8	7.5 1.6	3.7	CT CT

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons (Continued)

Part		2.6	-		-					-						J.	m			Total	1s			Ave	Average
1974 1975 1976	Period	and	2	.7-2.9		0-3.2	m°	3-3.4	3,5-3,	9 4.0	7-4-0	4.5-	4.0	5.0-	5.2	abo	d. Ve	Bel.		3,5-4		5.0 abo	and	mil	ge de
Oct. 1		1974 197		74 197		4 197			\rightarrow	2			1975	974	1975	1974	1975			1974	1975	974	1975	1974	1975
0ct. 1									.1	10	l.	Pc t.	Pot.	Pct.	Pct.	Pet.	ائد	ct.	اد	Pct.	Pct.	Pet.	Pct.	Rdg.	Rdg.
6.8 40.3 20.5 31.7 27.5 17.5 14.2 4.7 25.6 5.1 5.3 0.7 0.1 69.0 64.2 31.0 5.6 2.5 31.2 2.5 corp. 3.2 14.1 10.4 18.0 19.2 20.6 14.0 11.9 37.4 26.6 5.1 5.3 0.7 0.1 69.0 64.2 31.0 5.6 2.5 31.2 2.5 corp. 0vt. 1	0ct.			.a 0.		7000				5 54.	NEW MED 3 50.0 3 30.7	2.0	1 . 1	E 1 1	1 1 1	1 1 1	1 1 1				100°0 85°4	1 1 1	1 1 1	4 4 6	
3.2 14.1 10.4 18.0 19.2 20.6 14.0 11.9 37.4 26.6 15.3 8.6 0.5 0.2	ů	6.8 40. 14.8 54.	3 20,	5 31.	7 27.	5 17.	5 14.	4.5	25.6	1 H 4	00	0.0	1 1	1 1	1 1	1 1				31.0	2 0 0	1 1	1 1	3.2	2 2 2
1	Total crop	3.2 14.	1 10.	.4 18.			6 14.	11.	.42	.6 15.	œ		0.2	t	1	1	1	00	9			ı	1		3.2
** * 0.1 0.5 0.9 1.5 0.8 1.4 6.4 8.7 19.6 22.9 43.5 83.6 21.2 19.8 7.5 6.6 1.8 3.4 69.5 70.2 22.7 22.4 4.7 4.7 4.1 4.1 5.4 4.6 9.7 19.6 22.9 43.5 82.2 16.2 6.7 5.8 1.4 10.3 22.9 67.7 69.0 22.0 8.1 4.4 4.7 4.7 4.1 1.4 15.8 6.3 18.2 12.6 17.4 8.5 9.3 21.5 18.3 22.1 12.2 0.4 0.1 22.4 19.0 16.5 7.0 6.3 5.6 11.8 68.4 65.4 22.0 22.8 4.6 4.7 4.7 4.3 4.2 2.0 2.9 8.2 11.0 22.1 22.0 40.1 32.4 19.0 16.5 7.0 6.3 5.6 11.8 68.4 65.4 22.0 22.8 4.6 4.5 4.3 4.5 4.3 4.3 4.3 4.3 4.3 4.3 4.3 4.3 4.3 4.3	o Oct.	1 *						' c	4	3 31.	**	45.5	10 10	n a	35,0	8 9	7.5	0 0	L	34.3	~ ~	9 -	42.8 9.98	2.4	8 0
0.1 2.1 1.5 5.4 4.6 9.0 4.1 6.4 12.2 19.9 19.7 25.9 35.8 23.2 16.2 6.7 5.8 1.4 10.3 22.9 67.7 69.0 22.0 8.1 4.4 4.4 4.1 1.4 15.8 6.3 18.2 12.6 17.4 8.5 9.3 21.1 22.0 40.1 32.4 19.0 16.5 7.0 6.3 5.6 11.8 68.4 65.4 26.0 22.8 4.6 4.5 4.5 6.0 11.8 0.9 2.9 2.6 4.2 2.0 2.9 8.2 11.0 20.1 22.0 40.1 32.4 19.0 16.5 7.0 6.3 5.6 11.8 68.4 65.4 26.0 22.8 4.6 4.5 4.5 6.0 11.8 0.9 2.9 2.6 4.2 2.0 2.9 8.2 11.0 20.1 22.0 40.1 32.4 19.0 16.5 7.0 6.3 5.6 11.8 68.4 65.4 26.0 22.8 4.6 4.5 4.5 6.0 2.9 8.2 11.0 20.1 22.0 40.1 32.4 19.0 16.5 7.0 6.3 5.6 11.8 68.4 65.4 26.0 22.8 4.6 4.5 4.5 6.0 2.9 8.2 11.2 2.0 2.7 20.4 2.0 1.7 1.5 2.9 6.1 96.1 96.1 96.1 96.1 96.1 96.1 96.	November										22.	43.5	0		19.8			1.8		59.5		1	26.4	4.7	
0.1 1.8 0.9 2.9 2.6 4.2 2.0 2.9 6.2 11.0 20.1 22.0 40.1 32.4 19.0 16.5 7.0 6.3 5.6 11.8 68.4 65.4 26.0 22.8 4.6 4.6 4.7 6.9 20.1 1.2 1.2 1.2 1.2 1.3 16.5 67.7 60.9 20.7 20.4 2.0 1.7 0.2 0.4 0.1 1.5 2.9 96.1 96.4 2.4 0.7 4.3 4.9 4.9 4.9 4.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	°									0 0	25.	35.8	23.2	16.2	6.7	5.8	4 N			57.7		22.0	8.1	4.4	3.4
0.3 0.8 1.2 2.3 2.4 4.0 2.0 1.3 16.5 67.7 66.9 20.7 20.4 2.0 1.7 0.2 0.4 0.1 0.1 97.7 97.8 2.2 2.1 4.3 4. 0.3 0.8 1.2 2.3 2.4 4.0 2.0 1.3 16.5 67.7 66.9 20.7 20.4 2.0 1.7 0.5 0.4 0.1 1.5 2.9 96.1 96.4 2.4 0.7 4.3 4. 0.3 0.8 1.2 2.3 2.4 4.0 2.0 4.3 13.5 27.8 41.4 43.1 32.8 15.3 4.9 1.7 1.5 0.7 5.9 11.4 87.7 86.2 6.4 2.4 0.7 4.3 4. 0.8 0.3 0.8 1.2 2.3 2.4 4.0 2.0 3.7 12.3 16.2 33.8 56 23.7 5.6 6.9 1.4 1.8 9.5 16.1 83.5 75.2 7.0 8.7 4.3 4.3 4.3 4.0 0.3 0.8 1.3 1.3 2.4 45.1 32.8 15.3 36.6 23.7 5.6 6.9 1.4 1.8 9.5 16.1 83.5 75.2 7.0 8.7 4.3 4.3 4.3 4.3 16.3 23.9 35.6 38.8 29.2 16.0 5.0 1.8 1.3 0.5 12.6 19.0 81.1 78.7 6.3 2.3 4.2 7.3 8.4 4.4 4.3 1.3 16.3 23.9 35.6 38.8 29.2 16.0 5.0 1.8 1.3 0.5 12.6 19.0 81.1 78.7 6.3 2.3 4.4 4.4 4.3 1.2 1.0 1.5 38.8 29.2 16.0 5.0 1.8 1.3 0.5 12.6 19.0 81.1 78.7 6.3 2.3 4.4 4.4 4.1 1.2 1.0 11.5 38.8 33.5 37.5 11.0 11.8 3.5 3.5 2.2 3.4 83.3 81.3 14.5 15.3 4.4 4.1 4.1 1.2 2.1 90.1 88.7 8.7 9.2 4.4 4.4 4.1 1.2 17.8 13.0 19.6 7.7 9.7 20.3 20.9 21.0 1.9 14.1 6.3 3.1 1.4 0.9 0.3 40.6 55.2 55.4 43.1 4.0 1.7 3.7 3.7 3.7 3.1 1.4 20.9 19.0 14.3 14.1 6.3 11.4 1.2 2.1 90.1 88.7 8.7 9.2 9.2 9.3 9.3 9.3 10.4 11.1 1.4 1.2 1.1 1.4 1.2 2.1 90.1 88.7 8.7 9.2 9.2 9.3 9.5 9.5 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3	Total crop							2	.2 1	.0 20.	22.	9				7.0		9.	B			0.9		4.6	4.4
1										01	CALIFOR	RNIA													
c. 31 O.S 1.2 2.3 2.4 4.0 2.0 4.3 13.2 27.8 41.4 43.1 32.8 15.3 4.9 1.7 1.5 0.7 5.9 11.4 87.7 86.2 2.4 4.3 4.3 4.9 1.0 1.0 1.2 2.3 2.4 4.0 2.0 4.3 13.2 27.8 41.4 43.1 32.8 15.3 4.9 11.4 1.8 9.5 16.1 83.5 75.2 7.0 8.7 4.4 4.3 4.0 0.5 13.3 2.0 4.3 16.3 23.9 35.6 38.8 29.2 16.0 5.0 1.8 1.3 0.5 12.6 19.0 81.1 78.7 6.3 2.3 4.2 3.4 crop O.1 0.5 0.8 1.7 1.8 2.8 1.7 3.3 13.3 26.4 45.4 46.1 32.5 16.8 3.5 1.8 0.9 0.6 4.4 8.3 91.2 89.3 4.4 2.4 4.3 4.3 4.2 4.4 4.3 4.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1		1 *	1 .	1 *				0 0	m <	67	7 60.	20.7	20.4	0.0	1.7	0.0		١٠٥	- 0	7.78	97.8		2.1	4, 4	4.2
0.5 1.3 2.0 4.8 4.1 6.3 2.9 3.7 12.3 18.2 34.6 33.3 36.6 23.7 5.6 6.9 1.4 1.8 9.5 16.1 83.5 75.2 7.0 8.7 4.3 4.2 3.4 4.1 6.3 8.2 95.0 38.8 29.2 16.0 5.0 1.8 1.3 0.5 12.6 19.0 81.1 78.7 6.3 2.3 4.4 2.4 4.1 8.2 8.1 1.2 1.8 2.8 1.3 26.4 45.4 46.1 32.5 16.8 3.5 1.8 0.9 0.6 4.4 8.3 91.2 8.9 3 4.4 8.3 91.2 8.9 3 4.4 8.3 91.2 8.9 1.2 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8	ovember.							, 4,	+ 10		43.	32.	15.3	4.9	1.7	1 10	0.7	0 0	4	37.7	86.2		2.4	4. 4 0. 6.	4.0
0.8 3.1 3.2 6.0 4.7 5.6 3.9 4.3 16.3 23.9 35.6 38.8 29.2 16.0 5.0 1.8 1.3 0.5 12.6 19.0 81.1 78.7 6.3 2.3 4.2 3. 0.1 0.5 0.8 1.7 1.8 2.8 1.7 3.3 13.3 26.4 45.4 46.1 32.5 16.8 3.5 1.8 0.9 0.6 4.4 8.3 91.2 89.3 4.4 2.4 4.3 4.4 2.4 4.3 4.3 1.3 1.3 13.3 26.4 45.4 46.1 32.5 16.8 3.5 1.8 0.9 0.6 4.4 8.3 91.2 89.3 4.4 2.4 4.3 4.3 4.3 1.3 1.3 1.3 1.5 12.8 8.3 23.4 33.9 17.0 12.1 5.9 2.4 7.1 0.9 70.0 84.6 22.9 14.5 4.4 4.4 4.4 4.4 4.4 4.4 4.4 4.4 4.4	scember							m	m	N	33,		23.7	5.6		1.4	8	0	Н	33.5	75.2	7.0	8.7	4.3	4.1
0.1 0.5 0.8 1.7 1.8 2.8 1.7 3.3 13.3 26.4 45.1 32.5 16.8 3.5 1.8 0.9 0.6 4.4 8.3 91.2 89.3 4.4 2.4 4.3 4.3 4.4 6.1 32.5 16.8 3.5 1.8 0.9 0.6 4.4 8.3 91.2 89.3 4.4 2.4 4.3 4.4 4.3 8.4 45.1 32.5 16.8 3.5 17.0 12.1 5.9 2.4 7.1 0.9 70.0 84.6 22.9 14.5 15.3 4.4 4.4 4.5 88.8 32.3 33.5 37.5 11.0 11.8 3.5 2.2 3.4 83.3 81.3 14.5 15.3 4.4 4.5 8.4 84.8 25.1 19.5 5.2 3.4 14.1 0.3 0.3 40.6 55.2 57.4 43.1 4.0 11.5 38.8 32.3 33.5 37.5 11.0 11.8 3.5 2.2 70.8 87.7 87.7 87.7 87.7 87.7 87.8 13.0 19.6 34.8 34.8 25.1 19.5 5.2 3.0 13.5 22.2 79.8 73.9 6.7 3.9 4.2 4.4 4.5 87.7 87.7 87.7 87.2 10.3 17.4 20.9 8.9 12.1 2.7 2.5 0.3 0.7 42.5 70.7 54.3 29.0 3.2 0.3 3.6 3.4 14.5 12.1 2.7 2.5 0.3 3.7 7.9 15.7 25.0 55.2 55.4 43.1 4.0 1.7 3.7 3.7 3.1 10.4 12.9 10.8 23.8 13.0 23.6 8.3 10.4 21.3 17.4 20.9 26.9 21.3 6.1 4.3 17.7 10.0 15.7 26.0 76.0 76.0 76.5 68.7 7.8 5.3 4.1 4.6 5.3 12.9 26.9 21.3 6.1 4.3 17.7 10.0 15.7 26.0 76.0 76.0 76.0 76.0 76.0 76.0 76.0 7								4	3 2	9 35.	38		16.0		1.8	1,3	ريا ديا		0		78.7		0		
WINTED STATES WINTED	Total crop							'n	3,32	.4 45.	46.		9						m		0				4.1
* * * 0.1 0.3 0.8 1.4 1.3 1.7 11.0 11.5 38.8 32.3 33.5 37.5 11.0 11.8 3.5 2.2 3.4 83.3 81.3 14.5 15.3 4.4 4.4 4. * * * 0.1 0.3 0.8 1.4 1.3 1.7 11.0 11.5 38.8 32.3 33.5 37.5 11.0 11.8 3.5 3.5 2.2 3.4 83.3 81.3 14.5 15.3 4.4 4.4 4. * * * 0.1 0.3 0.8 1.4 1.5 10.5 13.4 41.5 38.4 38.1 36.9 7.1 7.8 1.6 1.4 1.2 2.1 90.1 88.7 8.7 9.2 4.4 4.4 * * * 0.8 1.5 2.7 6.2 5.4 9.1 4.6 5.4 19.9 19.6 34.8 25.1 19.5 5.2 3.0 1.5 0.9 13.5 22.2 79.8 73.9 6.7 3.9 4.2 4.4 * 8.7 8.1 11.2 17.8 13.0 19.6 7.7 9.7 20.3 20.9 21.0 15.9 14.1 6.3 3.1 1.4 0.9 0.3 40.6 55.2 55.4 43.1 4.0 1.7 3.7 3.7 10.4 12.9 10.8 23.8 13.0 23.6 8.3 10.4 21.3 17.4 20.9 8.9 12.1 2.7 2.5 0.3 0.7 * 42.5 70.7 54.3 29.0 3.2 0.3 3.6 3. 2.6 3.3 3.7 7.9 5.4 9.5 4.0 5.3 16.5 17.5 33.1 29.9 26.9 21.3 6.1 4.3 1.7 1.0 15.7 26.0 76.5 68.7 7.8 5.3 4.1 4.	+			L	C			(0	0	C	STATES		į.				1	((
* * * * 0.2 0.4 0.7 0.8 1.2 10.5 13.4 41.5 38.4 38.1 36.9 7.1 7.8 1.6 1.4 1.2 2.1 90.1 88.7 8.7 9.2 4.4 4.5 4.4 4.5 8.4 38.1 36.9 7.1 7.8 1.6 1.4 1.2 2.1 90.1 88.7 8.7 9.2 4.2 4.2 4.2 4.2 4.2 4.2 4.2 4.2 4.2 4	eptember		0					5 1	20	5 38.	32.	33.5	37.5	11.0	11.8	n n	0. E	2.2	y 4	o m	o m	מ ת	14.0	4 4	
0.8 1.5 2.7 6.2 5.4 9.1 4.6 5.4 19.9 19.6 34.8 35.1 19.5 5.2 3.0 1.5 0.9 13.5 22.2 79.8 73.9 6.7 3.9 4.2 4.8 4.8 4.8 4.8 4.8 4.8 4.8 5.1 19.5 5.2 3.0 1.5 0.9 13.5 22.2 79.8 73.9 6.7 3.9 4.2 4.8 4.8 4.8 4.8 4.8 4.8 4.8 4.8 4.8 4.8	ctober	*	*					1.	2	4 41.	5 38.	38,1	36.9	7.1	7.8	1.6	1.4	1.2	П			7		4.4	4.4
8.7 8.1 ll.2 l7.8 l3.0 l9.6 7.7 9.7 20.3 20.9 21.0 l5.9 l4.1 6.3 3.1 l.4 0.9 0.3 40.6 55.2 55.4 43.1 4.0 l.7 3.7 3.7 3. 10.4 l2.9 l0.8 23.8 l3.0 23.6 8.3 l0.4 21.3 l7.4 20.9 8.9 l2.1 2.7 2.5 0.3 0.7 * 42.5 70.7 54.3 29.0 3.2 0.3 3.6 3. 2.6 3.3 3.7 7.9 5.4 9.5 4.0 5.3 l6.5 l7.5 33.1 29.9 26.9 21.3 6.1 4.3 l.7 l.0 l5.7 26.0 76.5 68.7 7.8 5.3 4.1 4.	ovember				.2 5.	4 9.		ů.	0	6 34.	34.	25.	19.5	5.5	3.0	1.5	0	D		8.6/	73.9	_		4.2	4.0
op 2.6 3.3 3.7 7.9 5.4 9.5 4.0 5.3 16.5 17.5 33.1 29.9 26.9 21.3 6.1 4.3 1.7 1.0 15.7 26.0 76.5 68.7 7.8 5.3 4.1 4.	ecember	1			8 13	0 19.		9	0	9 21.	15.	14.	6.9		0	0.0	σ,	9 1	2 1		43.1	0		3.7	
2.6 3.3 3.7 7.9 5.4 9.5 4.0 5.3 16.5 17.5 33.1 29.9 26.9 21.3 6.1 4.3 1.7 1.0 15.7 26.0 76.5 68.7 7.8 5.3 4.1 4.	oer. rec					0 63.		·		.4 60.	Ô	16.4	9					n.	_			0		0,0	
	Total crop							ů,	S	.5 33.	29.	26.9	21.3			1.7	0	1	0		68,7	7.8			

Table 13. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by classing office territories, 1975-76 with comparisons

85.6 99.7 1975 1975 1975 1975 1975 1975 1975 197		2.6											5,3	~		Totals				0000000
Pot.	Classing	and	2.	7-2.9	3.0-		E - E -	.5-3		.5-4	0	ကိ	and		Below	3.5-4	α,	5.0 and		mike
The Part Pert Pert Pert Pert Pert Pert Pert Pe	20110	1974 197		1 1975			74	1974	1974	1974			974	75	_	1974	12	974 1975	5 1974	4 197
than 1. 1.7 0.1 3.3 0.2 11.5 4.6 52.9 43.8 10.1 47.1 0.3 3.9 0.1 0.4 5.1 0.3 94.5 99.5 54.8 13.8 13.8 13.8 13.8 13.8 13.8 13.8 13								Pct.	Pct.	Pct.						Pet	Pct.	Pot	Rdg.	- Rdg
	Raleigh		0.1		1.7			31.5	52.9 43	10,1 47			0.1			94.5	5 0.4	4.4	2 4.0	0 4.
1. 1. 1. 1. 1. 1. 1. 1.	Columbia	i	*	*	7.0	0.2		6 13	51.7	24.6 27		1.6	0.3		4.	94.9 97	5 2.7	7 1.6	5 4.2	2 4.
Fig. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Augusta			1	4.0	0.2	.7 0	8.8 15	39.5	6 22.					proof.	87.6	,1 11,	3 0.9	9 4.	5 4.
ognamy 0.3 * 15 0.3 35 16 3.0 2.3 15.2 18.8 37.7 50.5 32.7 26.2 5.4 0.3 0.7 * - 8.3 4.2 65.6 65.5 6 3 0.0 0.2	Atlanta			•	0.5	9.0	0.8 1.	0	2.	9 22			2.4	1	1,3 1	97	10.7	7 0.5	5 4.4	4 4.
Name base Name	Birmingham	.00	I.		3.5	1.6	3.0 2.	2.	37.7 50.	32.7 26			0.7	1	m	.2 85.6 95	5 6.1	1 0.3	3 4.3	3 4.
ond on oil old like and all old like and	Montgomery	1	0.0		6.0	6.0		6	43.5		1 7.0		1.5		m	.0 89.2 96.	3 8.5	5 0.7	7 4.4	4 4.
	Greenwood				4.5	5,3	m	19,7 15	38.0 36	28.1	1 3.8		0.2		11	.6 85.8 83	0.4.0	0 5.4	4 4.2	2 4.
Solution (1) (2) (2) (2) (2) (2) (2) (3) (4) (1) (2.29, 12.7) 39.3 45.3 15.1 35.8 (0.7) 3.5 (0.7) 3.5 (0.7) 39.8 (0.7) 3.1 (0.7) 3.1 (0.7) 3.1 (0.7) 3.2 (0.	Jackson	1	0.3		1.2	2.0	2	9.6 15	29.5	D			2.0		0	.4 83.6 89	4 13.4	4 5.2	2 4.5	5 4.
0.2 * 3.3 * 8.6 1.0 7.1 1.8 24.5 13.7 32.6 35.0 20.0 39.5 3.2 8.4 0.5 0.6 19.2 2.8 77.1 88.2 3 incork 0.1 * 2.2	Memphis	0.3	2.5		6.5	6.0	٦	50.6	m	35						.3 84.3 93	8 0.7	7 3.9	9 4.0	0 4.
Signature (a)	Hayti	0.2	(n)		9.8	1.0	7.1 1.	24.5 13	32,6 35	20.039	3	00	0.5		2	.8 77.1 88	(*)	0.6 7.1	0.4.0	0 4.
Frock Front	Blytheville	0.1	2.5		7.2	0.3		24.5 6	41.5 21	18.5			0.1			84.5 75.	O	9 23.2	2 4.(0 4.
ordonomomomomomomomomomomomomomomomomomomo	Little Rock	.0	1 0.9		4.0	3.1	2	15.0	33.5 27	35.1			6.0		1.	83.6 83	2 7	3 10.2	2 4.3	3 4.
10dria - 1 10 0.4 3.5 0.7 3.2 0.7 13.0 28.2 36.5 55.2 39.3 8.4 3.4 0.4 0.1 1.1 7.7 90.1 88.8 8.8 8.8 8.8 9.1 1.1 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1	Winnsboro		0.0		1.1	2.4	1.8 2.	ci.	28,3 28	44.7	3 11,6		3.1		rt.	82.2	2 14.7	7 10.1	1 4.5	5 4.
5.4 4.2 9.1 15.1 12.4 23.5 7.9 13.5 20.7 28.3 23.7 13.0 15.7 2.2 4.2 0.2 0.9 9.4 9.5 1.5 1.0 15.1 12.4 23.5 7.9 13.5 20.7 28.3 23.7 23.0 38.7 9.6 4.0 5.0 0.2 6.6 5.7 78.8 90.1 0.1 0.2 0.5 1.7 2.0 2.1 2.4 13.7 34.4 37.7 23.0 38.7 9.6 4.0 5.0 0.2 0.2 0.5 1.7 2.0 2.1 2.4 14.5 14.2 37.8 32.2 28.2 35.2 11.5 11.0 4.0 2.4 4.0 5.0 8.5 1.4 5.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	Alexandria		*	1.0	0.4	ಎಂಬ	0.7 3.	6.7	28.2 36.	55.2 39	00	3	4.0			90.1 88	8 8.8	8 3.5	5 4.5	5 4.
nutsti 1. 0.1 0.2 0.6 0.6 3.1 2.3 2.8 2.8 21.4 13.7 34.4 37.7 23.0 38.7 9.6 4.0 5.0 0.2 6.6 5.7 78.8 90.1 1. 0.1 0.2 0.5 1.7 2.0 2.1 2.4 14.5 14.2 37.8 32.2 28.2 35.2 11.5 11.0 4.0 2.4 4.0 5.0 80.5 81.6 1. 0.1 0.2 0.5 1.7 2.0 2.1 2.4 14.5 14.2 37.8 32.2 28.2 35.2 11.5 11.0 4.0 2.4 4.0 5.0 80.5 81.6 1. 0.1 0.2 0.5 1.7 2.0 2.1 5.9 0.6 11.4 8.1 19.7 18.2 28.9 48.1 26.3 19.9 8.5 4.6 5.2 1.1 6.0 779.9 96.4 1. 0.1 0.2 0.5 1.2 0.5 1.3 0.5 11.4 8.1 19.7 18.2 28.9 48.1 26.3 19.9 8.5 4.6 5.2 1.1 6.0 779.9 96.4 1. 0.1 0.2 0.2 1.3 0.2 24.9 5.4 14.0 20.3 26.1 32.6 12.3 26.9 2.2 4.5 0.1 0.6 8.5 4.5 57.8 87.2 23.9 12.8 2. 0.1 1.3 4.1 16.8 11.9 16.0 10.8 10.5 40.5 26.1 26.9 13.0 4.7 2.8 0.3 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2	Altus				12.4	23.5	13	20.7	23.7 13	15.7 2			6.0			60.1 43	5 5.1	1 0.2	3.8	9
nristi 0.1 0.2 0.5 1.7 2.0 2.1 2.4 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 14.5 13.1 7.1 2.9 2.7 0.1 0.0 3.7 7.1 16.9 13.1 7.1 2.9 2.7 0.1 0.0 3.7 7.1 16.9 13.1 7.1 2.9 4.6 2.7 0.1 0.0 7.4 4.0 2.2 2.9 4.1 2.0 2.1 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 11.0 0.0 0.0 0.0 <td>Dallas</td> <td>0.1</td> <td>0.6</td> <td></td> <td>3.1</td> <td>2.3</td> <td>.8 2</td> <td>21.4</td> <td>4.</td> <td>38</td> <td></td> <td></td> <td>5.0</td> <td></td> <td></td> <td>78.8 90</td> <td>1 14.6</td> <td>6 4.2</td> <td>2 4.3</td> <td>3 4.</td>	Dallas	0.1	0.6		3.1	2.3	.8 2	21.4	4.	38			5.0			78.8 90	1 14.6	6 4.2	2 4.3	3 4.
hristii	Austin	.0		2 0.5	1.7	2.0	.1 2.	14.5 14	37.8				4.0			80.5 81	6 15.5	F1	4.4	4 4.
1.0 4.5 2.5 15.9 6.2 24.9 5.4 14.0 20.3 26.1 32.6 12.3 26.9 2.2 4.5 0.1 0.6 17.8 19.9 8.5 4.6 5.2 1.1 60.0 74.4 3 1.0 4.5 2.5 15.9 6.2 24.9 5.4 14.0 20.3 26.1 32.6 12.3 26.9 2.2 4.5 0.1 0.6 15.1 59.3 79.8 40.6 22.8 15.2 24.0 31.9 19.9 29.4 9.1 10.7 15.4 11.3 7.1 1.5 1.4 1.0 0.3 1.8 75.8 87.2 23.9 12.8 0.7 14.3 4.1 16.8 11.9 16.0 10.8 10.5 40.5 26.1 26.9 13.0 4.7 2.8 0.4 0.5 1.8 75.8 87.2 23.9 12.8 0.1 1.9 0.9 3.1 2.3 4.3 1.8 2.0 2.8 22.1 22.1 41.1 31.1 20.7 16.7 8.1 6.7 5.1 12.2 66.1 64.4 2 0.3 1.8 0.3 1.8 2.0 2.8 2.1 3.5 17.1 27.9 47.9 48.5 29.3 15.5 0.4 0.1 1.8 5.3 8.0 94.3 91.9 0.1 0.6 0.8 1.9 1.7 3.0 1.4 3.4 12.3 28.1 49.7 48.3 32.8 14.5 1.2 0.2 7.1 7.1 4.1 5.9 66.3 64.8 2 1.3 1.3 4.2 4.5 18.5 15.4 43.6 44.9 22.5 22.2 7.1 7.1 4.1 5.9 66.3 64.8 2 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	Corpus Christi		0.1	*	3,3	0.1	0 6.	35.7 26	27,3	13			2.7			.7 79.9 96	4 9.8			1 4.
1.0 4.5 2.5 15.9 6.2 24.9 5.4 14.0 20.3 26.1 32.6 12.3 26.9 2.2 4.5 0.1 0.6 • 15.1 59.3 79.8 40.6 22.8 15.2 24.0 31.9 19.9 29.4 9.1 10.7 15.4 11.3 7.1 1.5 1.4 • 0.3 • • 75.8 87.2 23.9 12.8 0.7 14.3 4.1 16.8 11.9 16.0 10.8 10.5 40.5 26.1 26.9 13.0 4.7 2.8 0.4 0.5 • 75.8 67.2 23.9 12.8 2.5 8.2 8.1 23.0 15.1 24.7 11.6 12.6 32.6 22.9 23.8 7.8 6.0 0.8 0.3 • • 77.5 57.6 72.1 41.9 0.3 0.4 0.9 3.1 2.3 4.3 1.8 2.9 28.1 49.7 48.3 32.8 14.5 1.2 0.7 16.7 8.1 6.7 5.1 12.2 66.1 64.4 2 0.3 0.4 0.9 1.3 2.0 2.8 2.1 3.5 17.1 27.9 47.9 48.5 29.3 15.5 0.4 0.1 • 5.3 8.0 94.8 90.9 0.1 0.6 0.8 1.7 1.7 2.2 1.3 1.3 4.2 4.5 18.5 15.4 43.6 44.9 22.5 22.2 7.1 7.1 4.1 5.9 66.3 64.8 2 14.8 2 1.8 2.0 2.8 2.1 3.3 1.3 4.2 4.5 18.5 15.4 43.6 44.9 22.5 22.2 7.1 7.1 4.1 5.9 66.3 64.8 2 14.8 2 1.8 2	Harlingen		9.0		2.3	0.5	93	11.4 8	19.7 1				8.5			.1 60.0 74	4 34.8	8 24.5	5 4.6	6 4.
22.8 15.2 24.0 31.9 19.9 29.4 9.1 10.7 15.4 11.3 7.1 1.5 1.4	Abilene			5 15.9	6.2	24.9	.4 14	20.3 26	32.6 1				9.0	. 1		.3 79.8 40	6 5.1	1 0.1	1 4.1	1 3.
0.7 14.3 4.1 16.8 11.9 16.0 10.8 10.5 40.5 26.1 26.9 13.0 4.7 2.8 0.4 0.5 8 27.5 57.6 72.1 41.9 2.5 8.2 8.1 23.0 15.1 24.7 11.6 12.6 32.6 22.9 23.8 7.8 6.0 0.8 0.3 8 2 3.8 7.8 6.0 0.8 0.3 8 2 3.3 8.5 62.4 31.5 0.1 1.9 0.9 3.1 2.3 4.3 1.8 2.9 6.8 11.2 18.2 22.1 41.1 31.1 20.7 16.7 8.1 6.7 5.1 12.2 66.1 64.4 2 0.3 0.4 0.9 1.3 2.0 2.8 2.1 3.5 17.1 27.9 47.9 48.5 29.3 15.5 0.4 0.1 8 5.3 8.0 94.3 91.9 1.1 0.1 0.6 0.8 1.9 1.7 3.0 1.4 3.4 12.3 28.1 49.7 48.3 32.8 14.5 1.2 0.2 0.2 8 2.0 3.3 3.7 7.9 5.4 9.5 4.0 5.3 16.5 17.5 33.1 29.9 26.9 21.3 6.1 4.3 1.7 1.0 15.7 26.0 76.5 68.7 tates	Lubbock	22.8 15.		0 31.9	19.9	29.4	۲.	.4 11	7.1 1.	-	0.3	•		. 7		.2 23.9 12	8 0.3	# m	3.1	1 3.
2.5 8.2 8.1 23.0 15.1 24.7 11.6 12.6 32.6 22.9 23.8 7.8 6.0 0.8 0.3	El Paso			16.8	11.9		.8 10	40.5 26	26.9 13	4.7				. 2		72.1 41	9 0.4	4 0.5	5 3.7	7 3.
0.1 1.9 0.9 3.1 2.3 4.3 1.8 2.9 6.8 11.2 18.2 22.1 41.1 31.1 20.7 16.7 8.1 6.7 5.1 12.2 66.1 64.4 0.3 0.4 0.9 1.3 2.0 2.8 2.1 3.5 17.1 27.9 47.9 48.5 29.3 15.5 0.4 0.1 8 5.3 8.0 94.3 91.9 0.1 0.6 0.8 1.9 1.7 3.0 1.4 3.4 12.3 28.1 49.7 48.3 32.8 14.5 1.2 0.2 8 4.0 8.9 94.8 90.9 0.2 0.2 0.7 0.9 1.7 1.7 2.2 1.3 1.3 4.2 4.5 18.5 15.4 43.6 44.9 22.5 22.2 7.1 7.1 4.1 5.9 66.3 64.8 2.6 3.3 3.7 7.9 5.4 9.5 4.0 5.3 16.5 17.5 33.1 29.9 26.9 21.3 6.1 4.3 1.7 1.0 15.7 26.0 76.5 68.7	Carlsbad				15,1		.6 12	35.6	23.8 7	0 0.9				e -		.5 62.4 31	5 0.3	# m	3.6	6 3.
0.3 0.4 0.9 1.3 2.0 2.8 2.1 3.5 17.1 27.9 47.9 48.5 29.3 15.5 0.4 0.1	Phoenix				2.3	4.3	2	6.8 11	18,2 22	41.1			8.1			.2 66.1 64	4 28.8	8 23.4	4.6	6 4.
0.1 0.6 0.8 1.9 1.7 3.0 1.4 3.4 12.3 28.1 49.7 48.3 32.8 14.5 1.2 0.2 * * 4.0 8.9 94.8 90.9 0.2 0.2 0.7 0.9 1.7 1.7 2.2 1.3 1.3 4.2 4.5 18.5 15.4 43.6 44.9 22.5 22.2 7.1 7.1 4.1 5.9 66.3 64.8 2.6 3.3 3.7 7.9 5.4 9.5 4.0 5.3 16.5 17.5 33.1 29.9 26.9 21.3 6.1 4.3 1.7 1.0 15.7 26.0 76.5 68.7	Fresno				2.0	2.8	.1 3.	17.1	47.9 48	29,3 15					m	.0 94.3 91	0	.4 0.1	1 4.2	2 4.
0,2 0,7 0,9 1,7 1,7 2,2 1,3 1,3 4,2 4,5 18,5 15,4 43,6 44,9 22,5 22,2 7,1 7,1 4,1 5,9 66,3 64,8 2,6 3,3 3,7 7,9 5,4 9,5 4,0 5,3 16,5 17,5 33,1 29,9 26,9 21,3 6,1 4,3 1,7 1,0 15,7 26,0 76,5 68,7	Bakersfleld				1.7	3.0	m	12.3	49.7 48	32.8 14.						.9 94.8 90	-	.2 0.2	4.	3 4.
2.6 3.3 3.7 7.9 5.4 9.5 4.0 5.3 16.5 17.5 33.1 29.9 26.9 21.3 6.1 4.3 1.7 1.0 15.7 26.0 76.5 68.7	El Centro				1.7	2.2	٦	4.2	18.5 15.	43.6 44.	22		7.1	7.1	۲.	.9 66.3 64	29	.6 29.	3 4.6	6 4.
	United States				5.4	9.5	.0 5	16.5	33.1 29.	26.9 21	9	4	1.7	0.		.0 76.5 68	7	.8 5.3	4	.1 4.0

-- Percentage distribution of fiber strength for upland cotton ginned in the United States, by states, 1975-76 with comparisons Table 14.

							Zero G	Gage F1	Fiber Str	Strength	(Mps1)								Ave	Average
State	64 & 1	below	69-59	6	70-74	4	75-79	62	80-84		85-89	99	90-94	94	95-99		100 &	above	strength	ngth
	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975
	Pct.	Pct.	Pet.	Pct.	Pct.	Pct.	Pet.	Pct.	Pet.	Pet.	Pet.	Pet.	Pct.	Pet.	Pct.	Pet.	Pct.	Pet.	Mpsi	Mpsi
	0.1	1	0.5	ı	6.2	0.3	45.4	16.0	42.5	54.1	8.0	27.3	9.0	2.0	•	0.3	ı	1	7.67	82.9
Ga.	1	1	0.5	,	6.8	0.0	41.3	35.1	40.5	49.2	8.7	11.6	4:0	1.1	٠	*	ı		79.5	80.6
Ala.	1	1		F. 0	2.7	2.2	24.8	32.4	7.64	46.4	20.3	16.4	2,5	2.5	•		1	ı	81.8	81.2
Miss.	1	1	1		0.8	0.5	15.5	15.5	48.2	53.9	30.9	25.6	4.	4.2	0.5	0.3	•	1	83.1	82.9
Tenn.	1	1		ı	1.4	0.1	23.4	11.1	51.7	52.7	21.4	31.1	2.1	4.7		0.3	1	- 1	82.0	83.5
Mo.	ı	1		0.1	1.2	2.9	17.7	28.6	49.1	49.2	27.4	16.9	4°.4	2.3	0.3		t	ı	82.9	81.3
Ark.	1	1		1	1.0	0.0	21.2	11.6	49.6	46.8	23.3	32.7	4.7	7.6	0.5	8.0	٠		82.5	83.8
Ľa.	ı	1			1.0	T.	17.9	18.7	52.1	50.3	25.7	25.5	ო ო	თ ო		0.3	ı		82.6	82.6
Oklahoma	i	1	0.1	-	7.3	2.9	29.4	26.1	41.0	44.6	18.3	22.4	ى ت	3.7	4.0	0.2	*	0.1	81.1	82.0
Tex.		•	0.2	0.1	o. m	2.5	22.4	17.8	38.5	36.0	23.4	30.4	8.0	10.9	2.3	2.0	0.7	e. 0	83.0	83.9
N. Mex.	1	1			0	4.0	0.4	1.8	ω Γυ	7.1	17,3	17.1	34.1	34.1	28.1	27.4	7.5	12.1	91.8	92.7
Ariz.	ı	1			0.0	0.5	6.6	7.1	38.2	34.0	36.4	41.1	12.3	14.9	2.3	2.4	0.3		84.9	85.6
Calif.	ı	1	1	1			0.5	0.1	1.7	1.8	7.6	10.2	22.1	33.1	39.6	37.8	28.8	17.0	96.5	94.9
U.S.	•	1			2.1	1.2	16.0	12.9	33.6	32.9	20.8	24.3	10.1	14.2	10.2	10.2	7.2	£.4	86.0	86.3

* Less than 0.05 percent

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons

							Zero	Zero Gage	Tiber 8	Fiber Strength	h (Mpsi	1)							Average	age
Period	64 &	below	69-29	69	70-	74	75-79	6/	80-84	34	85-89	6	90-94	4	95-6	99	100 ₺ a	above	stre	strength
	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	Pet.	Pet.	Pct.	Pet.	Pct.	Pct.	Pet.	Pot.	Pct.	Pet.	Mps1	Mpsi
								50	SOUTH CAROLINA	OLINA										
Prior to Oct. 1	1	1	i	1	1	ı	ı	13.4	 - 	61.7	1	22.9	1	2.0	ı	ı	ı	ı	1	82.6
October	0.1	1	0.1	ı	5.8	0.2	39.3	15.7	44.0	53.7	8.6	28.7	6.0	1.2	ı	0.5	ŧ	ł	80.0	83.0
November	t	1	0.1	ı	4.9	0.2	45.4	13.3	41.8	52.8	6.1	29.4	0.2	4.3	ı	ı	ı	ŧ	79.4	83.2
December	ı	1	0.2	1	4.8	3.3	52.6	8.62	36.3	49.7	2.5	15.3	ł	1.9	1	1	ı	1	78.7	81.0
After Dec. 31	t	1	1	ı	1	0.5		29.5	1	9.09	,	9.5		0.5	ı	ł	ŧ		1	6.08
Total crop	0.1	1	0.2	1	6.2	0.3	45.4	16.0	42.5	54.1	8.0	27.3	9.0	2.0	١	0.3	1	1	79.2	82.9
									GEORGIA											
Prior to Oct. 1	1	1	0.1	ı	3,4	1	33.4	1	48.3	1	12.9		1.0	- 1	ı	ı	ı	1	80.8	ı
	1		, ,	1	α α	0	3 8	34 0	70.0	50 0	α 01	7 11	, C	9					2000	L 09
Nowember	1	1	4 9	۱ ۱	0	0 0	44.3	30.00	38 1	49.7	7.0	13.5	0 0	0 0) (1 1	1 1	70.1	200
December			0 0	(0 0 0	ו ונ	46.0	40 3	38 8	45 4	A .	α	, c	, C					7.07	70.07
After Dec 31			1 0		מינו	0 0	2 87	. מ מ	26.00	10. CR	2 0	0. [1 -	? -	1		1	,	70.07	D. C.O.
Al ter Dec. 31	ı		4.0	1	7.11	t. 7	† ?	2.	2000	76.3	2	7.11	7.0	7.		ł	i	ı	0.0/	0.00
Total crop	1	1	0.2	1	6.8	3.0	41.3	35.1	40.5	49.2	8.7	11.6	4.0	1.1			١	1	79.5	9.08
									ALABAMA											
Prior to Oct. 1	ı	1	١	0.7	1.7	15.4	19.6	64.5	54.6	16.5	20.5	2.6	3.6	0.3	,	1	1	ı	82.7	77.2
October	•	ı	١	0.1	1.7	2.7	18.7	35.4	50.6	49.9	25.8	10.6	3.1	1.3	0.1	ı	ı	ŧ	82.5	80.6
November		t	ì	0.1	4.2	1.4	32.3	29.8	48.0	45.8	13.5	19.7	2.0	2.0		,	ı	1	80.8	81.6
December	1	1	1	ı	6.0	3.6	34.6	35.1	49.2	44.3	11.6	14.7	1.3	2.2	1	0.1	ı		90.6	80.9
After Dec. 31	1	î	ı	ı	1	9.0	1	15.1		43.6	1	34.9	1	5.5	1	0.3			ı	83.5
Total crop	1	1	a	0.1	2.7	2.2	24.8	32.4	7.64	46.4	20.3	16.4	2.5	2.5			1		81.8	81.2
								MIT	MICCIOCION	DT										
Prior to Oct. 1	1	t	1	1	1	0.7	7	18.9	42 B	32.3	48.2	43.6	A	4		ł	ı		0	a
	1	1	ı	,	0.4	0.5		9.6	42.9	50.8	40.2	31.9	7.1	0 0	4.0	4) (1	B4 2	0 0
November	ı	ł	ŧ	ı	1.1	0.3	21.4	16.7	55.6	55.2	20.5	23.9	1.4	3.6	,	0.3	4	ı	82.0	82.7
December	1	١	1	1	1.5	1.0	33.6	21.8	53.5	55.8	11.4	19.9		1.5	ı		1	ı	80.6	82.0
After Dec. 31	ı	1	٠	1	2.1	4.0	30.8	24.3	60.5	55.6	9.9	19.3	,	0.4		1		1	80.5	81.7
Total crop	1	1	1	•	0.8	0.5	15.5	15.5	48.2	53.9	30.9	25.6	4.4	4.2	0.2	0.3		1	83.1	82.9
								티	TENNESSEE	图										
Prior to Oct. 1	1	1	1	,	1	1.7	ı	30.08	ı	31.9	ı	30.8	1	5.0	t	1	ı	1		82.7
October	ı	1	•	ı	ı	0.1	9.5	4.6	51.3	53.8	35.2	31.2	4.3	5.5		0,3	ı	ł	83.7	83.6
November	1	ı	ı	ı	5.6	ŧ	34.2	11.7	50.2	50.5	12.6	32.8	0.4	4.7	1	0.3	1	ŧ	80.8	83.7
December	•	1	ı	1	2.4	1.7	33.7	20.7	57.4	56.2	6.5	20.6	•	8.0	ŀ	1	ı	1	80.5	81.9
After Dec. 31	1	1	1	ı	5.9	1	39.7	18.4	48.3	56.3	9.1	21.7		3.6	1	1		1	80.1	82.6
Total crop	1	1		ı	1.4	0.3	23.4	11.1	51.7	52.7	21.4	31.1	2.1	4.7		0.3	ŧ	1	82.0	83.5

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons (Continued)

							Zero	Gage	Fiber	Strength	th (Mps1	51)							Ave	Average
Perlod	64 &	below	62-69	69	70-74	74	75-79	6/		94	w	89	90-94	94	95-6	-99	100 &	above	str	strength
	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975
	Pet.	Pct.	Pet.	Pet.	Pet.	Pet.	Pet.	Pct.	Pet.	Pet.	Pet.	Pet.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	Mps1	Mps1
									MISSOURI	RI										
Prior to Oct. 1	ı	i	ı	1	1	1.6	ı	47.4	,	44.1	1	6.9	1	1	1	ı	ŧ	1	8	79.8
	1	1	1	0.2		3.7	6.9	30.0	48.3	49.5	38.2	14.7	6.2	1.9	4.0	1	ŧ	ı	84.3	81.1
November	ı	1	1	1	6.0	9.0	27.6	15.6	55.3	0.64	14.4	30.3	1.8	4.3	ı	0.5	1	ι	81.5	83.0
December	1	ı	0.2	1	7.8	2.1	45.4	23.6	39.5	51.5	6.3	20.0	0.8	2.5	ŧ	0.3	t	1	79.3	81.8
After Dec. 31	i	ı	0.1	1	7.4	1	46.6	1	40.0	1	5.8	•	0.1	ı	1	1	ı	1	79.2	1
Total crop	1	1	٠	0.1	1.2	2.9	17.7	28.6	1.64	49.2	27.4	16.9	4°.4	2.0	0.3	•		1	82.9	81.3
									ARKANSAS	AS										
Prior to Oct. 1	1	1	1	1	1	9.0	6.7	13.1	73.2	63.2	13.4	20.3	6.7	2.8	ı	1	1	ı	83.2	82.4
October	1	1	1	ı	0.3	7.0	12.9	10,2	47.4	44.3	31.7	35.4	7.2	8.51	0.5	6.0	•	*	83.7	84.1
November	B	1	1	1	1.0	1.0	21.9	12.3	54.0	47.6	19.7	30.9	ω° ω°	7.4	0.1	1.1	1	•	82.1	83.7
December	ı	1	1	ı	2.4	0.3	39.5	19.2	47.6	56.8	6.6	21.8	0.0	1.7	1	0.2	1	1	80.4	82,3
After Dec. 31	1	1	0.1	i	6.2	2.7	45.0	27.5	43.4	45.6	8.0	20.5	e.0	ر ا	,	0.2	•	1	79.7	81.8
Total crop	ŧ	ı		- 1	1.0	0.0	21.2	11.6	49.6	46.8	23 3	32.7	4.7	7.6	0.2	0.8	•	*	82.5	83.8
								긔	LOUISIANA	NA										
Frior to Oct. 1	1	1	í	ı	4.0		22.6		47.8		24.3	1	1.9	ı	ı	1	ı	ı	85.0	
October	1	1	1	•	9.0	1.6	14.0	23 3	49.8	51.6	30.9	20.9	4.6	2.5	0.1	0.1	ı	1	83.2	82.0
November	1	1	•	0.1	0.7		18.1	15.2	0.19	20.5	18.8	28.7		4.5	0.1	e. 0	1	5	82.1	83.0
	1	•	1	1	e, 2	1.9	30.0	19,3	48.0	45.9	17.5	25.6	۳. ا	4.9	ě	6.0	ı	ı	81.3	83.0
After Dec. 31	1	1	0.1	ı	11.8	2,51	61.4	27.3	25,1	£.	9.	15.7		0	1	۳. 0	1	1	78.0	81.3
Total crop	•	4		•	0.1	E .	17.9	18.7	52.1	50.3	25.7	25.5	ლ ლ	0.0		0.3	1	ı	82.6	82.6
									OKT. AHO MA	MA										
Prior to Oct. 1	1	1	-	1	1	1	1	ŝ	1	1	1	1	ı	1	1	ı	1	1	1	1
October		1	1	1	9.0	1	10.8	1	37.6	1	41.2	1	9.5	1	9.0	ı	i	1	84.4	ı
November	1	1	1	1	1.5	0.3	14.6	14.3	35.8	47.7	36.2	30.8	10.8	6.7	1.1	0.2	ı	1	84.1	83.5
	1	1	1	1	4.0	3.51	25.7	27.9	47.2	45.8	18.9	21.9	2.4	3.4	4.0	0.3	•	0.2	81.5	81.8
After Dec. 31	ı	ı	4.0	0.0	12.9	0.0	41.9	29.7	34.0	49.8	0	15.0	1.6	ا ش	0.2	0.2		ı	79.2	81.1
Total crop	1	i	0.1		7.3	2.9	29.4	26.1	41.0	44.6	18.3	22.4	ы го	3.7	4.0	0.2	٠	0.1	81.1	82.0
									TEXAS											
Prior to Oct. 1	1	1			0.7	1.1	17.3	18.7	35.1	41.0	31.0	28.4	12.7	1.6	2.9	1.1	0,3	9.0	84.4	83.6
October	•	1	0.1	0.1	2.5	2.3	14.8	9.1	39.0	24.7	28.6	36.0	10.9	8.02	H. 60	6.4	1.0	2.1	84.3	86.3
November	1	1	0.5	0.2	4.0	1.4	17.7	13.2	38.7	33,3	23.2	35.5	6.6	13.8	4.3	2 3	1.7	0.3	83.8	84.8
	i	1	0.3		5.1	2.5	26.6	19.0	40.5	36.6	19,3	29.4	6.2	10.1	1.4	2.1	9.0	0.3	82.0	83.7
After Dec. 31		E	0.0	4.0	7.7	5.7	28.4	25.6	37.7	37.4	19,3	23.1	0.0	9.9	□ •□	1.0	0°3	0.2	81.4	82.1
Total crop		1	0.2	0.1	9.0	2.5	22.4	17.8	38.5	36.0	23.4	30.4	8.6	10.9	2,3	2.0	0.7	e.0	83.0	83.9

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1975-76 with comparisons (Continued)

							Zero	Gage	Fiber	Strength	th (Mpsi	(12)							Average	age
Period	64 &	below	65-69	69	70-7	74	75-7	79	80-84	4	1 (7)	39	90-94	34	66-26		100 &	above	stre	strength
3	4	1975	1974	1975	1974	1975	1	1975	1974	1975	1974	1975	1974	1975	1974	1975	-	1975	1974	1975
	Pet.	Pet.	Pct.	Pet.	Pet.	Pet.	Pet	Pct.	Pot.	Pct.	Pet.	Pet.	Pet.	Pot.	Pet.	Pct.	Pet.	Pct.	Mps1	Mpsi
									NEW ME	MEXICO										
Parton to Oot	١	1	ŧ	ı	t	1	1	1	6.7	'	20.8	1	23.3	1	20.1	ı	20.1	,	63.2	ŧ
October 1	- 1	ı	1	ı	0,3	1	2-	[-	2	0,6	13.0	נט		24.8	39.7	33.7	11.3	30.7	94.0	1,96
November	1	1	ı	1	e C	0.0	9	0.6	9.9	3.7	15.8	16.3	37.3	40.0	20.5	30.3	7.2	0	92.2	93.2
				,	, () C	0			0 7		о н С	י רכי	א רכ	9 70	0	1 0	0 4		0 0
Lecember 21	1	ı	1 4	,	0 -	5 0	י ל ע	, o	17.0	7.4.0	1.0°4))))	0 + 00	0.10	0.0	0°07	7 , 0	t c	y. 00	0.00
Alter Dec. 31	1	t	+	ı	T • T		2	0	0./1	7.7	T.02	7.10	7.67	74.3	TO.9	70.0	6./	()	0.00	/•/0
Total crop	1	ı	*	1	0.0	4.0	0.4	1.8	о П	7.1	17.3	17.1	34.1	34.1	28.1	27.4	7.5	12,1	91.8	92.7
									ARIZONA	NA										
Prior to Oct. 1	ı	ı	ı	1	2.4	ı	12.0	i	25.9	20.1	43.5	76.5	13.7	3.4	2.2	1	0.3	ı	85.2	86.2
October	1	ŧ	ı	*	9.0	0.8	9.5	7.7	36.6	32.1	38.2	41.1	13.4	16.0	1.6	2 .3	4.0	*	85.1	85.5
November	1	1	ı	١	9.0	0.3	8.2	5.1	39.8	34.9	35.6	41.2	13.1	15.2	2.3	3.1	0.4	0.2	85.1	85.9
December	i	ı	0.2	ı	9.0	0.5	11.1	8.9	36.3	31.2	36.8	43.9	10.9	14.3	3.5	1.2	9.0	*	85.0	85.4
After Dec. 31	1	i	0.1	1	1.0	1.2	15.0	12.8	44.7	38.7	59.9	33.6	7.8	12.0	1.3	1.7	0.2	*	83.7	84.4
Total crop	ı	ŧ	*	*	9.0	0.5	6.6	7.1	38.2	34.0	36.4	41.1	12.3	14.9	2 °3	2.4	0.3	*	84.9	85.6
								O	CALIFORNIA	NIA										
Prior to Oct. 1	ı	t	3	1	t	i	0.2	ı	2 °3	ı	11.9	9.0	34.2	22.0	38.1	44.7	13,3	32.7	94.5	7.76
October	1	ŀ	1	1	*	ı	*	*	0.8	4.0	3.1	3.7	19,4	27.9	42.7	43.5	34.0	24.5	9.76	96.5
November	1	ı	ı	1	1	*	0.2	0.2	1.6	2.7	9.1	12.9	23.1	36.8	38.2	35,3	27.8	12.1	96.2	94.1
December	1	ı	1	ı	ı	ı	0.3	0.2	э •	3.4	15.1	21.8	26.3	38.1	33.4	26.4	21.4	10.1	6.46	95.9
After Dec. 31	1	ı	ı	1	*	*	1.1	9.0	0.8	6.3	23.9	26.2	29.0	44.9	25.8	16.9	11.3	5,1	92.2	91.4
Total crop	1	1	1	١	*	*	0.2	0.1	1.7	1.8	7.6	10,2	22.1	33,1	39.6	37.8	28.8	17.0	96.5	94.9
								5	UNITED	STATES										
Prior to Oct. 1	ı	1	•	•	0.8	1.1	15,9	18.8	33.7	42.7	30.5	26.5	13.1	8.2	4.8	1.7	1.2	1.0	85.0	83.6
October	•	1	•	*	1.0	0.8	10.5	9.8	32,3	29.6	23.6	20.2	10.1	14.5	12.7	16.1	9.6	0.6	87.5	88.1
November	1	ı	*	*	1.7	0.6	15.4	10.5	33 .2	31.7	17.4	25.8	11.2	16.9	12.6	11.0	ω τυ	3.5	86.7	86.8
December	1	1	0.1	*	ക വ	1.9	23.8	17.6	37.2	32,9	18.0	26.7	8.2	11.8	5.9	4.7	8° 8	1.4	83.7	84.5
After Dec. 31	*	1	0.3	4.0	6.4	4.4	26.7	23.0	34.5	36.8	18.4	23.5	7.7	6.9	4.4	2.1	1.6	0.5	82.7	82.9
Total crop	•	1	-		2.1	1.2	16.0	12.9	33.6	32.9	20.8	24.3	10.1	14.2	10.2	10.2	7.2	4.3	86.0	86.3

^{*} Less than 0.05 percent.

Table 16. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by classing office territories, 1975-76 with comparisons

							7000	0800	Ti how	Fibon Strongth (Mani	th (Max	1 1							Average	0000
Classing							0.127	dage	TOOT	20110	CIT 110	177	-	1			1.	1	-	30
Office	64 &	below	62-69	69	70-74	74	75-79	79	80-84	84	85-89	39	90-94	94	95-99	1	100 &	above	stre	strength
20110	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975
	Pct.	Pct.	Pct.	Pet.	Pct.	Pct.	Pct.	Pot.	Fot.	Pot.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	Pct.	Pct.	Mpsi	Mpsi
Columbia	0.1	'	0.2	1	6.2	0.3	45.4	16.0	42.5	54.1	8.0	27.3	9.0	2.0	1	0.3	1	1	79.7	85.9
Augusta	ı	1	0.2	1	5.8	0.8	39.0	16.7	4.4	52.7	10.2	27.2	0.4	5.6	-	*	1	ı	80.0	82.7
Atlanta	1	1	0.4	1	6.6	3.6	41.9	40.2	39.2	48.3	8.2	7.3	0.4	0.0	*	1	ı	1	79.3	80.0
Birmingham	1	1	1	0.1	2.4	2.4	24.5	37.6	52.7	48.8	19,3	10.2	1.4	0.9	1	1	1	1	81.7	80.4
Montgomery	ı	1	1	#	2.8	2.0	25.2	22.1	44.7	41,9	22.3	28.3	4.8	5.7	0.2		,	1	82.0	82.7
Greenwood	1	1	1	1	0.0	0.5	13.4	14.5	47.1	53,3	33.4	26.7	5.2	4.7	0.0	0.3	1	1	83.5	83.1
Jackson	1	ı	1	1	0.0	0.6	16.0	25.0	49.9	61.5	30.3	12.6	2.9	0.3	ı	1	1	1	85.9	81,3
Memphis	ı	1	*	ŧ	1.5	4.0	24.6	12.2	51.9	51,9	20.2	30.4	1.8	4.5		9.0	1		81.8	83.4
Hayti	1	1		0.1	1.2	2.9	17.7	28.6	49.1	49.5	27.4	16.9	4.3	2.3	0.3		1	ı	82.9	81.3
Blytheville	1	ı		ı	1.3	1.0	19.4	11.3	50.6	46.0	23.6	32.8	4.8	8.51	0.3	0.4		ı	85.6	83.9
Little Rock	1	1	1	1	1.0	0.6	22.2	12.3	48.7	47.1	23.0	32.3	4.8	6.8	0.3	0.9	*	ı	82.4	83.7
Winnsboro	1	1		*	0.0	1.1	16.1	17.5	51.3	50.4	28.1	26.5	3.51	4.2	0.1	0.3	1	ı	82.9	85.8
Alexandria	1	1	*	0.1	1.9	2.4	25.6	24.7	54.1	50.5	16.6	20.1	1.8	2.1		0.1		1	81.6	81.7
Altus	1	1	0.1	*	0.9	2.4	26.4	20.1	39.5	37.5	21.4	29.4	5.6	9.5	1.0	1.2	*	0.2	81.8	83.4
Dallas	1	1		0.1	0.8	*	6.8	1.2	30.5	14.1	40.9	47.2	17.7	30.7	2.3	4.1	1.0	2.6	85.9	88.6
Austin	*	1	0.1	1	1.0	0.8	8.1	11.8	33.7	41.1	39.4	33.8	14.0	10.7	3.2	1,5	0.5	0.3	85.4	84.3
Corpus Christi	1	1	1	1	1.7	2.3	30.3	33.4	39.8	48.7	17.4	7.6	7.3	4.1	3,1	1.4	4.0	. 4.0	82.4	81.3
Harlingen	1	1	1	1	0.4	6.0	20.4	23.6	38.8	48.2	27.1	24.9	10.8	2.3	2.3	0.1	0.2	t	83.8	82.1
Abilene	1	1	4.0	0.0	9.8	7.4	28.4	32.9	38.0	37.1	18.7	18.5	3.6	3.2	0.7	0.2	4.0	0.1	81.1	80.8
Lubbock	1	ł	0.2	*	0.0	0.9	24.5	12.2	42.1	35,3	19.9	35.4	6.7	13.4	1.9	2.6	0.8	0.2	82.5	84.9
El Paso		1	*	t	1,3	1.9	7.6	10.6	12.0	14.7	15.5	18.2	29.3	29.7	24.2	17.8	8.0	7.1	90.4	89.3
Carlsbad	*	1	1.0	1	7.3	1.4	20.9	16.2	21.6	27.0	13.2	13.0	17.3	16.0	15.0	17,1	3.7	6.3	85.5	87.8
Phoenix	1	1	*	4	0.0	0.5	10.2	7.0	39.6	34.8	36.6	40.6	11.7	14.7	1.1	2.4	0.2	*	84.7	85.6
Fresno	1	1	1	1	1	ı	0.1	1	0.1	1.1	3.7	0,0	20.2	32.6	40.2	38.4	35.7	18.4	7.76	95,3
Bakersfield	1	1	ı	T	1	ı	1	0.1	0.3	9.0		6.2	22.0	33.6	45.4	41.2	29.6	18.3	97.3	95.5
El Centro	1	1	1		*	*	2,3	1.5	19.8	20.0	4.5	47.5	26.3	26.6	6.2	4.1	0.0	0.3	87.8	87.6
United States	*	1	*	*	2.1	1.2	16.0	12.9	33,6	32.9	20.8	24.3	10.1	14.2	10.2	10,2	7.2	4.3	86.0	86.3
Tess than 0.05 percent.	Depres	nt.																		

Table 17. -- Grade and staple of American Pima cotton ginned, by states and United States, 1975-76

Grade				Gin	nings					Per	centages		
					taple						taple		
		40		Ĩ		48	2.7.2	40				48	47.7
		and	42	44	46	and	All	and	42	44	46	and	A11
	Code	shorter	,,_	'	1	longer	staples	shorter	1		, ,	longer	staples
		 	D . 1 .	72 - 7			D-1	+	D	D	Demonst		D
		Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
							MEN	A C					
2	(20)						TEX	AS					
1	(10)	_	-	= 20	15	-	E42	-	-	- -	1 5	-	1.0
2	(20)	-	-	528 5,036	554	_	543 5,590	-	-	5.1	1.5	_	4.0
3	(30)	-	-					-	-	28.8	40.7	-	25.1
4	(40)	-	- 1.45	3,004	414	-	3,418	-	7.6	14.9	3.4	-	12.8
5	(50)	_	145 625	1,557 292	35	_	1,737 917	-	32.6	2.8		_	6.7
6	(60)	-		292	-	-		- 6 0	35.9	2.0	-	-	
7	(70)	18	689	_	-	-	707	6.8		-	-	-	5.2
8	(80)	81	326	_	_	-	407	30,6	17.0	-	· -	-	3.0
9	(90)	97	125	-	_	-	222	36.6	6.5	-	_	_	1.6
10	(00)	69	8			-	77	26.0	0.4	-			0.6
All	grades	265	1,918	10,417	1,018	-	13,618	100.0	100.0	100.0	100.0	-	100.0
	()						NEW MEX	TCO					
1	(10)	-	-	-	-	-	252	-	-	27 7	-		-
2	(20)	-	-	253	-	_	253	-	-	11.1	-	-	9.8
3	(30)	-	-	1,365	87	-	1,452	-	-	59.6	38.0	-	56.1
4	(40)	-	-	463	127	-	590	-	-	20.3	55.4	-	22.8
5	(50)	-	-	159	15	-	174	-	-	7.0	.6.6	-	6.7
6	(60)	-	9	46	-	-	55	-	12.3	2.0	-	-	2.1
7	(70)	-	62	-	-	-	62	-	85.0	-	-	-	2.4
8	(80)	-	2	-	-	-	2	-	2.7	-	-	-	0,1
9	(90)	-	-	-	-	-	-	-	-	-		-	-
10	(00)									*		-	
All	grades	-	73	2,286	229	-	2,588	-	100.0	100.0	100.0	-	100.0
											1		
	4 - 1						ARIZON	<u>A</u>					
1	(10)	-	-	-	-	-	-	-	-	-	-	-	-
2	(20)	-		919	97	_	1,016	-	-	2.9	1.9	-	2.7
3	(30)	-	8	16,292	2,018	-	18,318	-	1.3	51.2	40.1	-	48.8
4	(40)	-	29	11,439	2,643	-	14,111	-	4.7	36.0	52.5	-	37.7
5	(50)	-	14	2,135	268	-	2,417	-	2.3	6.7	5.3	-	6.5
6	(60)	-	25	444	8		477	-	4.1	1.4	0.2	-	1.3
7	(70)	-	236	296	-	-	532	-	38.5	0.9	-	-	1.4
8	(80)	-	166	224	-	-	390	-	27.1	0.7	_	-	1.0
9	(90)	_	97	12	-	-	109	700.0	15.8	0.2	-	-	0.3
10	(00)	9	38	48			95	100.0	6.2	0.2	-		0.3
All	grades	9	613	31,809	5,034	-	37,465	100.0	100.0	100.0	100.0		100.0
	/ >						UNITED ST	ATES					
1	(10)	-	-	-		-	1 010	-	-	-	-	-	- 1
2	(20)	-	_	1,700	112	-	1,812	-	-	3.8	1.8	~	3.4
3	(30)	-	8	22,693	2,659	-	25,360	-	0.3	50.9	42.3	-	47.2
4	(40)	-	29	14,906	3,184	-	18,119	-	1.1	33.5	50.7	-	33.8
5	(50)	-	159	3,851	318	-	4,328	-	6.1	8.7	5.1	-	8.1
6	(60)	-	659	782	8	-	1,449	-	25.3	1.8	0.1	7	2.7
7	(70)	18	987	296	-	-	1,301	6.6	37.9	0.7	-	-	2.4
8	(80)	81	494	224	-	-	799	29.6	19.0	0.5	-	-	1.5
9	(90)	97	222	12	7	-	331	35.3	8.5		-	-	0,6
	1	70	46	48		_	172	28.5	1.8	0.1	_		0.3
10	(00)	78	40				+/4	20,0	1,0			- -	0.0

 $[\]underline{\underline{1}}/$ As reported by the Bureau of the Census, running bales.

Less than 0.05 percent.

Table 18. -- Grade and staple of American Pima cotton ginned in the United States, during specified periods, 1975-76

			-		G1:	nnings	3.94	
G	rade and sta	aple	Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	la serial	Code	Bales	Bales	Bales	Bales	Bales	Bales
1		(10)		-	-	_		<u> </u>
2		(20)	-	340	1,221	251	10-10	1,812
3		(30)	_	408	11,520	12,379	1,053	25,360
4		(40)	-	476	4,823	9,241	3,579	18,119
5		(50)	-		560	1,904	1,864	4,328
6		(60)	-		46	509	894	1,449
7		(70)	6-2-1	_		266	1,035	1,301
8		(80)	_			75	724	799
9		(90)				33	298	331
10		(00)	-			33	139	172
	l grades			1,224	18,170	24,691	9,586	53,671
	- 8	-	************	-,	10,170	2+,031		33,071
Staple	e							
40 an	d shorter		-	-	-	25	249	274
42			-	1991 - 19	29	799	1,776	2,604
14			- 2	1,156	16,511	20,365	6,480	44,512
46			0.7	68	1,630	3,502	1,081	6,281
48 an	d longer		G-Ji	T-4 - 4	100		-	-
	ll staples	1-7		1,224	18,170	24,691	9,586	53,671 1
Grade		Code	Percent	Percent	Percent	Percent	Percent	Percent
1		(10)	-	-	-	_	-	-
2		(20)	-	27.8	6.7	1.0	-	3.4
3		(30)	100	33.3	63.4	50.2	11.0	47.2
4		(40)	25	38.9	26.5	37.4	37.3	33.8
5		(50)	_	_	3.1	7.7	19.4	8.1
6		(60)	101	_	0.3	2.1	9.3	2.7
7		(70)	20		_	1.1	10.8	2.4
8		(80)	100	_	_	0.3	7.6	1.5
9		(90)	-	_	_	0.1	3.1	0.6
10		(00)	_	-	_	0.1	1.5	0.3
	l grades	_	-	100.0	100.0	100.0	100.0	100.0
					6,11			
Staple							-	
	d shorter		-	-	15 5	0.1	2.6	0.5
12			-	-	0.2	3.2	18.5	4.9
14			-	94.4	90.8	82.5	67.6	82.9
16			-	5.6	9.0	14.2	11.3	11.7
18 and	d longer	-	-		-	-	100.0	-
								100.0

^{1/} As reported by the Bureau of the Census, running bales.

Average grade.... 3.7
Average staple...44.1

Less than 0.05 percent.

Table 19. -- Percentage distribution of micronaire readings for American Pima cotton ginned in the United States, by states, 1975-76 with comparisons

				St	ate			IIn4 tod	States
Rea	dings	Te	xas	New	Mexico	Aria	zona	United	States
		1974	1975	1974	1975	1974	1975	1974	1975
		Per	cent	Per	cent	Per	cent	Per	cent
2.4 and be	low	0.1	0.7	1 _	0.3	_		os .	0.2
2.5	100	0.2	0.9		PO _			0.1	0.2
2.6		0.4	1.9	0.1	0.6		0.3	0.2	0.7
2.7		1.8	4.0	0.3	0.3	*	0.3	0.6	1.2
2.8		2.7	4.8	1.9	3.3	0.1	0.8	1.1	1.9
2.9		3.1	5.3	3.4	4.2	0.2	0.7	1.4	2.0
2.9		3.1	3.3	3.4	4.2	0.2	0.7	1.4	2.0
3.0		5.7	5.9	4.2	6.8	0.5	1.3	2.5	2.8
3.1		5.9	8.0	6.5	6.6	0.9	1.4	3.0	3.4
3.2		9.4	9.5	10.6	7.5	1.3	3.0	4.7	4.9
3.3		9.5	9.0	11.2	11.1	1.8	2.8	5.1	4.8
3.4		11.9	9.7	9.1	6.4	2.4	5.4	6.1	6.6
2.5		11 5	0.7	10.0	0.7	2.2	F 6	6.6	6.0
3.5		11.5	9.7	10.8	8.7	3.3	5.6	6.6	6.8
3.6		12.1	9.9	13.8	10.6	6.4	10.7	8.8	10.5
3.7		9.1	7.4	9.1	7.2	7.9	11.4	8.4	10.2
3.8		6.6	4.8	6.0	7.1	11.3	13.6	9.3	11.0
3.9		4.4	3.7	4.8	7.2	12.9	13.1	9.4	10.4
4.0		3.0	2.1	3.6	4.2	14.7	12.3	10.0	9.3
4.1		1.1	1.1	2.0	3.9	14.3	9.4	9.0	7.0
4.2		0.8	0.8	1.7	3.3	11.2	4.6	7.0	3.5
4.3		0.5	0.7	0.8	-	5.7	2.2	3.6	1.7
4.4		0.2	0.1	- 11	W. 16-	3.4	0.6	2.1	0.5
4.5		18.5	1245			1.3	0.3	0.8	0.2
4.6			610	0.1	0.7	0.3	0.1	0.2	0.1
4.7		100		-		0.1	0.1	*	0.1
4.8						*	0.1		0.1
4.9		11.0					1		
5.0 and ab	AND	1.0		-					
o.o and ab	ove	15:30	- Exe			_			May 15
Total		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average mi	.ke	3.4	3.3	3.5	3.5	3.9	3.8	3.7	3.6

^{*} Less than 0.05 percent.

